

## DAFTAR PUSTAKA

- Albertoni, E.F, Palma-Silva, C., dan de Assis-Esteves, F. (2003). Overlap of dietary niche and electivity of three shrimp species (Crustacea, Decapoda) in a tropical coastal lagoon (Rio de Janeiro, Brazil). *Revista Brasileira de Zoologia* 20(1) : 135-140.
- Anderson, R dan Neumann, R. (1996). *Length, weight and associated structural indices*. Dalam *Fisheries Techniques*, second edition, American Fisheries Society, Bethesda, Maryland. pp. 447-482
- Andrade, F.M dan Braga, F.M.S. (2005). Diet and feeding of fish from grande river, located below the volta grande reservoir, MG-SP. *Brazilian Journal of Biology*, 65(3) : 377-385.
- Bachok, Z., Mansor, M.I, dan Noordin, R.M. (2004). Diet composition and food habits of demersal and pelagic marine fishes from Terengganu waters, east coast of Peninsular Malaysia. *WorldFish Center Quarterly* Vol. 27 No.3&4 Jul-Dec.
- Begum, M., Alam, M.J., Islam, M.A., dan Pal, H.K. (2008). On the food and feeding habit of an estuarine catfish (*Mystus gulio* Hamilton) in the south-west coast of Bangladesh. *Univ. J. Zool. Rajshahi Univ.* Vol. 27 : 91-94
- Bordeau, P. dan Treshow, M. (1978). *Ecosystem response to pollution*. Dalam *Principles of Ecotoxicology*. New York : John Wiley & Sons.
- Bunt, J. S. (1996). Mangrove zonation : An examination of data from seventeen riverine estuaries in tropical Australia. *Annals of Botany* 78: 333-341
- Carvalho, A.F.U., Farias, D.F., Barroso, C.X., Sombra, C.M.L., Silvino, A.S., Menezes, M.O.T., Soares, M.O., Fernandes, D.A.O., dan Gouveia, S.T. (2007). Nutritive value of three organisms from mangrove ecosystem : *Ucides cordatus* (Linnaeus,1763), *Mytella* sp. (Soot-ryen,1955) and *Crassostrea rhizophorae* (Guilding,1828). *Brazilian Journal of Biology*, 67(4): 787-788
- Castro, M. dan Huber, M.E. (2007). *Marine Biology*. New York : McGraw-Hill Companies Inc.
- Chan, T.Y. (1998). *Shrimp and prawn*. Dalam FAO species identification guide for fishery purposes, Volume 2. Cephalopods, crustaceans, holothurians and sharks. Roma : FAO
- Chakraborty, S., Ghosh,S. dan Bhattacharyya, D.K. (2004). Lipid Profiles of *Nibeasoldado* organs. *Journal of Oleo Science* Vol.53, No. 8 : 367-370.

- Cortes, E. (1997). A critical review of Method of studying fish feeding based on analysis of stomach contents : Application to elasmobranch fishes. *Canadian Journal of Fish Aquatic Science* 54: 726-738
- Da Silva, C.C., Ferreira, E.J.G., dan de Deus,C.P. (2008). Diet of *Bryconops alburnoides* and *B.caudomaculatus* (Osteichthyes : Charachiformes) in the region affected by Balbina Hydroelectric Dam (Amazon drainage, Brazil). *Neotropical Ichthyology*, 6(2) : 237-242
- De Carvalho, M.R. dan Soares, L.S.H. (2006). Diel feeding patern and diet of rough scad *Trachurus lathami* Nicols, 1920 (Carangidae) from Southwestern Atlantic. *Neotropical Ichthyology*, 4(4): 419-426
- De Oliveira, V., Luz-Poletto, S., dan Venere, P.C. (2005). Feeding of Juvenile pirarucu (*Arapaima gigas*, Arapaimidae) in their natural environment, LagoQuatro Bocas, Araguaiana-MT, Brazil. *Neotropical Ichthyology*, 3(2) : 312-314
- De Melo, C.E., Machado, F., Pinto-Silva, V. (2004). Feeding habits of fish fauna from a stream in the savanna of central brazil, Araguaia Basin. *Neotropical Ichthyology* 2(1) : 37-44.
- Djamali, A., Burhanuddin, dan Martosewojo, S. (1988). Telaah biologi Ikan Kuro (*Eleutheronema tetradactylum*) Polynemidae di Muara Sungai Musi Sumatera Selatan. *Biologi, Budaya, Kualitas Perairan dan Oseanografi LIPI*
- Dolgov, A.V. (2007). Trophic structure of the Barents Sea Fish community with the special reference to the cod stock recovery ability. *ICES C.M. D:08*
- Farias, I., Figueiredo, I., Serra-Pereira, B., Bordalo-Machado, P., Moura, T., dan Gordo, L.S. (2005). Diet comparison of four ray species [*Raja clavata* Linnaeus, 1758; *Raja brachyura* Lafont, 1873; *Leucoraja naevus* (Müller & Henle, 1841) and *Raja montagui* Fowler, 1910] caught along the Portuguese continental coast. 2005. *ICES CM 2005/N:28*
- Frid, C.L.J dan Hall, S.J. (1999). Inferring changes in north sea benthos from fish stomach analysis. *Marine Ecology Progress Series* vo. 184 :183-188
- Haris, A., Lala, D.,dan Setyadi, G. (2008). Fishes of The Estuaries of Mimika District Papua Province. *Marine Research Indonesia* Vol. 33. No. 2 : 155-166.
- Haroon, A.K.Y dan Pittman, K.A. (1998). Intraspecific dietary breadth, overlap indices and feeding strategies of *Puntius gonionotus* Bleeker and *Oreochromis* spp. In a shallow pond from Bangladesh. *Asian Fisheries Science* 10: 303-316.
- Hogarth, P. (2007). *The biology of Mangrove and Seagrass*. New York : Oxford University Press.

- Hyslop, E.J. (1980). Stomach contents analysis – a review of methods and their application. *Journal of Fish Biology*, vol. 17, no. 4, p. 411-429
- Jepsen, D.B dan Winemiller, K.O. (2002). Structure of tropical river food web revealed by stable isotope ratios. *Oikos* 96 : 46-55
- Junior, D.M., Paranagua, M.N., Schwamborn, R., Leitao, S.N., dan Ekau, W. (2007). Fluxes of zooplankton biomass between a tidal estuary and the sea in the northeastern Brazil. *Brazilian Journal of Oceanographic*, 55(4):239-249.
- Kailola, P.J. (1999). *Ariidae*. Dalam FAO species identification guide for fishery purposes, Volume 3. Batoid fishes, chimaeras, and bony fishes part 1(Elopidae to Linophrynididae). Roma : FAO
- Kaldonski, N., Lagrue, C., Motreuil, S., Rigaud, T., dan Bollache, L. (2008). Habitat segregation mediates predation by the benthic fish *Cottus gobio* on the exotic amphipod species *Gammarus roeseli*. *Naturwissenschaften* 95 : 839-844
- Krebs, C.J. (1999). *Ecological Methodology*. California : Benjamin/Cummings
- Lammens, E.H.R.R. (1999). The central role of fish in lake restoration and management. *Hydrobiologia* 395/396: 191–198
- Laufer, G., Arim, M., Loureiro, M., Pineiro-Guerra, M., Clavijo-Baquet, S., dan Fagundez, C. (2009). Diet of Four annual killifishes : an Intra and interspecific comparison. *Neotropical Ichthyology*, 7(1) : 77-88
- Lima-Junior, Eduardo and Goiten, Roberto. (2001). A new method for the analysis of fish stomach contents. *Acta Scientiarum Maringá*, v. 23, n. 2, p. 421-424
- Loureiro-Crippa, V.E. dan Hahn, N.S. (2006). Use of Food by the fish fauna of a small reservoir (Rio Jordao,Brazil) before and shortly after its filling. *Neotropical Ichthyology*, 4(3) : 357- 362
- Luz-Agostinho, K.D., Bini, L.M., Fugi, R., Agostinho, A.A., dan Julio, H.F. (2006). Food Spectrum and trophic structure of the ichtyofauna of Corumba reservoir, Parana river Basin, Brazil. *Neotropical Ichthyology*, 4(1) : 61-68
- Mabragana,E. dan Gilberto, D.A. (2007). Feeding ecology and abundance of two sympatric skates, the shortfin sand skate *Psammobatis normani* McEarchan, and the smallthorn sand skate *P.rudis* Gunther (Chondrichthyes,Rajidae), in the Southwest Atlantic.
- Martosowojo, S. dan Djamarli, A. (1985). Makanan Ikan Layang *Decapterus russelli* (Ruppell) dari perairan sekitar Pulau Bawean, Laut Jawa.

- Mawuti, M., Nyunja, J.A., dan Wakwabi, E.O. (2004). Trophic ecology of some common juvenile fish species in Mtwapa Creek, Kenya. *Western Indian Ocean Journal of Marine Science* Vol. 3 no. 2, pp: 179-187
- Milligan, R.J., Albalat, A., Atkinson, R.J.A., dan Neil, D.M. (2009). The effects of trawling on the physical condition of the Norway lobster *Nephrops norvegicus* in relation to seasonal cycles in the Clyde Sea area. *ICES Journal of Marine Science*, 66: 488–494.
- Mohammadi, G.H., Khodadadi, M., Emadi, H., dan Nabavi, S.M.B. (2007). Food habits of *Ephinephelus coioides* (Hamilton, 1822) in Khuzestan Coastal Waters (Persian Gulf). *Pakistan Journal of Biological Sciences* 10(22): 4029-4035
- Navia, A.F. (2007). Feeding ecology of elasmobranch fishes in coastal waters of the Colombian Eastern Tropical Pacific. *BMC Ecology* 7:8
- Nazir, M.(2003). *Metode Penelitian*. Jakarta : Ghalia Indonesia.
- Neif, J.J., de Neiff, A.P., dan Veron, M.B.C. (2009). The role of vegetated area on fish assemblage of the parana river floodplain : effects of different hydrological conditions. *Neotropical ichthyology*, 7(1) : 39-48.
- Northcote, T.G. dan Hammar, J. (2006). Feeding Ecology of *Coregonus albula* and *Osmerus eperlanus* in limnetic waters of Lake Malaren, Sweden. *Boreal Environmental Research* 11:229-246
- Novakowski, G.C., Hahn, N.S., dan Fugi, R. (2008). Diet seasonality and food overlap of fish assemblage in a pantanal pond. *Neotropical ichthyology*, 6(4) : 567-576
- Nursal, Fauziah, Y., dan Ismiati (2005). Struktur dan komposisi vegetasi mangrove tanjung sekodi kabupaten bengkalis riau. *Jurnal biogenesis* vol. 2(1):1-7.
- Paradis, Y., Bertolo, A., Perot, A., De'Bas, S., dan Magnan, P. (2006). Do benthivory and piscivory result in similar growth in walleye?. *Journal of Fish Biology* 69, 1317–1329
- Paraguana, M.N., Neuman-Leitao, S., Nogueira-Paranhos, J.D., Silva, T.A., dan Matsumura-Tundisi, T. (2005). Cladocerans (Branchiopoda) of a tropical estuary in Brazil. *Brazilian Journal of Biology*, 65(1):107-115
- Pereira, P.R., Agostinho, C.S., de Oliveira, R.J., dan Marques, E.E. (2007). Trophic guilds of fishes in sandbank habitat of a neotropical river. *Neotropical Ichthyology* 5(3) : 399-404

- Peretti, D. dan Andrian, I.F. (2008). Feeding and Morphological analysis of the digestive tract of Fishes from the upper Parana River Floodplain, Brazil. *Brazilian Journal of Biology*, 68(3) : 671- 679
- Pohan, M.P., Denni, W., Sabtanto, J.S., dan Asep, A. (2007). Penyelidikan Potensi Bahan Galian Pada Tailing PT Freeport Indonesia Di Kabupaten Mimika, Provinsi Papua. Proceeding Pemaparan Hasil Kegiatan Lapangan dan Non-Lapangan. Pusat Sumber Daya Geologi.
- Pouilly, M., Barrera, S., dan Rosales, C. (2006). Changes of Taxonomic and trophic structure of fish assemblages along an environmental gradient in the Upper Beni Watershed (Bolivia). *Journal of Fish Biology* 68, 137-156
- Rahayu, D.L. dan Setyadi, G. 2009. *Mangrove Estuary Crabs of the Mimika Region Papua, Indonesia*. Timika : P.T Freeport Indonesia
- Ramirez-Luna, V., Navia, A.F., dan Rubio, E.A. (2008). Food habits and feeding ecology of an estuarine fish assemblage of northern pacific coast of ecuador. *Pan-American Journal of Aquatic Sciences* 3(3) : 361-372
- Richard, C.B. dan Gary, J.B. (1990). *Invertebrate*. Massachusetts : Sisauer Associate, Int.
- Rodriquez-Romero, J., Moreno-Sanchez, X.G., Abitia-Cardenas, L.A., dan Palacios-Salgados, D.S. (2009). Trophic spectrum of the juvenile roosterfish, *Nemastius pectoralis* Gill, 1862 (Perciformes: Nematistiidae) in Almejas Bay, Baja California Sur, Mexico. *Revista de Biología Marina y Oceanografía* 44(3) : 803-807
- Salas, F., Teixeira, H., Marcos, C., Marques, C., dan Perez-Ruzafa, A. (2008). Applicability of the trophic index TRIX in two transitional ecosystems : the Mar Menor Lagoon (Spain) and the Mondego Estuary (Portugal). *ICES Journal of Marine Science* 65: 1442-1448
- Satoh, K., Yokawa, K., Saito, H., Matsunaga, H., Okamoto, H., dan Uozumi, Y. (2004). Preliminary stomach content analysis of pelagic fish collected by Shoyo-Maru 2002 Research cruise in the Atlantic Ocean. *Col.Vol.Sci.Pap.* 56(3): 1096-1114.
- Sasaki, K. (2001). *Sciaenidae*. Dalam FAO species identification guide for fishery purposes Volume 5.Bony fishes part 3 (Menidae to Pomacentridae). Roma : FAO.
- T.N. (2009a). Kegiatan PT. Freeport Indonesia dan Proyek Pengelolaan Tailing (<http://www.ptfi.co.id/> Kegiatan PT. Freeport Indonesia dan Proyek Pengelolaan Tailing.html)
- T.N. (2009b). Suksesi dan Penanaman Mangrove di Estuari Ajkwa. (<http://www.ptfi.co.id/> Suksesi dan Penanaman Mangrove di Estuari Ajkwa.html)

Olasco, I., Velasco, F., dan Preciado, I. (2005). Seasonal variability of demersal predator fish trophic levels before and after the Prestige oil spill. *ICES C.M.* 2005/S: 5

Wetzel, R. (2001). *Limnology-Lake and River Ecosystem*. Elsevier Academic Press

Whitehead, D.L., Tibbetts, I.R., dan Daddow, L.Y.M. (2000). Ampullary Organ Morphology of Freshwater Salmontail Catfish, *Arius graeffei*. *Journal of Morphology* 246: 142-149

Yuwono, E., Jennerjahn, T.C., Nordhaus, I., Riyanto, E.A., Sastranegara, M.H., dan Pribadi, R. (2007). Ecological status of Segara Anakan, Indonesia : A mangrove-fringed lagoon affected by human activities. *Asian Journal of Water, Environment and Pollution*, Vol. 4 No. 1 : 61-70