

DAFTAR PUSTAKA

- Aberkane, A., Estrella M.C., Lopez, A.G., Petrikkou, E., Mellado, E., Monzon, A., Tudela, J.L.R., dan the Eurofung Network. (2002). "Comparative Evaluation of Two Different Methods of Inoculums Preparation for Antifungal Susceptibility Testing of Filamentous Fungi". *Journal of Antimicrobial Chemotherapy*. 50, 719-722.
- Agrios, G.N. (2005). *Plant Pathology*. San Diego : Academic Press.
- Agusta, A. (2000). *Minyak Atsiri Tumbuhan Tropika Indonesia*. Bandung : Penerbit ITB
- Alam, S., Akhter, N., Begum M.F., Banu, M.S., Islam, M.R., Chowdury, A.N., dan Alam, M.S. (2002). "Antifungal Activities (In Vitro) of Some Plants Extracts and Smoke on Four Fungal Pathogens of Different Hosts". *Pakistan Journal of Biological Science*. 5(3): 307-306.
- Anand, T. dan Bhaskaran, R. (2009). "Exploitation Of Plant Products And Bioagents For Ecofriendly Management Of Chilli Fruit Rot Disease". *Journal of Plant Protection Research*. 49,(2), 195-2003.
- Apisariyakul, A., Vanittanakom, N., Buddhasukh, D. (1995). "Antifungal Activity of Turmeric Oil Extracted from *Curcuma longa* (Zingiberaceae)". *Journal Ethnopharmacology*. 49, (3), 163-169.
- Arhandhian, A.T. (2009). *Pengaruh Ekstrak Rimpang Kunyit (Curcuma domestica Val.) terhadap Germinasi Spora Jamur Colletotrichum gloeosporioides Penz. secara In vitro*. Skripsi S1 pada FPMIPA UPI. Bandung : tidak diterbitkan.
- Astuti, A.P. (2009). *Pengaruh Ekstrak Rimpang Kunyit (Curcuma domestica Val.) terhadap Germinasi Spora Jamur Fusarium oxysporum Schlecht. secara In vitro*. Skripsi S1 pada FPMIPA UPI Bandung : tidak diterbitkan.
- Balbi-Pena, M.I., Becker, A., Stangarlin, J.R., Franzener, G., Lopes, M.C., dan Schwan-Estrada, K.R.F. (2006). "Controle de *Alternaria solani* em Tomateiro por extratos de *Curcuma longa* e Curcumina I.Avaliação in vitro". *Fitopatologi Brasil*. 31, (3), 310-314.

- Behura, C., Ray, P., Rath, C. C., Mishra, R. K., Ramachandraiah, O. S., dan Charluyu, J.K. (2000). Antifungal activity of essential oils of *Curcuma longa* against five rice pathogens *in vitro*. *Journal of Essential Oil-Bearing Plants* 2000 Vol. 3 No. 2 pp. 79-84 ISSN 0972-060X
- Brecht, M.O. (2005). Ecology And Pathogenicity Of *Bipolaris* spp. And *Curvularia* spp. Associated With Decline of Ultradwarf Bermudagrass Golf Putting Greens In Florida, USA. *A Dissertation Presented To The Graduate School Of The University of Florida in Partial Fulfillment of The Requirements For The Degree of Doctor of Philosophy University Of Florida.*
- Carlile, M.J., Watkinson, S.C. dan Gooday, G.W. (2001). *The Fungi*. San Diego : Academic Press
- Chattopadhyay, I., Biswas, K., Bandyopadhyay, U., dan Banerjee, R.K. (2004). "Turmeric and curcumin: Biological actions and medicinal applications". *Current Science*. 87,(1). 44-53.
- Cowan, M.M. (1999). "Plants Products as Antimicrobial Agents". *Clinical Microbiology Reviews*. 12, (4), 564-581.
- Conquist, A. (1981). *An Integrated System On Classification of Flowering Plants*. New York : Columbia University Press.
- Dhingra, O.D., Jham, G.N., Barcelos, R.C., Mendonca, F.A., Ghiviriga, I. (2007). Isolation and Identification of the Principal Fungitoxic Component of Turmeric Essential Oil. *Journal of Essential Oil Research*
- Djojosumarto, Panut. (2000). *Teknik Aplikasi Pestisida Pertanian*. Yogyakarta : Penerbit Kanisius
- Egon, S. (1985). *Analisis Obat Secara Kromatografi dan Mikroskopis*. Bandung: Institut Teknologi Bandung.
- FRAC. (2007). *Modes of Action for Fungicides*. [Online]. Tersedia: http://www.pesticidebook.com/pdfs/chapter19_pages211-213.pdf
- Gandhi, R., dan Snedeker, S.M. (2000). Critical Evaluation of Mancozeb's Breast Cancer Risk. Cornell University Program on Breast Cancer and Environmental Risk Factors, New York State. [Online]. Tersedia : <http://envirocancer.cornell.edu/criticaleval/pdf/CE.mancozeb.pdf>

- Griffin, H.D. (1981). *Fungal Physiology*. New York: John Wiley and Sons, Inc.
- Gomez, A.K. dan Gomez, A.A. (1995). *Statistical Procedures For Agricultural Research*. John Wiley & Sons, Inc.
- Harish, S., Saravanan, T., Radjacommare, R., Ebenezar, E.G., Seetharaman, K. (2004). "Mycotoxic Effect of Seed Extracts Against *Helminthosporium oryzae* Breda de Hann, the Incitant of Rice Brown Spot". *Journal of Biological Science*. 4,(3), 366-369.
- Iqbal, M.Z., Shakir, A.S., Sahi, S.T. (1999). *In vitro* Studies of Fungi Isolated from Stem Pieces of Cuscuta in Pakistan. *Pakistan Journal of Biological Sciences*, 2(3): 993-995.
- Kaitisha, G.C. (1994). Natural Plants Products as Pesticides. *Proceedings from the First National Symposium i Zambia held in Lutsaka, 2nd-5th August of 1994*. (ISBN, ISSN): ISSN 1104-6422, ISRN SLU-VÄXT-R-4-SE.
- Kim, Moo-Key, Choi, G.J., Lee, H.S. (2003). Fungicidal Property of *Curcuma longa* L. Rhizome Derived Curcumin Against Phytopathogenic Fungi in a Greenhouse. *Journal of Agricultural and Food Chemistry*. 51, 1578-1581.
- Kohli, K., Ali, J., Ansari, M.J., Raheman, Z. (2005). "Curcumin A natural Antiinflammatory agent". *Indian Journal Pharmacology*. 37, (3), 141-147.
- Kusumawardhani, P. (2010). *Pengaruh Ekstrak Rimpang Kunyit (Curcuma domestica Val.) terhadap Sporulasi Jamur Fusarium oxysporum Schlecht. dan Colletotrichum Gloeosporioides Penz. secara in vitro*. Skripsi S1 pada FPMIPA UPI. Bandung : Tidak diterbitkan.
- Lalitha, V., Kiran, B., Raveesha, K.A. (2011). Antifungal And Antibacterial Potentiality Of Six Essential Oils Extracted From Plant Source. *International Journal of Engineering Science and Technology (IJEST)* Vol. 3 No. 4 Apr 2011. ISSN : 0975-5462
- Leela, K.N., Tava, A., Shafi, P.M., John, S.P., Chempakam, B. (2002). "Chemical composition of essential oils of turmeric (*Curcuma longa* L.)". *Acta Pharm.* 52, (2), 137-141.
- Management Committee for Agronomy & Research (MCAR). (2008). *Pedoman Teknis Budidaya (Tanaman Kelapa Sawit)*. Jakarta : Sinarmas Agribusiness and Food (Tidak Diterbitkan).

- Mew, T.W dan Gonzales, P. (1997). *A Handbook of Rice Seedborne Fungi*. IRRI & SP.
- Nazir, M. (2003). *Metode Penelitian*. Jakarta: Ghalia Indonesia.
- Nishimura, K., Sano, A. (1999). *Curvularia lunata Colony*. [Online]. Chiba University Research Center for Pathogenic Fungi and Microbial Toxicoses. (2 Februari 20110
- Noveriza, R. dan Tombe, M. (2003). "Uji *In vitro* Limbah Pabrik Rokok Terhadap Beberapa Jamur Patogenik Tanaman." *Buletin Tro*. XIV, (2),1-7.
- Nurhayati, I., Syulasmis, A., dan Hamdiyati, Y. (2008). Pengaruh Ekstrak kunyit (*Curcuma domestica* Val.) terhadap Pertumbuhan Jamur *Alternaria porri* secara *in vitro*. *Jurnal Penelitian FPMIPA UPI*. Tersedia : <http://repository.upi.edu>
- Padmawar, A. (2010). *Curcuma longa*. [Online]. Tersedia: <http://www.amrutaherbals.com/specifications/Haldi/specification.htm>
- Panda, R. dan Panda, H. (2006). Turmeric for Treating Health Ailments. *Science Tech Entrepreneur*. [Online]. Tersedia : <http://www.technopreneur.net/information-desk/scientech.../turmeric.pdf> [2 Februari 2010]
- Pelczar, M.J.Jr. dan Chan, E.C.S. (2007). *Dasar-Dasar Mikrobiologi*. Jakarta : UI Press
- Pitt, J.I. dan Hocking, A.D. (2009). *Fungi and Food Spoilage*. New York : Springer
- Rahardjo, M. dan Rostiana, O. (2005). Budidaya Tanaman Kunyit. Badan Penelitian dan Pengembangan Pertanian Balai Penelitian Tanaman Obat dan Aromatika. *Sirkuler No. 11, 2005*. Tersedia : <http://www.balitro.go.id>
- Salawu, E.O. dan Afolabi, S.S. (1994). The Reaction and The Influence of Nitrogen Levels on Incidence and Severity of *Curvularia* Leaf Spot Disease on Sugarcane (*Saccharum officinarum* L.). *Pakistan Journal of Botany*., 26(1): 187-189

- Shivas, R. dan Beasley, D. (2005). *Management of Plant Pathogen Collection (Pengelolaan Koleksi Patogen Tanaman)*. ISBN 0-9751686-7-3. Australia : Negara Persemakmuran Australia.
- Shukla, A.C., Pandey, K.P., Mishra, R.K., Dikshit, A. dan Shukla, N. (2011). Broad spectrum antimycotic plant as a potential source of therapeutic agent. *Journal of Natural Products*, Vol. 4(2011): 42-50.
- Singh, U. P., Singh, S. K., Sugawara, K., Srivastava, J. S., Sarma, B. K. dan Prithiviraj, B. (2001). Studies on Sclerotium Formation in *Curvularia* Species. *Mycobiology* 29(3): 154-159.
- Stankovic, I. (2004). *Curcumin*. [Online]. Tersedia : [ftp://ftp.fao.org/es/esn/jecfa/cta/CTA 61 Curcumin.pdf](ftp://ftp.fao.org/es/esn/jecfa/cta/CTA_61_Curcumin.pdf)
- Tn. (2005). *Turmeric*. [Online]. Tersedia : www.centerchem.com [1 Maret 2011]
- Tn. (2006). *Curcuma longa Power Extract*. [Online]. Tersedia : http://www.sanat.co.in/herbal_products [3 Februari 2011]
- Tn. (2007). *Curvularia spp.* [Online]. Tersedia : http://www.doctorfungus.org/thefungi/Description_index.php [3 Februari 2011]
- Tn. (2009). *The Black Kernel of Paddy Rice*. [Online]. Tersedia : <http://www.knowledgebank.irri.org/smta/index.php> [12 Mei 2011]
- Tn. (2010a). *Disease of Spices*. [Online]. Tersedia : <http://www.usm.edu.ph/picri/index.php> [12 Mei 2011]
- Tn. (2010b). *Curcuma domestica* – Flickr Photo Sharing. [Online]. Tersedia : <http://www.flickr.com> [20 April 2011]
- Tom. (2010). *Tom and Anne's Garden - Turmeric*. [Online]. Tersedia : <http://tomandannesgarden.blogspot.com> [27 April 2011]
- Singh, U. P., Singh, S. K., Sugawaral, K., Srivastava, J. S., Sarma, B. K. dan B. Prithiviraj. (2001). Studies on Sclerotium Formation in *Curvularia* Species. *Mycobiology* 29(3): 154-159 (2001). The Korean Society of Mycology 154

- Watanabe, T. (2002). *Pictorial Atlas of Soil and Seed Fungi (Morphologies of Cultured Fungi) Second Edition*. Florida : CRC Press.
- WHO. (1999). *Monographs on Selected Medical Plants*. Geneva: WHO.
- Wiyono, S. (2007). Perubahan Iklim dan Ledakan Hama dan Penyakit Tanaman. Makalah Seminar Sehari : *Keanekaragaman Hayati Ditengah Perubahan Iklim: Tantangan Masa Depan Indonesia*. (KEHATI, Jakarta 28 Juni 2007)
- Wuthi-Udomler, M., Grisanapan, W., Luanratana, O. dan Caichompoo, W. (2000) Antifungal activity of *Curcuma longa* grown in Thailand. *Southeast Asian J. Trop. Med. Public Health*, **31**,178–182.
- Yulia, E. (2006). “Aktivitas Anti Jamur Minyak Esensial dan Ekstrak Beberapa Tanaman Keluarga Zingiberaceae dan Poaceae Terhadap Jamur *Pestalotiopsis versicolor* Penyebab Penyakit Hawar Daun pada Tanaman Kayu Manis (*Cinnamomum zeylanicum*)”. *Agrikultura*. 17, (3), 224-231.
- Zarafi, A. B. dan Moumoudou, U. (2010). In vitro and in vivo control of pearl millet midrib spot using plant extracts. *Journal of Applied Biosciences* 35: 2287-2293 ISSN 19975902