# DAFTAR PUSTAKA


Angelova, Z. *et.al.* (2006). Elicitation of Plants. Biotechnol & Biotechnol.Eq.20/2006/2. Germany

Aprijani, D.A and Elfaizi,M.A. (2004). *BIOINFORMATIKA:Perkembangan, Disiplin Ilmu dan Penerapannya diIndonesia*. [Online]. Tersedia:http://http://www.gnu.org/copyleft/fdl.html [1 Juni 2010].

Barriuso. J *et al.* (2008).*Ecology, Genetic Diversity and Screening Strategies of Plant Growth Promoting Rhizobacteria (PGPR).* Plant-Bacteria Interactions. Strategies and Techniques to Promote Plant Growth. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim: Germany

Busam, G. (1997). *Differential Expression of Chitinases in Vitis vinifera* L. *Responding to Systemic Acquired Resistance Activators or Fungal Challenge.* Plant Physiol : Germany.

Campbell, *et.al.* (2000). Biologi. Erlangga. Jakarta: Indonesia.

Cappuccino, J.G & N. Sherman. (1987). *Microbiology : A Laboratory Manual*. The Benjamin/Cummings Publishing Company, Inc. Menlo Park, California.

Clarridge, J.E.(2004).”Impact of *16S rRNA* Gene Sequence Analysis for Identification of Bacteria on Clinical Microbiology and Infectious Diseases”. *Clinical Microbiology Reviews*.17,(4),840-862.

Cole, J.R. *et al*.(2005).”The Ribosomal Database Project (RDP-II): Sequences and Tools For High Throughput rRNA Analysis”. *Nucleic Acid Research*.33,294-295.

Desiarianty,R.(2009). *Aktifitas Antibakteri ekstrak tumbuhan Ageratum conyzoides L terhadap Staphylococcus aureus secara in vitro.* Skripsi Sarjana Biologi. Bandung : Jurusan Pendidikan Biologi FPMIPA Universitas Pendidikan Indonesia.

El-Hamshary and Khattab,A.(2008). "Evaluation of Antimicrobial Activity of *Bacillus subtilis* and *Bacillus cereus* and Their Fusants Against *Fusarium solani"*. *Research Journal of Cell and Molecular Biology*.2,(2),24-29.

Glazer,A and Nikaido,H. (2007). *Microbial Biotechnology*. Cambridge : Cambridge University Press.

Gonzalez,M.J.*et al*.(2005)."Application Of Molecular Nucleic Acid-Based Techniques For The Study of Microbial Communities In Monuments and Artworts".*Research Review International Microbiology*.8,189-194.

Goto, M. (1983). *Pseudomonas sryringae pv. Photiniae pv. The causal Agent of bacterial Leaf Spot of Photinia glabra maxim.* Ann.Phytopath.Soc.japan. Faculty of Agriculture, shizuoka University,Ohya, Szuoka: Japan.

Hardikasari,F.(2009). *Aktifitas Antifungi ekstrak tumbuhan Ageratum conyzoides L terhadap Candida albicans secara in vitro.* Skripsi Sarjana Biologi. Bandung : Jurusan Pendidikan Biologi FPMIPA Universitas Pendidikan Indonesia.

Hapsakti,E. (2009). *Aktifitas Antifungi ekstrak tumbuhan Ageratum conyzoides L terhadap pertumbuhan Trycophyton mentagrophytes secara in vitro.* Skripsi Sarjana Biologi. Bandung : Jurusan Pendidikan Biologi FPMIPA Universitas Pendidikan Indonesia.

Huang, C *et al*. (2005). Identification of an Antifungal Chitinase from a Potential Biocontrol Agent, *Bacillus cereus* 28-9. *Journal of Biochemistry and Molecular Biology*.38,(1),82-88.

Hogg,S. (2005).*Essentia Microbiology.* John Wiley & Sons Ltd, The Atrium, Southern Gate, Chichester,West Sussex PO19 8SQ, England.

Ishimaru, C.& Klos, E.J.(1984)."New medium for Detecting Erwinia amylovora and Its Use in Epidemiology studies". Phytopatology. America.

Jacobs, J and Sundin, G (2001).Effect of Solar UV-B Radiation on a Phyllosphere Bacterial Community. *Applied and Enviromental Microbiology*.67(12):5488-5496.

Janda, J.M. and Abbott,S.L.(2007).”16S rRNA Gene Sequencing for Bacterial Identification in the Diagnostic Laboratory: Pluses, Perils and Pitfalls”. *Journal of Clinical Microbiology*.45,(9),2761-2764.

Kamil,Z. (2007). Isolation and identification of Rhizosphere Soil Chitinolytic Bacteria and their Potential in Antifungal Biocontrol. Global *journal of Molecular Sciences*. 2(2):57-66. IDOSI Publication: Egypt.

Korostelev, A. *et al*.(2007).”Interaction and Dinamics of the Shime-Dalgarno helix in the 70S Ribosome”. *PNAS USA*.104,(43),16840-16843.

Laila, A dan Hendri, J. (2008). *Study Pemanfaatan Polimer Kitin Sebagai Media Pendukung Amobilisasi Enzim A-Amilase*. Seminar Nasional Sains dan Teknologi-II 2008 Universitas Lampung,

Lehninger. (1997). *Principles of biochemistry.*W.H. Freeman and company: New York.

Lindow,S and Brandl M.(2003).” Microbiology of the Phyllosphere”. *Applied and Environmental Microbiology*.69,(4),1875-1883.

Lindow, S.(2006). *Phyllosphere Microbiology: A Perspective*. Centre for Ecology & Hydrology. Cabi. London: Athenaeum Press, Gateshead.

Marchesi,J. R. *et al*.(1998).”Design and Evaluation of Useful Bacterium-Specific PCR Primers That Amplify Genes Coding for Bacterial 16S rRNA”. *Applied and Environmental Microbiology* .64,(2),795-799.

Ming, L.C.(1999).“Ageratum conyzoides : A Tropical Source of Medicinal and Agricultural Product”. *Journal Janick (Ed),* Perspectives on News Crops and News Uses. Alexandria, ASHS Press.

Moat, A.G *et al*.(2002).*Microbial Physiology*.New York: John Wiley & Sons Ltd.

Monier,J and Lindow,S. (2005). *Spatial Organization of Dual-Species Bacterial Aggregates on Leaf Surface.* Applied and Environmental Microbiology. Universite Lyon I. Villeurbanne Cedex: France.

Muzzarelli RAA. 1985. Chitin. *In* The polysaccharides. *Ed*. Aspinall GO. Academic Press, Inc. Orlando. 417-450.

Olsen, *et.al*. (1986). *Microbial ecology and Evolution: a ribosomal Approach.* Department of Biology and Institute for Molecular and Cellular Biology, University of ndiana,Blcoomington Indiana.

Paul, E.A.(2007). *Soil Microbiology, Ecology and Biochemistry 3rd Edition.* United States of America : ELSIVIER.

Percival, G. (2001). *Induction of systemic acquired Disease resistance in plants: Potential implications for disease Management in urban forestry*: Journal of Arboriculture. UK.

Pramitha,A.(2009). *Aktifitas Antibakteri ekstrak tumbuhan Ageratum conyzoides L terhadap pertumbuhan Treptococcus pyogenes secara in vitro.* Skripsi Sarjana Biologi. Bandung : Jurusan Pendidikan Biologi FPMIPA Universitas Pendidikan Indonesia.

Pudjihartati, dkk. (2006). *Aktivitas Enzim Kitinase Pada Kacang Tanah Yang Sehat Dan Yang Terinfeksi Sclerotium Rolfsii.* Hayati, hlm. 73-78. ISSN. Bogor: Indonesia.

Rosantika,S.(2009). *Aktifitas Antibakteri ekstrak tumbuhan Ageratum conyzoides L terhadap pertumbuhan Pseudomonas aeruginosa secara in vitro.* Skripsi Sarjana Biologi. Bandung : Jurusan Pendidikan Biologi FPMIPA Universitas Pendidikan Indonesia.

Sukamto. (2007). Babadotan (*Ageratum conyzoides*) *Tanaman Multi Fungsi yang menjadi inang Potensial Virus Tanaman*. [online]. http://litbang.deptan.go.id [7 Januari 2010]

Suryanto, D dan Munir, E. (2005). *Eksplorasi Bakteri Kitinolitik: Keragaman Genetik Gen Penyandi Kitinase Pada Berbagai Jenis Bakteri dan Pemanfaatannya.* *USU.*

Tortora, et.al. (2010). *Microbiology.* Pearson: United State of America

Tsujibo H, Kubota T, Yamamoto M, Miyamoto K, Inamori Y. (2003). *Characterization of chitinase genes fom an alkaliphilic actinomycete Nocardia prasina* OPC-131. *Appl Environ Microbiol* 69: 894-900.

Utami N. dan Robara M. (2008). *Identifikasi Senyawa Alkaloid dari ekstrak Heksana Daun Ageratum conyzoides.* Seminar Hasil penelitian & pengabdian kepada masyarakat, Unila.

Wilson, *et al* (2006). *Molecular Interactions at the Leaf Surface: Xanthomonas and its Host.* Centre for Ecology & Hydrology. Cabi. London: Athenaeum Press, Gateshead.

Wilson, *et al* (2006). *Microbial diversity in the phyllosphere and Rhizosphere of field grown crop plants: Microbial specialisation at the plant surface* . Centre for Ecology & Hydrology. Cabi. London: Athenaeum Press, Gateshead.

Yurnaliza. (2002). *Senyawa Khitin Dan Kajian Aktivitas Enzim Mikrobial Pendegradasinya.* USU: Digital library.