

DAFTAR PUSTAKA

- Backer, C. A. & Brink, R. C. B. V. D. (1968). *Flora of Java (Spermatophytes only) Vol III*. Netherland: Wolters-Noordhoof N. V.-Groningen.
- Castoe, T.A., Stephens, T., Noonan, B.P., Calestani.C. (2006). “The novel group of type I polyketide synthases (PKS) in animals and the complex phylogenomics of PKSs”. *Gene*. **392**, 47–58
- Donadio, S., Monciardini, P., & Sosio, M. (2007). “Polyketide synthases and nonribosomal peptide synthetases: the emerging view from bacterial genomics”. *Natural Product Report*. **24**, 1073–1109
- Giudice L, D. (2008). “The Microbial Community of *Vetiver* Root is Necessary for Essential Oil Biosynthesis”. *Proceedings of the 52nd Italian Society of Agricultural Genetics Annual Congress*. 978-88-900622-8-5.
- Gerischer, U. 2008. *Acinetobacter Molecular Biology*. Caister Academic Press.
- Held, P.G (2001). “Nucleic Acid Purity Assessment using A_{260}/A_{280} Ratios”. *Application Note of BioTek*
- Hopwood, D.A., & Sherman, D.H. (1990). “Molecular genetics of polyketides and its comparison to fatty acid biosynthesis”. *Annu. Rev. Genet.* **24**, 37–66.
- Jenke-Kodama, H., Sandmann, A., Muller, R., & Dittmann, E. (2005). “Evolutionary Implications of Bacterial Polyketide Synthases”. *Journal of Molecular Biology and Evolution*. **22**, (10), 2027–2039.
- Liu, Q., Liu, C., Yu, J., Yan,J., & Qi, X. (2012). “Analysis of the Ketosynthase Genes in *Streptomyces* and its implicatiions for preventing Reinvestigation of Polyketides with Bioactivities”. *Journal of Agricultural Science*. **4** (7).
- Maffei, M. (2002). *Vetiveria : The Genus of Vetiveria*. New York : Taylor and Francis group.

- Metsa-Ketela, M., Halo, L., Munukka, E., Hakala, J., Mantsala, P., & Ylihonko, K. (2002). "Molecular Evolution of Aromatic Polyketides and Comparative Sequence Analysis of Polyketide Ketosynthase and 16S Ribosomal DNA Genes from Various *Streptomyces* Species". *Applied and Environmental Microbiology*. **68**, (9), 4472-4479.
- Marchesi, J.R., Sato, T., Weightman, A.J., Martin, T.A., Fry, J.C., Hiom, S.J., & Wade, W.G. (1998). "Design and Evaluation of Useful Bacterium-Specific PCR Primers That Amplify Genes Coding for Bacterial 16S rRNA". *Applied and Environmental Microbiology*. **64**, (2), 795-799.
- Marshall, M. M., Amos, R. N., Henrich, V. C., & Rublee, P. A. (2008). "Developing SSU rDNA Metagenomic Profiles of Aquatic Microbial Communities for Environmental Assessments". *Ecological Indicators*. (8), 442-453.
- Miller, K.I., Qing, C., Sze, D.M.Y., Neilan, B.A. (2012). "Investigation of the Biosynthetic Potential of Endophytes in Traditional Chinese Anticancer Herbs". *PLoS One*. **7**, (5), e35953.
- Moffitt, M.C., & Neilan, B.A. (2002). "Evolutionary Affiliation Within the Superfamily of Ketosynthases Reflect Complex Pathway Associations". *Journal of molecular evolution*. **56**, 446-457.
- Nazir, M. (1988). *Metode Penelitian*. Jakarta: Ghalia Indonesia.
- Permatasari, Y. (2011). *Karakterisasi dan Identifikasi Molekuler Bakteri Endofit Akar Vetiveria zizanioides L.* Skripsi Sarjana pada FPMIPA UPI Bandung: tidak diterbitkan
- Rosenblueth, M., & Martinez-Romero, M. (2006). "Bacterial Endophytes and Their Interactions with Hosts". *MPMI*. **19**, (8), 827-837.
- Ryan, R.P., Germaine, K., Franks, A., Ryan, D.J., & Dowling, D.N. (2007). "Bacterial endophytes: recent developments and applications". *FEMS Microbiol Lett*. **278**, (2008) 1-9

- Sambrook, J., & Russel. (2001). *Molecular Cloning-A Laboratory Manual*. New York : Cold Spring Harbor Laboratory Press.
- Strobel, G., & Daisy, B. (2003). “Bioprospecting for Microbial Endophytes and Their Natural Products”, *Microbiology and Molecular Biology Reviews*. 491–502.
- Tan, R.X., & Zou, W.X. (2001). “Endophytes: a rich source of functional metabolites”. *Natural Product Reports*. **18**, 448-459.
- Weisburg, W.G., Susan M.B., Dale A.P., & David J.L. (1991). “16S Ribosomal DNA Amplification for Phylogenetic Study”. *Journal of Bacteriology*, p 697-703.
- Wirth, M.C., Yang, Y., Walton, W.E., Federici, B.A., & Berry, C. (2007). “Mtx Toxins Synergize *Bacillus sphaericus* and Cry11Aa Against Susceptible and Insecticide-Resistant *Culex quinquefasciatus* Larvae”. *Applied and Environmental Microbiology*. **73** (19) : 6066-6071.