

DAFTAR PUSTAKA

- Achmad, S., Hadi, S., Harran, E., Gumbira Sa'id, B., Satiawiharja, M.K., & Kardin. (2010). "Aktivitas antagonisme *in vitro* *Trichoderma harzianum* dan *Trichoderma pseudokoningii* Terhadap Patogen Lodoh *Pinus merkusii*". *Jurnal Penelitian Hutan Tanaman*. **7**,(5):233-240.
- Angelova, Z., Georgiev, S., & Roos, W. (2006). "Elicitation of Plants". *Biotechnol. Eq.* **20**,(2),72-83.
- Arthi, K., Appalaraju, & B. Parvathi, S. (2003). "Vancomycin Sensitivity and KOH String Test as an Alternative to Gram Staining of Bacteria". *Indian Journal of Medical Microbiology*. **21**,(2),121-123.
- Assis, S. M. P., Silveira, E. B., Mariano, R. L. R., & Menezes, D.(1998). "Bactérias Endofíticas-Método Deisolamento e Potencial Antagônico no Controle da Podridão Negra do Repolho". *Summa Phytopathol.* **24**:216-220.
- Atlas, R. M. (2005). *Handbook of Media for Environmental Microbiology*. (2nd Edition). New York: Taylor and Francis.
- Baehaki, A. Nurhayati, T., Suhartono., & Maggy T. (2005). "Karakteristik Protease Dari Bakteri Patogen *Staphylococcus epidermidis*". *Buletin Teknologi Hasil Perikanan*; **VIII**, (2).
- Baker FB, (1987). "Involving Concepts of Biological Control of Plant Pathogens". *Ann.Rev. Phytopathol.* **25**: 67-85.
- Baker, H.G. (1965). *Characteristics and modes of origin of weeds*. Academic Press, New York.
- Baker, R. (2006). Ampicilin Resistance. [Online]. Tersedia: <http://newton.dep.anl.gov/askasci/mole00754.htm> [20 Juni 2012]
- Barea, J. M., *et al.* (2005). "Microbial Co-Operation in The Rhizospher". *Journal of Experimentantal Botany*. **56**, (417), 1761-1778.

Nurul Fauziah, 2012

Potensi Bakteri Endorizosfer *Ageratum Conyzoides* L. Sebagai Antagonis Patogen Manusia

- Batelho, G.R.Guimaraes, V. De Bonis, M., Fonseca, M.E.F., Hagler, A.N., & Hagler, L.C.M. (1998). "Ecology of a Plant Growth-Promoting Strain of *Pseudomonas fluorescens* Colonizing the Maize Endorizosphere in Tropical Soil". *World Journal of Microbiology & Biotechnology*. **14**, 499-504.
- Bell, CR.*et al.* (1995). "Endophytic bacteria in grapevine". *Can J Microbiol*, **41**, 46-53.
- Benhamou N, RR Belanger., & T C Paulitz. (1996). "Induction of Differential Host Responses by *Pseudomonas fluorescens* in Ri T-DNA-Tranformed Pea Roots After Challenge With *Fusarium oxysporum* f.sp. pisi and *Pythium ultimum*". *Phytopathology*: **86**(11): 1174-1203.
- Benhamou, N. *et al.* (1998). "Induction of resistance against *Fusarium* wilt of tomato by combination of chitosan with an endophytic bacterial strain: ultrastructure and cytochemistry of the host response". *Planta*. **204**, 153-168.
- Bruehl, G.W. (1987). *Soilborne Plant Pathogens*. MacMillan Publ. Co. Canada.
- Cappuccino, J.G. & Sherman, N (2005). *Microbiology: A Laboratory Manual*. California: The Benjamin Comings Publishing Company. Inc.
- Carter, A. P., Clemons, W.M., Brodersen, D.E., Morgan-Warren, R. J., Wimberly, B.T., & Ramakrishnan, V.(2000), "Functional Insights from The Structure of the 30S Ribosomal Subunit and Its Interaction With Antibiotics". *Nature*. **407**, 340-348.
- Chopra, I., & Roberts, M.(2001). "Tetracycline Antibiotics: Mode of Action, Applications, Molevular Biology, and Epidemiology of Bacterial Resistance". *Microbiology and Moleculer Biology Review*. **65**,(2), 2232-260.
- Conquist, A.(1981). *An Integral System of Classification of Flowering Plants*. New York: Columbia Univercity Press.
- Cook, R. J., & Baker, K. F.(1974). *Biological Control of Plant Pathogens*. San Fransisco: WH Freeman and company.

Nurul Fauziah, 2012

Potensi Bakteri Endorizosfer *Ageratum Conyzoides* L. Sebagai Antagonis Patogen Manusia

- Cowan, Steel's.(1993). *Manual for Identificatin of Medical Bacteria*. London : Cambridge University Press.
- Desiaryanti, R. (2009). *Aktivitas Antibakteri Ekstrak Ageratum conyzoides L. Terhadap Bakteri Staphylococcus aeureus Secara In Vitro*. Skripsi Sarjana pada FPMIPA UPI Bandung: tidak diterbitkan.
- Dwijoseputro. (1990). *Dasar-Dasar Mikrobiologi*. Malang: Djambatan.
- Dwivedi D, Johri BN. (2003). "Antifungals from *Fluorescens pseudomonads*: Biosynthesis and regulation". *Curr Sci* **85**:1693-1703
- Egamberdiyeva. D. (2007). "The growth and nutrient uptake of maize inoculated with plant growth promoting bacteria affected by different soil types". *Applied Soil Ecology*, **36**: 184-189
- Filzahazny. (2008). *Pengantar Tentang Bakteri*. [Online]. Tersedia: <http://filzahazny/20081202/pengantar-tentang-bakteri/html>. [14 Agustus 2012]
- Fravel, D.R.(1988). "Role of Antibiosis in The Biocontrol of Diseases". *Ann. Rev. Phytopathol.* **26**:75-81.
- Gangwar, M., Kaur, G.(2009). "Isolation and Characterization of Endophytic Bacteria from Endorizosphere of Sugarcane and Ryegrass". *The Internet Journal of Microbiology.* **7** (1).
- Gery, E. K. (2007). *Hidrolitic Bacteria*. [Online]. Tersedia: <http://gery/20071202/hidrolitic-bacteria/html>. [14 Agustus 2012]
- Gultom, J.M. (2008). *Pengaruh Pemberian Beberapa Jamur Antagonis dengan Berbagai Tingkat Konsentrasi Untuk Menekan Perkembangan Jamur *Phytium* sp. Penyebab Rebah Kecambah pada Tanaman Tembakau (*Nicotiana tabaccum* L.)*. Skripsi Sarjana pada USU: tidak diterbitkan.
- Gupta, C. P., Dubey, R. C., Kang S. C., & Maheshwari, D. K.(2001). "Antibiosis-mediated Necrothropic Effect of *Pseudomonas* GRC2 Against Two Fungal Plant Phatogens". *Curr Sci.***81**:91-94.

Nurul Fauziah, 2012

Potensi Bakteri Endorizosfer *Ageratum Conyzoides* L. Sebagai Antagonis Patogen Manusia

- Haas, D., Devago, G.(2005).”Biological Control of Soil_borne Phatogens bu Fluorescens *Pseudomonas*”. *Nature Review Microbiology*. **1**,1-13.
- Haddix, P.L., Paulsen, E. T., & Werner, T. F.(2000). “Measurement of Mutation to Antibiotic Resistance : Ampicilin Resistance in *Serratia marcescens*”. *Bioscene*. **26**,(1),17-21.
- Hallmann, J. Quadt-Hallmann WF. (1997). “Bacterial endophytes in the agricultural crops”. *Can J Microbiol*, 43,895–914.
- Han, J. Xia, D., Li, L., Sun, L., Yang, K., & Zhang, L.(2009). “Diversity of Culturable Bacteria Isolated from Root Domains of Moso Bamboo (*Phyllostachys edulis*)”. *Microbiology Ecology*.**58**,363-373.
- Hapsakti, E. K. (2009). *Aktivitas Antifungi Ekstrak Ageratum conyzoides L. Terhadap Pertumbuhan Trychophyton mentagrophytes Secara In Vitro*. Skripsi Sarjana pada FPMIPA UPI Bandung: tidak diterbitkan.
- Hardikasari, F. (2009). *Aktivitas Antifungi Ekstrak Ageratum conyzoides L. Terhadap Candida albicans Secara In Vitro*. Skripsi Sarjana pada FPMIPA UPI Bandung: tidak diterbitkan.
- Hiltner, L.(1904). “Über neuere Erfahrungen und Probleme auf dem Gebiete der Bodenbakteriologie unter besonderer Berücksichtigung der Gründung und Brache. Arbeiten der Deutschen Landwirtschaftlichen”. *Gesellschaft*. **98**:59–78
- Hindersah, R., Simarmata, T. (2004). “Potensi Rizobakteri Azotobacter dalam Meningkatkan Kesehatan Tanah”. *Jurnal Natur Indonesia*. **5**(2): 127-133.
- Jacobs, J., Sundin, G.(2001). “Effect of Solar UV-B Radiation on a Phyllosphere Bacterial Community”. *Applied and Environment Microbiology*. **67** (12), 5488-5496.
- Jalal, K.C.A., Nur Fatin, U. T.,Mardiana, M.A., Akbar John, B., Kamaruzzaman, Y. B., Shahbudin, S., & Omar, M. N.(2010). “ Antibiotic Resistance Microbes in Tropical Mangrove Sediments in East Coast Peninsular Malaysia”. *African Journal of Microbiology Research*. **4**,(8),640-645.

Nurul Fauziah, 2012

Potensi Bakteri Endorizosfer Ageratum Conyzoides L. Sebagai Antagonis Patogen Manusia

- Jha, S. & M. Dhakal. (1990). "Allelopathic effects of various extracts of some herbs on rice and wheat". *J.Inst. Agr. Anim. Sci*, **11**, 121–123.
- Jimenez, M.B., Flores, S.A. del Valle, M.V., Peres, A., Zepeda, A., & Zenteno, E.(2001). "Endophytic Bacterian Rice Seeds Inhibit Early Colonization of Roots by *Azospirillum brasilense*". *Soil Biology and Biochemistry*, **33**, 167-172.
- Kaiser, G. E.(2010). *Biol 230 Microbiology Laboratory Manual*. [Online]. Tersedia : <http://faculty.ccbcmd.edu/course/bio141/labmanua/index.html> [20 Juni 2012].
- Kamboj, A., & Saluja, A. K. (2008). *Ageratum conyzoides L.* : "A Review on Its Phytochemical and Pharmacological Profile". *Review Journal*.
- Klement, Z. (1990). *Inoculation of Plant Tissue. Methods in Phytobacteriology*. Budapest : Akademiai Kiado.
- Klement, Z. (1990). *Mechanism of Resistance. Methods in Phytobacteriology*. Budapest : Akademiai Kiado.
- Klopper, J.W., Schippers, B., & Bakker, P.A.H.M.(1992). "Proposed Elimination of the Term Endorizhosphere". *The American Phytopatological Society*.
- Kobayashi, DY., & Palumbo JD. (2000). *Bacterial endophytes and their effects on plants and uses in agriculture*. Bacon CW, White. JF (eds) Microbial endophytes. Marcel Dekker Inc., New York.
- Kremer, R.J. Gnanamanickam, S.S.(2006). *Plant-Associated Bacteria*. India: Univercity of Madras, Chennai.
- Leclerc, D., Melacon, P., & Braker-Gingras, L.(1991). "Mutation in the 915 Region of *Escherichia coli* 16S Ribosomal RNA Reduce the Binding of Steptomycin to the Ribosome". *Nucleic Acids Research*. **19**,(14),3973-3977.
- Lee, J.V., Gibson, D.M., & Shewan, J.M. (1977). "A numerical taxonomic study of some *Pseudomonas-like* marine bacteria". *J. Gen. Microbiol.* **98**, 439-451.

Nurul Fauziah, 2012

Potensi Bakteri Endorizosfer *Ageratum Conyzoides L.* Sebagai Antagonis Patogen Manusia

- Lelliot, R. A. & D.E Stead.(1987). *Methods for the Diagnosis of Bacterial Disease of Plants*. London: Blackwell Scientific Publication.
- Lenny, S. (2006). *Senyawa Terpenoida dan Steroida*. Medan: FPMIPA Universitas Sumatera Utara.
- Maemunah.(2010). *Keragaman dan Potensi Hidrolitik Bakteri Strain Elit Symbion Endorizosfer Ageratum conyzoides L..* Skripsi Sarjana pada FPMIPA UPI Bandung: tidak diterbitkan.
- Marks, J. W.(2008). Tetracycline, Sumycin. [Online], Tersedia: <http://www.medicinenet.com/tetracycline/article.htm> [16 Juni 2012]
- Maunuksela L. (2004). *Molecular and Physiological Characterization of Rhizosphere Bacteria and Frankia in Forest Soil Devoid of Actnorhizal Plants*. Tesis Helsinki: tidak diterbitkan.
- Middleton, J. H., Ambrose.(2005). "Enumeration and Antibiotic Resistance Patterns of Fecal Indicator Organisms Isolated from Migratory Canada Gress (*Branta canadensis*)". *Journal of Wildlife Disease*. **41**,(2),334-341.
- Ming, L.C (1999) ."Ageratum conyzoides : A Tropical Source of Medicinal and Agricultural Product". *Journal Janick (Ed), Perspectives on News Crops and News Uses. Alexandria, ASHS Press.*
- Nugroho, T. T., *et al.* (2003)."Isolasi dan Karakterisasi sebagian Kitinase *Trichoderma viride* TNJ6". *Jurnal Natur Indonesia*. **5**,(2): 101-106.
- Paulsen, I. T., Brown, M. H., & Skurray, R. A.(1996). "Proton-dependent Multidrug Efflux Systems". *Microbiology and Molecular Biology Review*. **60**,(4),575-608.
- Pelczar, M.J. & Chan., E.C.S. (2007). *Dasar-dasar Mikrobiologi Jilid I*. Jakarta: Universitas Indonesia Press.
- Pendey, Anita & Palni, S. L. M. (2007). "The Rhizosphere Effect in Treea of The Indian Central Himalaya With Special Reference to Altitude". *Applied Ecology and Environmental Research*. **5**(1): 93-102.

Nurul Fauziah, 2012

Potensi Bakteri Endorizosfer *Ageratum Conyzoides L.* Sebagai Antagonis Patogen Manusia

- Poedjiadi, A (1994). *Dasar-dasar Biokimia*. Jakarta. Universitas Indonesia Press.
- Prasad, K. & V.C. Srivastava. (1991). "Teletoxic effect of some weeds on germination and initial growth of groundnut (*Arachis hypogea*)". *Ind. J. Agr. Sci.* **61**, 493–494.
- Press, W. H., Flannery, B. P., Teukolsky, S. A., & Vetterling, W. T. (1988). *Numerical Recipes*. Cambridge: Cambridge Univ. Press.
- Puente, M.E., Bashan, Y., Li, C.Y., & Lebsky, V.K. (2004). "Microbial Population and Activities in Rhizoplane of Rock-Weathering Desert Plants Root Colonization and Weathering of Igneous Rocks". *Plant Biology*. **6**, 629-642.
- Pujowati, P. (2006). *Pengenalan Tumbuhan Lanskap Asteraceae (Compositae)*. Bogor: Institut Pertanian Bogor.
- Purwaningsih, S, et al. (2003). *Populasi Bakteri dari Tanah di Desa Tudu-Aog, Kecamatan Passi, Kabupaten Bolaang Mongondow, Sulawesi Utara*. Pusat Penelitian Biologi LIPI: Bogor. **5**, (1), 13-16.
- Raaijmakers JM, & Weller DM. 2004. Role of Antiotic-producing *Pseudomonas spp.* In Disease Supressive Soils. <http://www.ag.auburn.edu/argentina/pdfmanuscrt/raaijmakers.pdf> [20 Mei 2012]
- Reiter, B. et al. (2002). "Response of endophytic bacterial communities in the potato plants toinfection with *Erwinia carotovora* subsp. *Atroseptica*". *Appl Environ Microbiol*, **68**, 2261–2268.
- Rosantika, S. (2009). *Aktivitas Antibakteri Ekstrak Ageratum conyzoides L. Terhadap Bakteri Pseudomonas aeruginosa Secara In Vitro*. Skripsi Sarjana pada FPMIPA UPI Bandung: tidak diterbitkan.
- Ryder MH, Stephens PM, & Bowen GD. 1994. "Improving Plan Productivity with Rhizosphere Bacteria". *Proc. Thrid International Workshop on Plant Growth-Promoting Rhizobacteria, South Australia*. March 7-11, 1994.
- Saha, N. et al. (2007). "Assessing the Changes in Bacterial Diversity in Rizosfer and Phyllosphere of Transgenic and Non-transgenic Potato Plan". *The*

Nurul Fauziah, 2012

Potensi Bakteri Endorizosfer Ageratum Conyzoides L. Sebagai Antagonis Patogen Manusia

Journal of Plant Tissue Cult. & Biotech: Institute for Primary Production and Microbial Ecology, Muencheberg, Germany. **17**(1): 87-95.

Sapak, Z., Sariah, M., & Ahmad, Z A M.(2008). "Effect of endophytic bacteria on growth and supression of *Ganoderma* infecrion in oil palm". *International J. Agriculture & Biology*. **10**:127-32.

Sari, A. P. (2009). *Aktivitas Antibakteri Ekstrak Ageratum conyzoides L. Terhadap Pertumbuhan Streptococcus pyogenes Secara in Vitro*. Skripsi Sarjana pada FPMIPA UPI Bandung: tidak diterbitkan.

Schilinger, U. & Lucke, F. K.(1986). "Identification of Lactobacili from meat and meat products". *Food Microbial*. **4**:199-208.

Semangun, H.(2004). *Penyakit-penyakit Tanaman Hortikultura di Indonesia*, Gadjah Mada University Press. Yogyakarta.

Shabana, N., S.I. Husain, & S. Nisar. (1990). "Allelopathic effects of some plants on the larval emergence of *Meloidogyne incognita*". *J. Indian Appl. Pure Biol*. **5**, 129–130.

Suganda, A. G. (2008). *Standarisasi Dari Hulu Sampai Hilir Syarat Tegaknya Keamanan, Manfaat dan Kualitas Obat Bahan Alam*. Orasi Ilmiah Professor Farmasi. Bandung: Institut Teknologi Bandung.

Suryatmana *et al.* (2009). *Modul Mikrobiologi dan Bioteknologi Pertanian I*. Fakultas Pertanian Universitas Padjadjaran.

Suwanto, A.(1996). "Mikroorganisme untuk Biokontrol: Strategi Penelitiandan Penerapannya dalam Bioteknologi Pertanian". *Agrotek*. **2**:40-46

Thomashow, L. S., & Weller, D. M .(1998). "Role of Penazine Antibiotic from *Pseudomonas fluorescens* in Biocontrol of *Gaeumannomyces graminis var tritici*". *J Bacteriol*. **170**:3499-3500.

Timotius, K.H,(1982) *Mikrobiologi Dasar*; Salatiga, Universitas Kristen Satya Wacana.

Nurul Fauziah, 2012

Potensi Bakteri Endorizosfer *Ageratum Conyzoides L.* Sebagai Antagonis Patogen Manusia

- Toyota, K. Kimura M. (2000). "Suppression of *Ralstonia solanacearum* in soil following colonization by other strains of *R. Solanacearum*". *Soil Sci Plant Nutr.* 46, 449–459.
- Weinert, N. *et al.* (2009). "Rhizosphere Communities of Genetically Modified Zeaxanthin-Accumulating Potato Plants and Their Parent Cultivar Differ Less than Those of Different Potato Cultivars". *Applied and Environmental Microbiology.* 3859–3865.
- Widawati, S. *et al.* (2005). "Biodiversity of Soil Microbes from Rhizosphere at Wamena Biological Garden (WBiG) Jayawijaya, Papua". *Biodiversitas.* 6,(1),6-11.
- Wreet, S.D, Bloemberg, G.V., Gnanamanickman, S.S.(2006). *Plant Associated Bacteria.* India: Univercity of Madras, Chennai.
- Xuan, T.D., T. Eiji, T. Hiroyuki, M. Mitsuhiro, T.D. Khanh & I.M. Chung. (2004). "Evaluation on phytotoxicity of neem (*Azadirachta indica.* A. Juss) to crops and weeds". *Crop Prot.*, 23: 335-345.
- Yatim, W. (2003). *Kamus Biologi Cetakan 2.* Jakarta: Yayasan Obor Indonesia.
- Zinniel, DK, Lambrecht . *et al.* (2002). "Isolation and characterization of endophytic colonizing bacteria from agronomic crops and prairie plants". *Appl Environ Microbiol.* 68, 2198–2208.