

DAFTAR PUSTAKA

- Antawidjaja, T.(1988). Pengaruh Pengelolaan Loloh Paksa (Force Feeding) terhadap Performans Piyik dan Induk Burung Merpati. Homer King. Tesis. Bogor. Program Studi Pasca Sarjana. Institut Pertanian Bogor.
- Aryani & Kusumawaty. (2009). Pengembangan Penanda RAPD dalam Analisis Keragaman Genetik untuk Menunjang Usaha Seleksi dan Peletarian Burung-Burung Familia Columbidae. Bandung.
- Bramwell, R.K. (2003) Sexing chicks in the backyard flock. *Avian Advice* 5: 4-5.
- Baptista. (1992). Discover rain forests. Publication International (Lincolnwood, IL).
- Cerit, H & Avanus, K. (2006). Sex identification in avian spesies using DNA typing methods Istanbul, turkey Istanbul University Veterinary fact department of animal breeding and genetics. DOI: 10.1079/WPS200613).
- Christidis, L. (1985) A rapid procedure for obtaining chromosome preparations from birds. *Auk* 102: 892 - 893.
- Clinton. (1994). A rapid protocol for sexing chick embryos. *Animal Genetics* 25, 361-362.
- Dubiec A, Neubauer MZ .(2005). Molecular techniques for sex identification in birds. *Biological Lett*, 43(1), 3-12.
- Ellegren, H. (1991). DNA typing of museum birds. *Nature*, 354, 113.
- Ellegren, H. (1996) First gene on the avian W chromosome (CHD) provides a tag for universal sexing of non-ratite birds. *Proceedings of the Royal Society of London B*, 263, 1635-1644.
- Ellegren, H. (2001) Hens, cocks and avian sex identification. Aquest for genes on Z or W? *EMBO Reports* 2: 192 -196.

- Fatchiyah. (2006a). Gel Elektroforesis. Laboratorium Sentral Biologi Molekuler & Seluler. Malang. Universitas Brawijaya.
- Fridolfsson, A. K., Ellegren H. (1999). A simple and universal method for molecular sexing of non-ratite birds. *J. Avian Biol.* 20, 116-121.
- Griffiths, R., Double, M.C., Orr, K. and Dawson, R.J. (1998) A DNA test to sex most birds. *Molecular Ecology* 7: 1071-1075.
- Griffiths, R. and Korn, R.M. (1997) A CHD1 gene is Z chromosome linked in the chicken *Gallus domesticus*. *Gene* 197: 225-229.
- Griffiths, R. and Orr, K. (1999) The use of amplified fragment length polymorphism (AFLP) in the isolation of sex-specific markers. *Molecular Ecology* 8: 671-674.
- Griffiths, R. and Tiwari, B. (1995) Sex of the last wild Spix's macaw. *Nature* 375: 454.
- Huang, H. W, Su YF, Yao CT, Hung YC, Chen CC, Cheng CC, Li SS & Chang HW. (2011). High-throughput gender identification of three Columbidae species using melting curve analysis. *Theriogenology* 75: 73-79.
- ITIS (integrated taxonomic information system). (2009a). Taxonomic Hierarchy : *Streptopelia chinensis* Tersedia [online] : http://www.itis.gov/servlet/SingleRpt?search_topic=TSN&search_value=177134 [10 Pebruari 2010]
- ITIS (integrated taxonomic information system). (2009b). Taxonomic Hierarchy : *Streptopelia bitorquata*. Tersedia [online] : http://www.itis.gov/servlet/SingleRpt?search_topic=TSN&search_value=177134 [10 Pebruari 2010]
- ITIS (integrated taxonomic information system). (2009c). Taxonomic Hierarchy : *Geopelia striata* . Tersedia [online] :

http://www.itis.gov/servlet/SingleRpt?search_topic=TSN&search_value=177134 [10 Pebruari 2010]

ITIS (integrated taxonomic information system). (2009d). Taxonomic Hierarchy : *Columba livia*. Tersedia [online] : http://www.itis.gov/servlet/SingleRpt?search_topic=TSN&search_value=177134 [10 Pebruari 2010]

International Union for Conservation of Nature (IUCN). (2011). The IUCN red list of threatened species. Tersedia [online]: <http://www.iucn.org/knowledge/news/?6333/Natures-backbone-at-risk>. [17 Januari 2011]

Kahn, N.W., et al. (1998) Chromosome-specific intron size differences in the avian CHD gene provide an efficient method for sex identification in birds. *Auk*, 115, 1074-1078.

Kusumawaty, D. Studi Keragaman Genetik pada Kultivar Tomat. Skripsi S1 pada Departemen Biologi ITB: tidak diterbitkan..

Lessells & Mateman. (1998). Sexing birds using random amplified polymorphic DNA (RAPD) markers. *Mol Ecol*, 7, 187-195.

Liu, B. H. (1998). *Statistical Genomics: Linkage, mapping & QTL analysis*. CRC Press. New York.

Nurtikasari, R. (2009). Analisis Keragaman Genetik Burung Famili Columbidae dengan *Random Amplified Polymorphic* (RAPD) DNA. Skripsi Sarjana pada FPMIPA UPI: tidak diterbitkan.

Okto. (1999). Perkutut Mania. Buletin Milis Edisi November. Tersedia [online]: <http://perkututmall.tripod.com/nov-99.htm>. [8 Juni 2011]

Pereira, S. L. *et al.* (2007). Mitochondrial and Nuclear DNA Sequences Support a Cretaceous Origin of Columbiformes and a Dispersal-driven Radiation in the Paleogene, *Systematic Biology*, 56, 656-672.

- Pertiwi, A. (2009). Pemanfaatan Penanda *Random Amplified Polymorphic* (RAPD) DNA dalam Analisis Keragaman Genetik Burung Famili Columbidae. Skripsi Sarjana pada FPMIPA UPI: tidak diterbitkan.
- Petrie, M., Schwbl, H., Brande-Lavridsen, N. and Burke, T. (2001) Sex differences in avian yolk hormone levels. *Nature* 412: 498.
- Qian, W., Ge, S., Hong, D.Y. 2001. Genetic variation within and among populations of a wild rice *Oryza granulata* from China detected by RAPD and ISSR markers. *Theor. App. Genet.* 102, 440-449.
- Quinn TW, Cooke F, White BN. 1990. Molecular sexing of geese using a cloned Z chromosomal sequence with homology to the W chromosome. *Auk*, 107:199-202.
- Robbins, C. S., J. R. Sauer, R. S. Greenberg & S. Droege. (1989). Population declines in North American birds that migrate to the Neotropics. *Proceeding of the National Academy of science*, 86, 7658-7622.
- Russel, P.J. (2002) *iGenetics*. Eds: Benjamin Cummings, CA. pp 190-192, 223-224, 644-645.
- Sarwono, B. & Sujatmaka. (1999). Perkutut bali yang istimewa. *Trubus*, no. 208-Tahun XV111-1 Maret. Pp :271-273. Tersedia [online]: <http://livestock-livestock.com/2011/06/burung-perkutut-geopelia-striata-linn.html>. [1 Juni 2011]
- Sarwono, B. (1991). Perkutut manakah yang anda piara. *Trubus*, no.209-Tahun XV111-1 April. Tersedia [online]: <http://livestock-livestock.com/2011/06/burung-perkutut-geopelia-striata-linn.html>. [1 Juni 2011]
- Shizuka, D. & Lyon, EB. (2008). Improving the reliability of molecular sexing of birds using a W-specific marker. *Mol. Ecol. Resources*, 8, 1249-1253.

- Solo Duto. (2009). Perbedaan Burung Jantan dan Betina. Tersedia [online]: <http://omkicau.com/2009/01/20/lagi-soal-perbedaan-burung-jantan-dan-betina-2/>. [9 Maret 2010]
- Sukmantoro, W. M. Irham, W, W, Novarino, F. Hasudungan, N, kem & M. Muchtar. (2007) Daftar Burung Indonesia No.2. Bogor: Indonesian Ornithologis' Union. Tersedia [online]: <http://www.iucn.org/knowledge/news/?6333/natures-backbone-at-risk>. [1 Juli 2011]
- Sulandari S, Zein, MSA, dan Muladno. (2003). *Panduan praktis laboratorium DNA*. Cibinong: Bidang zoology Pusat Penelitian Biologi LIPI.
- Suryanto, D. (2003). *Melihat Keanekaragaman Organisme Melalui Beberapa Teknik Genetika Molekuler*. Program Studi Biologi FMIPA USU: Sumatera Utara.
- Swengel, S.R. (1996). Special techniques, C: Sex determination *In: Cranes: Their Biology, Husbandry, and Conservation*; Ellis, D.H.; Gee, G.F.; Mirande, C.M. Eds.; National Biological Service/International Crane Foundation: United States of America, pp223-231.
- TN1. (2008). Columbidae. Tersedia [Online] : <http://www.birdsinbackyards.net/search.cfm?searching=Columbidae> [21 Januari 2009]
- TN2. (1999). *Principle Of The PCR*. Tersedia [Online] : <http://www.users.ugent.be/~avietstr/principles/pcr.html> [1 Juli 2009]
- Von Engelhardt, N. & Groothius, T.G.G. (2005) Measuring steroid hormones in avian eggs. *Annals of the New York Academy of Sciences* 1046: 181-192.
- Wang N. & Zhang ZW. 2009. *The novel primers for sex identification in the brown eared-pheasant and their application to other species*. *Mol Ecol Resour*, 9: 186-188.

Williams, J.K.G., Rubelik, A.R., Livak, K. J., Rafalski, J. A., & Tingley, S. V. (1990). DNA Polymorphisms Amplified by Arbitrary Primers are Useful as Genetic Markers. *Nucleid Acid Research*, 18, 6513-6535.

Woxvold & Magrath, 2008 . Sex-biases in the hatching sequence of cooperatively breeding apostlebirds *Struthidea cinerea*. *Evol Ecol*, 22,139–151.

Wu CP, Horng YM, Wang RT, Yang KT, & Huang MC. (2007). A novel sex-specific DNA marker in Columbidae birds. *Theriogenology* 67, 328-333.

