

DAFTAR PUSTAKA

- Bajpai, D. dan Tyagi, V.K. (2008).Microwave Synthesis of Cationic Fatty Imidazolines and their Characterization. *Journal Surfact and deterg, Springer AOCS*, 11: 79-87.
- Baldelli, Steven. *et. al.* (2011). Sum frequency generation study on the orientation of room-temperature ionic liquid at the graphene-ionic liquid interface.*Journal of Chemical Physics Letter*, 1-3.
- Beauchamp, Andrew M. (2010). The synthesis of room-temperature Ionic Liquid and their methathesis reactions with dilithium phthalocyanine.*Wrigh State University : U.S.*
- Chang, Chia-Feng. (2012). Graphene sheets synthesized by ionic-liquid-assisted electrolysis for application in water purification. *Journal of applied surface science*, 1-6.
- Chen, I-wen Peter, *et.al.* (2013). Exfoliation and Performance Properties of Non-Oxidized Graphene in Water.*Journal of Scientific Report*, 4 : 3928.
- Chen, Humao dan Guangchao Zhao. (2012). Nanocomposite of polymerized ionic liquid and graphene used as modifier for direct electrochemistry of cytochrome c and nitric oxide biosensing. *Journal Solid State Electrochemical*, 3289-3297.
- Chen, Yichen. (2012). *Graphene Synthesis and Assembly for Graphene Actuators.*(Desertation):University of Florida.
- Chung, D.D.L., (1987). Review Exfoliation of graphite.*Journal of Materials ScienceState University of Newyork*, 4190-4198
- Cielski, Artur dan Paolo Samori. (2013). Graphene Via sonication assisted liquid-phase exfoliation.*Journal The Royal Society of Chemistry, RCS Publishing*10.1039/c3cs60217f..
- Dzuyuba, Sergei V. *et.al.* (2009). Synthesis of Imidazolium Room-Temperature Ionic Liquids.*Journal of Chemical Education Green Chemistry American Chemical Society*, Vol. 86 No. 7 856-858.

Sendy Arfian Saputra, 2014

Potensi Cairan Ionik CIS-OLEIL-IMIDAZOLINIUM Asetat Sebagai Pelarut Dalam Proses Exfoliasi Grafit Menjadi Grafena

Ennis, Elliot dan Scott T. Handy. (2009). A Facile Route to C2-Substituted Imidaolium Ionic Liquids. *Journal of Molecules*, Vol. 14, 2235-2245.

Sendy Arfian Saputra, 2014

Potensi Cairan Ionik CIS-OLEIL-IMIDAZOLINIUM Asetat Sebagai Pelarut Dalam Proses Exfoliasi Grafit Menjadi Grafena

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Fahrurrozie, Sunarya, Y., dan Mudzakir, A. (2010). Efisiensi Inhibisi Cairan Ionik Turunan Imidazolin sebagai Inhibitor Korosi Baja Karbon dalam Larutan Elektrolit Jenuh Karbon Dioksida. *Jurnal Sains dan Teknologi Kimia*, 100-111.
- Ferret, Frank R. (1998). Determination of the crystallinity of calcined and graphitic cokes by X-ray diffraction. *Analyst, Alcan Internasional-Canada*, Vol.123, 595-600.
- Frescativagen, Lilla. (2010). Journal The royal Society of Chemistry. *chem.commun, The royal swedish academy of science*, 1-10.
- Hardian, A., Mudzakir, A., Sumarna, O. (2010). Sintesis dan karakterisasi kristal cair ionik berbasis garam fatty imidazolinium sebagai elektrolit redoks pada sel surya tersensitisasi zat warna. *Jurnal Sains dan Teknologi Kimia*, 1, 7-16.
- Hasan, Kamran Ul. et. al. (2011). Polycation Stabilization of Graphene Suspensions. *Journal of Nanoscale Research Letters*, 2-6.
- Hernandez, Yenny,et.al. (2008). High-yield production of graphene by liquid-phase exfoliation graphite. *Journal of Nature Nanotechnology*, Vol.3. 10.1038/nnano.2008.215.
- Kalyoncu, Rustu S (2000). Graphite. *U.S. Geological Survey Minerals Book*, 35.1-35.4
- Karkkainen, Johana. (2007). *Preparation and Characterization os Some Ionic Liquids and Their Use In The Dimerization Reaction of 2-Methylpropane.*(thesis) Faculty Science, Departement of Chemistry, University of Hulu.
- Khare, Varsha. et.al. (2013). Graphene-Ionic Liquid Based Hybrid Nanomaterials as Novel Lubricant for Low Friction and Wear. *Journal of Applied Material and Interfaces, American Chemical Society*, 5 , 4063-4075.
- Kim, Beom Joon. et.al. (2010). High-Performance Flexible Graphene Field Effect Transistors eith Ion Gel Gate Dielectrics. *Jounal of Nanoletters. American Royal Society*, 3464-3466.

Sendy Arfian Saputra, 2014

Potensi Cairan Ionik CIS-OLEIL-IMIDAZOLINIUM Asetat Sebagai Pelarut Dalam Proses Exfoliasi Grafit Menjadi Grafena

- Kim, Tae Young, *et. al.* (2012). Ionic Liquid-Assisted microwave reduction of graphite oxide for supercapacitor.*Journal of The Royal Society of Chemistry*, 8808-8812.
- Kosidlo, Urzula. *et. al.* (2008). Production Methods of Graphene and Resulting Material Properties.*Journal of Sineurop Nanotech* : Fraunhofer.
- Kumar, Santanu dan Sandep Kumar. (2006). Microwave-assisted synthesis of novel imidazolium-based ionic liquid crystalline dimers.*Journal of tetrahedron letters*, Vol. 47, p8993-8997.
- Lee, Jer-Yeu, *et.al.* (2013). The Microwave-assisted Ionic Liquid Nanocomposite Synthesis: Platinum Nanoparticles on Graphene and the Application on Hydrogen of Styrene.*Journal of Nanoscale Research Letters*, 1-6.
- Lehman, C. *et.al.* (2013). *Ionic Liquid Based Graphene Electrochemical Exfoliation.*(thesis). Fraunhofer Institute for Manufacturing Engineering, Stuttgart.
- Liu, *et. al.* (2008). One-Step Ionic Liquid-Assisted Electrochemical Synthesis of Ionic Liquid- Functionalized Graphene Sheet Directly from Graphite.*Journal Advanced Functional Materials*, 1-9.
- Lu, Jiong. *et.al.* (2009). One-Pot Synthesis of Fluorescent Carbon Nanoribbons, Nanoparticles and Graphene by the exfoliation of graphite in ionic liquids.*ACSNANO*, Vol.3 , 2367-2375.
- Moosavi, Fatemeh. (2013). The structure of supported Ionic Liquids at the interface. *Ionic Liquid-New Aspects for the future*, 195- 230. INTECH
- Mudry, Christopher. (2012). *An Introduction to Graphene.*(Thesis). International Institute of Physics, Natal Brazil.
- Mudzakir, A. (2006).A New Class of Ionic Solvents, Electrolytes and Engineering Fluids Based on 1,3-Alkylmethyl-1,2,3-benzotriazolium Salts. Makalah.*Disampaikan pada The 2006 Seminar on Analytical Chemistry*, Yogyakarta.
- Mudzakir, A., (2004).*Zur Chemie des carbenanalogen 1,3-Dimethyl-1,2,3-benzotriazolium-iodid.*(Disertasi). Universitas Magdeburg.

Sendy Arfian Saputra, 2014

Potensi Cairan Ionik CIS-OLEIL-IMIDAZOLINIUM Asetat Sebagai Pelarut Dalam Proses Exfoliasi Grafit Menjadi Grafena

- Mutiara, Lingga. et. al. (2011). *Upaya mendapatkan material grafena melalui proses exfoliasi grafit menggunakan cairan ionik berbasis kation benzotriazolium.*(Skripsi). FPMIPA-UPI : Bandung.
- Nasrullah, Rozzaq. et. al. (2013). *Influence of Ionic Liquid Concentration on the Formation of Cellulose Nanoparticle with Controllable Size in Synthesis of Cellulose Fiber.*(Skripsi). Departemen Kimia, Fakultas Pendidikan Matematika dan Ilmu Pengetahuan Alam, Universitas Pendidikan Indonesia.
- Neto, Antonio Castro. (2006). Drawing conclusions from graphene.*Journal Physics World* : Boston University-USA.
- Nockemann, Peter, et. al. (2005). Purification of imidazolium ionic liquid for spectroscopic applications.*Journal of Chemical Physics Letter*, 131-136. Elsevier.
- Novoselov, K. S, et. al. (2012). A roadmap for graphene.*Journal of Nature*, Vol 490, 192-200. Maomillan Publishers.
- Novoselov,K.S and Geim, A.K. (2007). The Rise Of Graphene.*Manchester Centre for mesoscience and nanotechnology*, 1-14.
- Pope, Michael A. et. al. (2013). Supercapacitor Electrodes Produced through Evaporative Consolidation of Graophene Oxide-Water-Ionic liquid Gels.*Journal of the Electrochemical society*, A1653-A11660.
- Park, Sungjin dan Rodney Ruoff. Chemical Methods for the Production of Graphenes.*Journal of nature nanotechnology*, 1-8.
- Rahardian, Estu. et.al. (2012). *Sintesis dan Karakterisasi cis-oleil-imidazolinium tetrakloromanganat(II) sebagai Material Gel Pemancar Cahaya.*FPMIPA-UPI : Bandung.
- Rand, Brian. (2009). Graphite: Structure, Properties and manufacture. Nuclear *Graphite-Materials Technology*, 1-49. University of Petoria.
- Randriamahazaka, Hyacinthe. (2010). Graphene Toward energy storage : Electrochemical exfoliation and Impedance Spectroscopy Investigation.*NanoElectrochemistry group* :Universite of Paris.

Sendy Arfian Saputra, 2014

Potensi Cairan Ionik CIS-OLEIL-IMIDAZOLINIUM Asetat Sebagai Pelarut Dalam Proses Exfoliasi Grafit Menjadi Grafena

- Savage, Neil. (2009). *Graphene Makes Transistor Tunable, but even the “wonder material’ has its limits.* [Online]. Tersedia di : <http://spectrum.ieee.org>. Diakses 19 agustus 2014.
- Scott, Joseph. (2008). *Mechanical and Electrical Properties of Graphene Sheets.* (Deseration).Faculty of the Graduate School of Cornell University, 1-113.
- Simocko, Chester. *et.al.* (2013). Methatesis step-growth polimerizations in ionic liquid.*Journal of Macro Letters*, American Chemical Society, 1061-1064.
- Stankovic, Sasha, *et.al.* (2006). Graphene-based composite materials. *Nature Letters*, Vol 442, 282-286. Nature Publishing Group.
- Sun, Zhengzong, *et.al.* (2011). Graphene Chemistry : Synthesis and Manipulation. *The journal Physical Chemistry Letters*, 2525-2432.
- Tietze, Alesia A. *et.al.* (2012). Ionic liquid Application in peptide Chhemistry : Synthesis, purification and analytical Characterization Processes.*Journal of Molecules*, 4158-4185.
- Tripathi, Prashant. *et. al.* (2011). Synthesis of High-Quality Graphene through Electrochemical Exfoliation of Graphite in Alkaline Electrolyte.*Journal of Nano Science Centre*, Banaras Hindu University : India.
- Tyagi,R., Tyagi, V., Pandey, S. K. (2007). Imidazoline and Its Derivates : An Overreview.*Journal of Oleo Science*, 5, 211-222.
- Uysal, Ahmet. *et. al.* (2013). Structure Origins of Potentian Dependent Hysteresis at the Electrified Graphene/Ionic Liquid Interface.*The journal of Physical Chemistry*, 1-19.
- Vogt, D dan C. Muller. (2009). Ionic Liquid- Are They Worth their salts. *Eindhoven University of Technology Library* : Dutsland.
- Wasserscheid, Peter dan Wilhelm Kein. (2000). Ionic Liquids-New “Solution” for Transition Metal Catalysis.*Journal of Angew. Chem. Int*, vol 39., 3772-3789.
- Wang, Fuxian. *et. al.* (2012). Surfactant-free Ionic Liquid-based Nanofluids with Remarkable Thermal Conductivity Enhancement at Very Low Loading of Graphene.*Journal of Nanoscale Research Letters*, 1-7.

Sendy Arfian Saputra, 2014

Potensi Cairan Ionik CIS-OLEIL-IMIDAZOLINIUM Asetat Sebagai Pelarut Dalam Proses Exfoliasi Grafit Menjadi Grafena

- Wang, Xiqing. *et.al.* (2010). Direct exfoliation of natural graphite into micrometre size few layers graphene sheets using ionic liquid. *Journal The Royal Society of Chemistry. Chem.commun*, 4497-4498.
- Williams, D. Bradley G. dan Mariam Ajam (2005). *Methathesis and hydroformylation reactions in ionic liquid.* (Desertation). Faculty of Science, University of Johannesburg.
- Xiao, Wenjing. *et.al.* (2012). Ionic liquid-stabilized graphene and its use in immobilizing a metal nanocatalyst. *Journal The royal Society of Chemistry. chem.commun*, 8189-8193.
- Yang, Chun-Yu, *et.al.* (2013). Fabricating Graphite Nano-Sheet Powder by Slow Electrochemical exfoliation of Large-Scale Graphite Foil as a Mode-Locker for Fiber Lasers. *Journal of Optical Materials Express*, Vol3, No.11.
- Yanfei, Xu. *et.al.* (2013). Environmentally Friendly Approaches Toward the Production of Processable Graphene by Exfoliation of Graphite Using Ionic Liquid. *Journal of Nanoscience and Nanotechnology*, Vol. 13, 116-119.
- Yin, Perry T. *et.al.* (2013). Prospect for graphene-nanoparticle-based hybrid sensors. *Journal of Physical Chemistry*, 12785-12799.
- Yu, Ching-Yuan. *et.al.* (2011). High-Quality Thin Graphene films from Fast Electrochemical Exfoliation. *Journal of american Chemical Society*, A-H.
- Zhang, Xiaoyan. *et.al.* (2010). Dispersion of graphene in ethanol using a simple solvent exchange method. *Journal The royal Society of Chemistry. chem.commun*, 7539-7541.
- Zhang, Xuzhi. *et.al.* Investigation on High Performance of Graphite-Ionic Liquid Paste Electrode: Characterization and New Hypothesis. *International Journal of Electrochemical Science*. Vol. 8, 4839-4849.
- Zhou, Ming. *et. al.*(2013). Few-layer graphene obtained by electrochemical exfoliation of graphite cathode. *Journal of Chemical Physic Letters*, 61-65. Elsevier.

Sendy Arfian Saputra, 2014

Potensi Cairan Ionik CIS-OLEIL-IMIDAZOLINIUM Asetat Sebagai Pelarut Dalam Proses Exfoliasi Grafit Menjadi Grafena