

## DAFTAR PUSTAKA

- Akiya, N., Savage, P.E. 2002. Roles of Water Reactions In High Temperature Water. *Chem.* 2725–2750.
- Alonso, *et al.* 2010. Catalytic conversion of biomass to biofuels. *Critical review : Green Chem.* 12, 1493–1513 | 1493.
- Anderson, J.R. and Boudart, M. 1981. *Catalysis Science and Technology*. First Edition, Springer Verlag, Berlin.
- Ando, *et al.* 2000. Decomposition Behavior Of Plant Biomass In Hot Compressed Water. *Journal of Scientific & Industrial Research*. Ind Eng Chem. 3688-93.
- Asia Biomass Office. 2014. [Online]. Tersedia di : <http://Sub-critical or Supercritical Water Can Change Waste Woody Biomass to Useful Energy Resources Asia Biomass Energy Cooperation Promotion Office - Asia Biomass Office.htm>. Diakses 10/10/2014.
- Badan Pusat Statistik (BPS). 2012. Produksi Kemiri Indonesia. [Online]. Tersedia di : <http://www.bps.go.id>. Diakses 1/9/2014.
- Badger, P.C. 2002. Ethanol from cellulose. A general review p. 17-21. In J. R. ~ and A. Whipkey (eds.), *Trends in new crops and new uses*. ASHS Press : Alexandria, VA.
- Baig, *et al.* 2006. *Conversion of Extracted Rice Bran & Isolation of Pure Bioethanol by means of Supercritical Fluid Technology*. Research. Universitas Hamburg, Hamburg.
- Bobleter, Ortwin. 1994. Hydrothermal Degradation of Polymer Derived from Plants. *Polymer Sciences*, 797-841.
- Bukasa, *et al.* 2012. Adsorpsi Toluena Pada Arang Aktif Tempurung Kemiri. Research. *Jurnal Ilmiah Sains*. Vol. 12 No 2. Program Studi Kimia FMIPA Universitas Sam Ratulangi.
- Burkill, I.H. 1966. *A Dictionary of The Economic Product of The Malay Peninsula*. Vol I (A-H). University Press Oxford. London.
- Caesaria, Maya Adinda. 2011. Pengaruh Sonikasi Sebagai Perlakuan Awal Pada Degradasi Selulosa Untuk Memperoleh Oligosakarida dengan Metode Hydrothermal. Skripsi. Institut Teknologi Sepuluh November.
- Carvalho, *et al.* 2008. A review on biomass pretreatments. *Hemicellulose biorefineries*. Departamento de Biotecnologia, Unidade de Fisiologia Microbiana e Bioprocessos, Estrada do Paço do Lumiar, 22, 1649-038, Lisboa, Portugal.
- Darmawan, S. 2005. *Ragam Manfaat Kemiri*. Mataram : Balai Litbang Kehutanan.

- Darsi Setyowati. 2001. *Mempelajari Pengaruh Pelarut dalam Preparasi dan Karakterisais Katalis Ni/ $\gamma$  – Alumina untuk konversi Benzena*. Tesis. Yogyakarta : FMIPA UGM.
- Gates, B.C., J. R. Katzer, dan G.C.A. Schuit.1979. *Chemistry of Catalytic Processes*. McGraw-Hill. New York.
- Gertzen S.L et al. 2010. Standardization of The Boehm Titration Part I CO<sub>2</sub> Expulsion and Endpoint Determination Carbon .1252-1261.
- Gianyar, et al. 2012. *Pengaruh Persentase Arang Tempurung Kemiri Terhadap Nilai Kalor Briket Campuran Biomassa Ampas Kelapa - Arang Tempurung Kemiri*. Tesis. Jurusan Teknik Mesin Fakultas Teknik.Mataram : Universitas Mataram.
- Girisuta, B., et al. 2007. Kinetic Study On The Acid-Catalyzed Hydrolysis Of Cellulose To Levulinic Acid. *Industrial & Engineering Chemistry Research*, 46, 1696-1708.
- Goto, S., et al. 2010. *EAS-ERIA Biodiesel Fuel Trade Handbook*. Economic Research Institute for Asean and East Asia (ERIA).
- Handoko, et al. 2009. Pengaruh Temperatur Terhadap Kinerja Katalis Ni/Zeolit Pada Reaksi Hidrogenasi Katalitik 1-Oktadekena. *Reaktor*, Vol. 12 No. 4, 218-225.
- Hendra, Djeni. 2007. Sifat Arang Aktif Dari Tempurung Kemiri. *Forest Product Research*.1-18.
- Hirajima, T., et al. 2003. Fundamental study on the production of woody biomass fuel using hydrothermal treatment. *Journal of MMIJ* 119, 118-124.
- Hornell, C. 2001. Thermochemical and Catalitic Upgrading in a Fuel Context: Peat, Biomass, and Alkenes. Tesis. Royal Institute of Technology, Departement of Chemical Engineering and Thechnology, StockholmHuber ,George W dan Yu-Chuan Lin. 2008. The critical role of heterogeneous catalysis in lignocellulosic biomass Conversion. *Energy & Environmental Science*. 308, 1446–1450.
- Imman, Saksit, et al. 2013. Autohydrolysis of Tropical Agricultural Residues by Compressed Liquid Hot Water Pretreatment. *Appl Biochem Biotechnol*. 170:1982–1995.
- Iryani, Dewi Agustina, et al. 2013. Production of 5-hydroxymethyl Furfural from Sugarcane Bagasse Under Hot Compressed Water. *Elsevier Journal . Procedia Earth and Planetary Science*, 441-447.
- Jamieson and McKinney. 1935. *Bagilumbang or soft lumbang (Aleurites trisperma) oil*. U.S. Department of Agriculture.
- Ketaren, S. 1986. *Pengantar Teknologi Minyak dan Lemak Pangan*. UI Press. Jakarta
- Kruse A., et al.2007. Hot Compressed Water as Reaction Medium and Reactant Properties and Synthesis Reactions. *Journal of Supercritical Fluid*, Vol. 39, 362-380.

- Kobayashi, et al. 2013. Conversion Of Lignocellulose Into Renewable Chemicals By Heterogeneous Catalysis. *Ind Eng Chem .Res.* 373-379.
- Kumagai, S., et al. 2012. Hydrothermal Carbonization Behavior Of Moso -Bamboo (Phyllostachy Heterocycla) In Hot-Compressed Water. *The wood carbonization Reseach Society*, 8(2). 53-60.
- Laksono, Endang W, et al. 2009. *Pengaruh Reduksi Pada Pd-PdO/Al<sub>2</sub>O<sub>3</sub> dan Pd-PdO/C Sebagai Katalis Hidrogenasi*. Jurusan pendidikan Kimia FMIPA, UNY. Yogja : UNY.
- Lempan, Mody, et al. 2011. Struktur Dan Komponen Arang Serta Arang Aktif Tempurung Kemiri. *Research*. Pusat Penelitian dan Pengembangan Keteknikan Kehutanan dan Pengolahan Hasil Hutan.
- Liu, Y, et al. 2013. Understanding The Mechanism Of Cypress Liquefaction In Hot-Compressed Water Through Characterization Of Solid Residues. *Energies*. 1590–1603.
- Lu, Xin , et al. 2010. Hydrolysis Of Japanese Beech By Batch And Semi-Flow Water Under Subcritical Temperatures And Pressures. *Elsevier Journal The Journal of Supercritical Fluids*. 1-8.
- Matsumura, et al. 2006. *T.Combust. Sci. Technol.*2006, 178, 509.
- Mittelbach, M., et al. 2001. Long Storage Stability of Biodiesel Made from Rapeseed and Used Frying Oil. *JAOCS*, 78 (6), 573-577.
- Mittelbach, M. and Remschmidt, C. 2004. *Biodiesel*. The Comprehensive Handbook, First edition, Austria.
- Muljana, et al. 2013. Pengaruh Media Sub- Dan Superkritik Co<sub>2</sub> Dalam Proses Hidrolisis Secara Enzymatic Terhadap Perolehan Glukosa. Lembaga Penelitian dan Pengabdian kepada Masyarakat. Universitas Katolik Parahyangan.
- Mursito, A.M, et al. 2010a. The Effect Of Hydrothermal Dewatering Of Pontianak Tropical Peat On Organics in Wastewater And Gaseous Products. *Elsievier: Fuel*.3934-3942.
- Mursito, A.M, et al. 2010b. Upgrading And Dewatering Of Raw Tropical Peat By Hydrothermal Treatment. *Elsievier: Fuel*.635-641.
- Nguyen, Q.A. dan M.P. Tucker. 2002. Dilute Acid/Metal Salt Hydrolysis Of Lignocellulosics. United States Patent 6423145.
- Patil, et al. 2013. Hydrothermal Liquefaction Of Wheat Straw In Hot Compressed Water And Subcritical Water-Alcohol Mixtures. *Elsevier Journal. The Journal of Supercritical Fluids*. 1-9.
- Perez, J., Ballesteros. 2008. Optimising Liquid Hot Water Pretreatment Conditions to Enhance Sugar Recovery from Wheat Straw for Fuel-Ethanol Production. *Fuel*. 3640-3647.

- Plantamor. 2012. Kemiri, *Aleurites moluccana* (L.) Willd . [Online]. Tersedia di : <http://www.plantamor.com/index.php?plant=54>. Diakses 12/9/2014.
- Rachmaniah, et al. 2009. Pengaruh Liquid Hot Water terhadap Perubahan Struktur Sel Bagas. *Prosiding Seminar Nasional XIV - FTI-ITS*. Jurusan Teknik Kimia, Fakultas Teknolohi Industri, Institut Teknologi Sepuluh Nopember.
- Ritonga,C. 2008. *Krisis Minyak Global*. [Online]. Tersedia di : <http://www.waspada.co.id>. Diakses 3/8/2014.
- Sambodo, M.T. 2008. *Energy Sector in Indonesia and Environment Impact: From Fossil Fuel to Biofuel*.
- Sasaki, M.,et al. 2003. Fractionation Of Sugarcane Bagasse By Hydrothermal Treatment. *Bioresource Technology*, 86 . 301–304.
- Sidjabat, Oberlin. 2013. *The Changing of Flow Property and Oxidation Stability of Biodiesel by Partial Hydrogenation Process. (Part: II): Influence of Pd-Al<sub>2</sub>O<sub>3</sub> Catalyst*. Research.Pusat Penelitian dan Pengembangan Teknologi Minyak dan Gas Bumi (LEMIGAS).
- Sihombing, J.L. 2006. *Studi Pembuatan Briket Arang dari Cangkang Kemiri Dengan Variasi Ukuran Partikel Arang dan Konsentrasi Perekat*. Jurusan Kimia Fakultas MIPA. Medan : Universitas Negeri Medan.
- Siswahyono, et al. 2009. Dekomposisi Jerami secara Termokimia dalam Air Panas Bertekanan. Thesis. Teknik mesin ,UNM.
- Suarez-Garcia, et al.2002.Pyrolysis Of Apple Pulp : Effect Of Operation Conditions And Chemical Additives. *J.of.Anl.And Appl.Pyrolysis*. 62: 93-109.
- Suhardiyono, L. 1998. *Tanaman Kelapa, Budidaya Dan Pemanfaatannya*. Yogyakarta : Kanisius. 153-156.
- Sunaryo, et al. 2014. Penelitian Nilai Kalor Bahan Bakar Biomassa Pada Limbah Kotoran Hewan. *Research*. Teknik Mesin Universitas Muhammadiyah, Riau.
- Suryanto, S.B. 2005. *Energi Alternatif dan Kemauan Politik Pemerintah*. [Online]. Tersedia di <http://www.tech.groups.yahoo.com>. Diakses 3/8/2014.
- Turmuzi, Muhammad. 2005. Pengembangan Pori Arang Hasil Pirolisa Tempurung Kemiri. Research. *Jurnal Sistem Teknik Industri*. Volume 6, No. 3. 21-24.
- Vossen, H.A.M. dan B.E. Umali. 2002. Plant Resources of South-East Asia No 14. Prosea Foundation. Bogor. Indonesia.
- Wang, Hong-Tao, et al. 2009. Supercritical Hydrolysis of Cellulose for Oligosaccharide Production in Combined Technology. *Chemical Engineering Journal*. 150, 411-417.
- Wibowo, Santiyo. 2010. *Pengusahaan Kemiri (wild) di Desa Kuala Tanah Karo Tiga Binanga*. Binanga.

- Wijaya, Karna. 2011. Biofuel dari Biomassa. [Online]. Tersedia di: <http://biofuel.dari.biomassa.pusat.studi.energi.universitas.gadjah.mada.htm>. Diakses 20/9/2014.
- Wiriadinata, H. 2009. *Budidaya Kemiri Sunan (Aleurites trisperma Blanco) sebagai Sumber Biodiesel*. LIPI Press. Jakarta
- Xiang, Qian, et al. 2003. Heterogeneous Aspects of Acid Hydrolysis of  $\alpha$ -Cellulose. *Applied Biochemistry and Biotechnology*. Volumes 107, Number 1 - 3.
- Xiao, et al. 2011. Impact Of Hot Compressed Water Pretreatment On The Structural Changes Of Woody Biomass For Bioethanol Production. *Peer-Reviewed Article Bioresources Journal*, 6 (2), 1579-1598.
- Yang, Ralph, T. 2003. *Adsorbent: Fundamentals and Applications*. John Willey and Sons Inc. New Jersey.
- Yuan, X.Z, et al. 2009. Comparative Studies of Products Obtained at Different Temperatures During Straw Liquefaction by HCW. *Energy and Fuel*. 3262-3264.
- Yuliansyah, A., et al. 2010. Production of solid from agricultural waste of the palm oil industry by hydrothermal treatment, *Waste Biomass Valor*, 1. 395-405.