

DAFTAR PUSTAKA

- Ahmad, Parwez MD., Arshad, Hussain., Kalam, Najmi Abul., et al. (2013). "Effect Of The Aqueous Extract Of Mentha Arvensis On Haloperidol Induced Catalepsy in Albino Mice". *Journal Of Clinical and Diagnostic Research*. India.
- Aiming Qi, Ellis, R.H., Keatinge, J.D.H., Wheeler, T.R., Tarawali, S.A. and Summerfield, R.J. (1999). "Differences in the effects of temperature and photoperiod on progress to flowering among diverse *Mucuna spp*". *Journal of Agronomy and Crop Science*. 182, 249–258.
- Anonim. (2009). *Dopamine*. [Online]. Tersedia: <http://www.news-medical.net/health/What-is-Dopamine%28Indonesian%29.aspx> [Desember 25.2012]
- Anonim. (2011). *Definition of TD. TD Center*. [Online]. Tersedia: <http://Tardivedyneskinesiacycenter./tardivedyneskinesiaandparkinsondesease.html> [Desember 25,2012]
- Anonim. (2011). *Mucuna pruriens*. [online]. Tersedia: http://indonesia.tropicalforages.info/key/Forages/Media/Html/Mucuna_pruriens_%28Bahasa_Indonesia%29.htm
- Barbeau, A. (1969). *L-Dopa Therapy in Parkinson's Disease: A Critical Review of Nine Years' Experience*. Canad med: Canada.
- Crane, G. E. (1968). "Tardive dyskinesias in patients treated with major neuroleptics: a review of the literature". *American Journal of Psychiatry*. 124, 8,40-48.
- Dhanasekaran., Sivarman., Kumar, Ratheesh., et al. (2010). "Effect Of Etanolic Seed Extract Of *Mucuna Pruriens (L.) DC.Var.Utilis* on Haloperidol

Estika Herachandra, 2013

Studi Farmakologi Antiparkinson Ekstrak Daging Karangbengut *Mucuna Prorens*. Var Utilis terhadap Menut Mus Muculus

Universitas Pendidikan Indonesia | repository.upi.edu

- Induced Tardive dyskinesia In Rats". *International Journal of Pharmaceutical Sciences Review and Research*. Vol 3. India.
- Dureshahwar, Khan., Mubashir, Mohammed., Une, Hemandt D., *et.all.* (2012). "Nootropic activity of *n*-butanolic fraction of methanolic extract of leaves of *Ziziphus mauritiana* Lam. in mice". *Pelagia Research Library*. India.
- Eranti VS, Gangadhar BN, Jankiramaiah N. Haloperidol induced extra-pyramidal reaction: lack of the preventive effect of vitamin E. *Psychopharmacology* 1998; 140:418-20.
- Fahn, S. dan Ford. (2003). "Medical Treatment of Parkinson's Disease and its Complications in Neurological Therapeutics Principles and Practice." *Martin Dunitz United Kingdom*. vol 2 part 2.
- Gandhare, Bhushan. (2012). "Protective Effect Of *Luffa Acutangula* Extract On Haloperidol Induced Catalepsy In Rats". *International Journal Of Experimental Pharmacology*. India.
- Goetz CG, Koller WC, Poewe W, et al. (2002). "Management of Parkinson's disease: an evidence-based review". *Mov Disord* 17:Suppl 4:S1-S166.
- Goetz CG, Poewe W, Rascol O, Sampaio C. (2001). "Evidence-based medical review update: pharmacological and surgical treatments of Parkinson's disease". *Mov Disord* :20:523-39.
- Harborne, J.B., (1987). *Metode Fitokimia* 2. Bandung: Institut Teknologi Bandung.
- Hasegawa, Takashi. (2011). "Quantitative Determination of L-DOPA in Dietary Supplements Containing *Mucuna pruriens* by High Performance Liquid chromatography Quantitative Determination of L-DOPA in Dietary Supplements Containing *Mucuna pruriens* by High Performance Liquid Chromatography". *Mamoru chiba*. 60. Jepang.
- Hornykiewicz O. (2002). "Dopamine miracle: from brain homogenate to dopamine replacement". *Mov Disord*: 17:501-8.

- Hussain, G., Manyam, B.V. (1997). *Mucuna pruriens* proves more effective than L-DOPA in Parkinson's disease animal model. *Phytother Res*, 11,419-423.
- Kane, J.M. dan Smith. (1982). *Tardive dyskinesia: prevalence and risk factors*. Arch. Gen.
- Kristiani, A.N., Aminah, N.S., Tanjung, M., dan Kurniadi, B. (2008). *Buku Ajar FITOKIMIA*. Surabaya: Airlangga University Press.
- Kulkarni SK, Naidu PS. Tardive dyskinesia: An update. *Drugs of Today* 2001; 37:97-119.
- Kumar, Sokindra., Maheshwari, Kamal Kishore., Singh, Vijender. (2009). Effect of *Magnifera indica* fruit extract on Cognitive deficits in Mice. *Journal of Enviromental Biology*. 30(4) 563-566. India.
- LeWitt, P.A., Taylor. (2008). "Protection against Parkinson's disease progression: clinical experience". *Neurotherapeutics*. 5, 210-25.
- Mackay AVP, Iversen LL, Rosser M, Spokes E, Brid E, Arregui A, et al. Increased brain dopamine receptor in schizopherenia. *Arch Gen Psychiatry* 1982; 39:991-97.
- Manyam, B.V., Dhanasekaran, M., Hare, T. (2004). "Neuroprotective effects of antiparkinson drug *Mucuna pruriens*." *Phytother Res*. 18, 706-712.
- Marklund, S., Marklund, G.,(1974)." Involvement of superoxide anion radical in the autoxidation of pyrogallol and a convenient assay of superoxide dismutase". *Eur.J.Biochem*. 47, 469-474.
- Marsh, L. (2005). "Psychosis in Parkinson's Disease". *Primary Psychiatry*. 12(7),56-62.

- Misra, Laxminarain.,Wagner, Hildebert. (2007).” Extraction of bioactive principles from *Mucuna pruriens* seeds”.*Indian Journal of Biochemistry and Biophysics*. Vol.44, pp.56-60.India.
- Mohan, M.R. dan Kala, B.K. (2010). “Chemical Composition and Nutritional Evaluation of Lesser Known Pulse of the Genus, *Mucuna*”. *Advances in Bioreserach*. 1(2), 105-106.
- Mugendi, J.B. Njagi, E.N.M., Mwasaru, M.A., *et.all.* (2010).” Effect of processing technique on the nutritional composition and anti-nutrient content of mucuna bean(*Mucuna pruriens* L.)”. *African Journal of Food Science*. Vol 4(4),pp 156-166. Afrika.
- Naidu, S., Singh,A., Kulkarni, S.K.,(1982). “Quercetin, a bioflavanoid, attenuates haloperidol-induced orofacial dyskinesia”. *Psychiatry*. 9, 473-481.
- Naidu, S., Singh,A., Kulkarni, S.K.,(2003). “Quercetin, a bioflavanoid, attenuates haloperidol-induced orofacial dyskinesia”. *Neuropharmacology*, 44:1100-1106. *Psychiatry*.1982,39, 473-481.
- Plantamor (2011). *Karabenguk (Mucuna pruriens varutilis)*. [Online]. Tersedia: <http://www.plantamor.com/index.php?plant=871> [03 Oktober 2011]
- Riskana, T. 1999. “Pengaruh kafein terhadap peningkatan kadar asam urat pada darah mencit”. Tugas Akhir tidak diterbitkan. Program S1 Fakultas Malang: Kedokteran.Unibra.
- Seeman P, Corbett R, Nam D, Van Tol HH. Dopamine and serotonin receptors: Amino acid sequences, and their clinical roles in neuroleptic Parkinsonism. *Jpn J Pharmacol* 1996; 71: 187-204.
- Smith, J.B. dan Soetanto. 1987. “Pemeliharaan, pembiakan, dan penggunaan hewan coba di daerah tropis”.UI Press

- Teixeira, A.A., Rich, E.C., dan Szabo, N.J. (2003). "Water Extraction of L-Dopa from Mucuna Bean" . *Tropical and Subtropical Agroecosystem*. 1, 159-171.
- The Parkinson Study Group. (2004). "Levodopa and the progression of Parkinson's disease". *N Engl J Med*: 351:2498-508.
- Upadhyay, V. (2012). "Application of High Performance Liquid Chromatography to the Determination and Validation of Levodopa in *Mucuna Pruriens* L". *International Journal for Pharmaceutical Research Scholars (IJPRS)*. V-1, I-4. 2277-7873.
- Vaidya, R.A., Sheth, A.R., Aloorkar, S.D., Rege, N.R., Bagadia, V.N., Devi, P.K., Shah, L.P., (1978). "The inhibitory effect of the cowhage plant-*Mucuna pruriens*-and Ldopa on hlorpromazine-induced hyperprolactinaemia in man". *Neurol India*. 26(4),177-8.
- Van Rossum, J. M. (1967). "The significance of Dopaminereceptor blockade for the action of neuroleptic drugs. In Neuro-Psycho-Pharmacology". *Proceedings of the Fifth International Congress of the Collegium Internationale Neuro-Psychopharmacologicum, Washington, 1966, pp. 321-329. International Congress Series No. 129. Excerpta Medica: Amsterdam.*
- Yahr M, Duvoisin RC, Schear MJ, Barrett RE, Hoehn MM.(1969). "Treatment of parkinsonism with levodopa". *Arch Neurol*: 21:343-54.