

## DAFTAR PUSTAKA

- Ahamed, N. (2012). Isolation and identification of secondary metabolites producing organisms from marine sponge. *Discovery*, 1 (1), hlm. 14-17.
- Akerlund, T., Nordstro, K., Bernander, R. (1995). Analysis of cell size and DNA content in exponentially growing and stationary-phase batch cultures of *Escherichia coli*. *Journal of Bacteriology*, 177 (23), hlm. 6791-6797.
- Antony, M., Ashiq, M., Salim, S., Sajudeen, P. A., Nair, I. C., Jayachandran, K. (2013). Inhibition of violacein synthesis in *Chromobacterium violaceum* DSTS-1 mutant. *International Journal of Advanced Biotechnology and Research*, 4 (1), hlm. 151-157.
- Antunes, A. A., Silva, M. L. R. B., da Silva, C. A., Takaki, G. M. C. (2006). Characterization of *Chromobacterium violaceum* isolated from Paca River, Pernambuco, Brazil. *Revista de Biologia e Ciencias da Terra*, 2 (1), hlm. 1519-5228.
- Antunes, L. C., & Ferreira, R. B. (2009). Intercellular communication in bacteria. *Critical Reviews of Microbiology*, 35 (1), hlm. 69-80.
- Antunes, L. C., Ferreira, R. B., Michelle, Buckner, M. M. C., & Finlay, B. B. (2010). Quorum sensing in bacterial virulence. *Microbiology*, 156 (1), 2271-2282.
- Anugrah, F. (2013). *Analisis Metagenomik Gen Kethosynthase dan Nonribosomal Peptide Syntethase pada Bakteri Endofit Akar V. zizanioides L.* Jurusan Pendidikan Biologi FPMIPA Universitas Pendidikan Indonesia, Bandung.
- August, P. R., Grossman, T. H., Minor, C., Draper, M. P., MacNeil, I. A., Pemberton, J. M., Call, K. M., Holt, D., & Osburne, S. (2000). Sequence analysis and functional characterization of the violacein biosynthetic pathway from *Chromobacterium violaceum*. *Journal of Molecular Microbiology and Biotechnology*, 2 (4), 513-519.
- Backer, C.A. & Brink, R.C.B.V.D. (1968). "*Flora of Java (Spermatophytes only) Vol III*". Groningen : Wolters-Noordhoof N.V. Groningen.
- Bassler , B. L., Wright, M., Showalter, R. E., & Silverman, M. R. (1993). intercellular signalling in *Vibrio Harveyi*: sequence and function of genes regulating expression of luminescence. *Molecular Microbiology*. 9 (1), hlm. 773–86.
- Berdy , J. (2005). Bioactive microbial metabolites. *The Journal of Antibiotic*, 58 (1), hlm. 1-26.

Dwi Putri Ayuningtyas, 2015

ANALISIS POTENSI EKSTRAK KASAR SUPERNATAN BAKTERI ENDOFIT *Vetiveria zizanioides* SEBAGAI PENGHAMBAT QUORUM SENSING PADA *Chromobacterium violaceum*

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Bhuiyan, M. N. I., Chowdhury, J. U., & Begum, J. (2008). Essential oil in roots of *Vetiveria zizanioides* (L.) Nash ex small from Bangladesh. *Bangladesh Journal of Botany*, 37 (2), hlm. 213-215.
- Bhushan, B., Kumar, S. S., Tanuja, S., Lalit, S., & Hema, A. (2013). *Vetiveria zizanioides* (Linn.) nash: A pharmlacological overview. *International Research Journal of Pharmacy*, 4 (7), hlm. 18-20.
- Bicas, J. L., Dionisio, A. P., Pastore, G. M. (2009). Bio-oxidation of terpenes: an approach for the flavor industry. *Chemical Reviews*, 109 (9), hlm. 4518-4531.
- Brader, G., Compant, S., Mitter, B., Trognitz, F., Sessitsch. (2013). Metabolic potential of endophytic bacteria. *Current Opinion of Biotechnology*, 27 (100), hlm. 30-37.
- Cady, S. S. (2011). *Visible spectrophotometry analysis of a food dye in a commercial beverage*. Stroudsburg: East Stroudsburg University.
- Camara, M., Williams, P., Hardman, A. (2002). Controlling infection by tuning in and tuning down the volume of bacterial small-talk. *Lancet Infect*, 2 (1), hlm. 667-676.
- Carlier, A., Uroz, S., Smadja, B., Fray, R., Latour, Y., Dessaux, Y., & Faure, D. (2003). The Ti plasmid of *Agrobacterium tumefaciens* harbors an *attM* – paralogous gene, *aiiB*, also encoding N- acyl homoserine lactonease activity. *Applied and Environmental Microbiology*, 69 (8), hlm. 4989-4983.
- Chan, K. G., Atkinson, S., Mathee, K., Sam, C. K., Chhabra, S. R., Camara, M., Koh, C. L., William, P. (2011). Characterization of N-acylhomoserine lactone degrading bacteria associated with *Zingiber officinale* (Ginger) rhizosphere: co-existence of quorum quenching and quorum sensing in *Acinetobacter* and *Burkholderia*. *BMC Microbiology*, 11 (1), hlm. 11-51.
- Chen, F., Gao, Y., Chen, X., Yu, Z., & Li, X. (2013). Quorum quenching enzymes and their application in degrading signal molecules to block quorum sensing-dependent infection. *International Journal of Molecular Sciences*, 14 (1), hlm. 17477-175000.
- Chen, f., Gao, Y., Chen, X., Yu, Z., Li, X. (2013). Quorum quenching enzymes and their application in degrading signal molecules to block quorum sensing-dependent infection. *International Journal of Molecular Science*, 14 (1), hlm. 17477-17500.
- Chomchalow, N. (2001). The utilization of vetiver as medicinal and aromatic plants with special reference to Thailand. *Technical Bulletin*, 1 (1), hlm. 1-27.

- Choo, J., H., Rukayadi, Y., Hwang, J., K. (2005). Inhibition of bacterial quorum sensing by Vanilla extract. *Letters in Applied Microbiology*, 42 (1), hlm. 637-641.
- Churchill, M. E., & Chen, L. (2011). Structural basis of acyl-homoserine lactone-dependent signaling. *Chemical Review*, 111 (1), hlm. 68-85.
- Daniels, R., Vanderleyden, J., & Michiels, J. (2004). Quorum sensing and swarming migration in bacteria. *FEMS Microbiology Reviews*, 28 (1), hlm. 261-289.
- Demain, A. L., & Fang, A. (2000). The natural functions of secondary metabolites. *Advance Biochemistry of English Biotechnology*. 69 (1), hlm. 1-39.
- Derderian, S. L. (2007). Alexander Fleming's miraculous discovery of Penicilin. *Revier Academic Journal*, 3 (2), hlm. 1-5.
- Dong, Y. H., & Zhang, L. H. (2005). Quorum sensing and quorum quenching enzymes. *The Journal of Microbiology*, 43 (1), hlm. 101-109.
- Dong, Y. H., Gusti, A. R., Zhang, Q., Xu, J. L., & Zhang, L. H. (2002). Identification of quorum quenching N- acyl homoserine lactonases from *Bacillus* species. *Applied and Environmental Microbiology*, 68 (4), hlm. 1754-1759.
- Dong, Y. H., Wang, L. H., & Zhang, L. H. (2007). Quorum quenching microbial infections: mechanisms and implications. *Philosophical Transaction of The Royal Society Biological Science*, 362 (1483), hlm. 1201-1211.
- Dong, Y. H., Xu, J. L., & Zhang, L. H. (2000). AiiA, an enzyme that inactivates the acylhomoserine lactone quorum-sensing signal and attenuates the virulence of *Erwinia carotovora*. *Proceedings National Academy of Science of United States of America*, 97 (1), hlm. 3526-3531.
- Duran, N., & Menck, C. F. (2001). *Chromobacterium violaceum*: a review of pharmacological and industrial perspectives. *Critical Reviews in Microbiology*, 27 (3), hlm. 201-222.
- El-Mowavy, S. A., Abd El Galil, K. H., El-Messery, S. M., Shaaban, M. I. (2014). Aspirin is an efficient inhibitor of quorum sensing, virulence and toxins in *Pseudomonas aeruginosa*. *Microbiology of Pathogen*, 74 (1), hlm. 25-32.
- Engerbrecht, J., Nealson, K., Silverman, M. (1983). Bacterial bioluminescence: isolation and genetic analysis of functions from *Vibrio fischeri*. *Cell*, 32 (1), hlm. 773-781.
- Federle, M. J., & Bassler, B. L. (2003). Interspecies communication in bacteria. *Journal of Clinical Investigation*, 112 (1), hlm. 1291-1299.

- Fitriani, A., Aryani, A., Yusuf, H., Permatasari, Y. (2013). The exploration of Ketosynthase Gene on endophytic bacterial root of *Vetiveria zizanioides* L. *International Journal of Basic and Applied Sciences IJBAS-IJENS*, 13 (4), hlm. 112-119.
- Freeman, J. A., & Bassler, B. L. (1999). A genetic analysis of the function of LuxO, a two-component response regulator involved in quorum sensing in *Vibrio harveyi*. *Molecular Microbiology*, 31 (2), hlm. 665-77.
- Garboggini, F. F., Almeida, R., Portillo, V. A., Barbosa, T. A. P., Trevilato, P. B., Neto, C. E. R., Coelho, R. D., Silva, D. W., Bartoletti, L. A., Hanna, E. S., Brocchi, M., Manfio, P. (2004). Drug resistance in *Chromobacterium violaceum*. *Genetics and Molecular research*, 3 (1), hlm. 134-147.
- Garrity, G. M., Winters, M., & Searles, D. B. (2001). *Taxonomic Outline of the Prokaryotes Bergey's Manual of Systematic Bacteriology, Second Edition*. East Lansing: Michigan State University.
- Gonzalez, J. B., Fernandez, F. J., Tomasini, A. (2003). Microbial secondary metabolites production and strain improvement. *Indian Journal of Biotechnology*, 2 (1), hlm. 322-333.
- Hammer, B. K., & Bassler, B. L. (2003). Quorum sensing controls biofilm in *Vibrio cholerae*. *Molecular Microbiology*, 50 (1), hlm. 101-104.
- Hancock, R. E. W. (1998). Resistance mechanisms in *Pseudomonas aeruginosa* and other non-fermentive gram negative bacteria. *Clinical Infectious Diseases*, 21 (1), hlm. 93-99.
- Hartman, G., & Wise, R. (1998). Quorum sensing: potential means of treating gram-negative infections?. *Lancet*, 351 (1), hlm. 848-849.
- Henke, J. M., & Bassler, B. L. (2004). Quorum sensing regulates type-III secretion in *Vibrio harveyi* and *Vibrio parahaemolyticus*. *Journal of Bacteriology*, 186 (12), hlm. 3794-3805.
- Hentzer, M., and Givskov, M. (2003). Pharmacological inhibition of quorum sensing for the treatment of chronic bacterial infections. *Journal of Clinical Investigation*, 112 (1), hlm 1300-1307.
- Hirsch, P., R. dan Mauchline, T., H. (2012). Who's who in the plant root microbiome. *Nature Microbiology*, 30 (1), hlm. 961-962.
- Hoang, T. T., & Schweizer, H. P. (1999). Acylated homoserine lactone synthesis antimicrobial Triclosan and its role in Reductase (FabI): a target for the aeruginosa Enoyl-Acyl carrier protein. *Journal of Bacteriology*, 181 (17), hlm. 5489-5499.
- Huang, J. J., Han, J. I., Zhang, L. H., Leadbetter, J., R. (2003). Utilization of acyl-homoserine lactone quorum signals for growth by soil *Pseudomonas* and

*Pseudomonas aeruginosa* PAO1. *Applied and Environmental Microbiology*, 69 (10), hlm. 5941-5949.

- Kaaria, P., Matiru, V., Ndungu, M. (2012). Antimicrobial activities of secondary metabolites produced by endophytic bacteria from selected indigenous Kenyan plants. *African Journal of Microbiology Research*, 6 (45), hlm. 7253-7258.
- Kaiser, D. (2007). Bacterial swarming, a re-examination of cell movement patterns. *Current Biology*. 17 (1), hlm. 561-570.
- Kato, N., Morohoshi, T., Nozawa, T., Matsumoto, H., & Ikeda, T. (2006). Control of gram-negative bacterial quorum sensing with Cyclodextrin immobilized cellulose ether gel. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 6 (56), hlm. 55-59.
- Kelecom, A. (2001). Secondary metabolites from marine microorganisms. *Annals of the Brazilian Academy of Science*, 74 (1), hlm. 151-170.
- Kim, J. & Park, W. (2013). Indole inhibits bacterial quorum sensing signal transmission by interfering with quorum sensing regulator folding. *Microbiology*, 159 (12), hlm. 2616-2625.
- Kindra, K. J., & Satayanaraya, T. (1978). Inhibitory activity of essential oil of some plants against pathogenic bacteria. *Indian Drugs*, 16 (1), hlm. 15-17.
- Kiran, M. D., Adikesavan, N. V., Cirioni, O., Giacometti, A., Silvestri, C., Scalise, G., Ghiselli, R., Saba, V., Orlando, F., Shoham, M., Balaban, N. (2008). Discovery of a quorum-sensing inhibitor of drug-resistant staphylococcal infections by structure-based virtual screening. *Molecular Pharmacology*, 73 (1), hlm. 1578-1586.
- Koch, B., Liljefors, T., Persson, T., Nielsen, J., Kjelleberg, S., & Givskov, M. (2005). The LuxR receptor: the sites of interaction with quorum sensing signals and inhibitors. *Microbiology*, 151 (1), hlm. 3589-3602.
- Krishnan, T., Yin, W. F., Chan, K. G. (2012). Inhibition of quorum sensing-controlled virulence factor production in *Pseudomonas aeruginosa* PAO1 by ayuverda spice clove (*Syzygium aromaticum*) bud extract. *Sensors*, 12 (1), hlm. 4016-4030.
- Lade, H., Paul, D., & Kweon, J. H. (2014). Quorum quenching mediated approaches for control of membrane biofouling. *International Journal of Biological Science*, 10 (5), hlm. 550-565.
- Lal, A. (2009). Quorum sensing: How bacteria talk to each other. *Resonance*, 9 (1), hlm. 866-871.

- Lazdunski, A. M., Ventre, I., & Sturgis, J. N. (2004). Regulatory circuits and communication in gram-negative bacteria. *Nature Reviews Microbiology*, 2 (1), hlm. 581-592.
- Lee, J. H. & Lee, J. (2010). Indole as an intercellular signal in microbial communities. *FEMS Microbiology Reviews*, 34 (4), hlm. 426-444.
- Lenz, D. H., Mok, K. C., Lilley, B. N., Kulkarni, R. V., Wingreen, N. S., Bassler, B. L. (2004). The small RNA chaperone Hfq and multiple small RNAs control quorum sensing in *Vibrio harveyi* and *Vibrio cholera*. *Cell*, 118 (1), hlm. 69-82.
- Li, G. & Young, K. D. (2013). Indole production by the tryptophanase TnaA in *Escherichia coli* is determined by the amount of exogenous tryptophan. *Microbiology*, 159 (1), 402-410.
- Lin, Y. H., Xu, J. L., Hu, J., Wang, L. H., Ong, S. L., Leadbetter, J. R., & Zhang, L. H. (2003). Acyl- homoserine lactone acylase from *Ralstonia* strain XJ12B represents a novel and potent class of quorum-quenching enzymes. *Molecular Microbiology*, 47 (3), hlm. 849-860.
- Llorenz, J. N. M., Tormo, A., & Garcia, E. M. (2010). Stationary phase in gram-negative bacteria. *Federation of European Microbiological Societies*, 34 (1), 476-495.
- Lyon, G. J., Mayville, P., Muir, T. W., & Novick, R. P. (2000). Rational design of a global inhibitor of the virulence response in *Staphylococcus aureus*, based in part in localization of the site of inhibition to the receptor histidine kinase, AgrC. *Proceedings of National Academy of Science United State of America*, 97 (1), hlm. 13.330-13.335.
- Malfanova, N., V. (2010). *Bacterial Endophytes: Who and Where, and What are They Doing There?*. [Online]. Diakses dari <http://hdl.handle.net/1887/20732>.
- Manefield, M., Rasmussen, T. B., Henzter, M., Andersen, J. B., Steinberg, P., Kjelleberg, S., & Givskov, M. (2002). Halogenated furanones inhibit quorum sensing through accelerated LuxR turnover. *Microbiology*, 148 (1), hlm. 1119-1127.
- Mathesius, U., Mulreds, S., Gao, M., Teplitski, M., Anolles, G. C., Rolfe, B. G., Bauer, W. D. (2003). Extensive and specific responses of eukaryote to bacterial quorum-sensing signals. *Proceedings of National Academy Science of United States of America*, 100 (3), hlm. 1444-1449.
- McClellan, K., H., Winson, M., K., Fish, L., Taylor, A., Chhabra, S., R., Camara, M., Daykin, M., Lamb, J., H., Swift, S., Bycroft, B., W., Stewart G., S., A., B., Williams, P. (1997). Quorum sensing and *Chromobacterium violaceum*: exploitation of violacein production and inhibition for the

- detection of N-acyl homoserine lactones. *Microbiology*. 143 (1), hlm. 3703-3737.
- McLean, R. J. C., Pierson, L. S., Fuqua, C. (2004). A simple screening protocol for the identification of quorum signal antagonists. *Journal of Microbiological Methods*, 58 (1), hlm. 351-360.
- Miller, M. B., & Bassler, B. L. (2001). Quorum sensing in bacteria. *Annual Review. Microbiology*, 55 (1), hlm. 165-199.
- Montgomery, K., Charlesworth J. C., LeBard, R., Visscher, P. T., Burns, P. B. (2013). Quorum sensing in extreme environments. *Life*. 3 (1), hlm. 131-148.
- Moore, G., Stanford, P., & Willey, T. (2006). Perennial pastures for Western Australia. *Department of Agriculture and Food Western Australia Bulletin*, hlm. 4960.
- Norizan, S. N., Yin, W. F., Chan, K. G. (2013). Caffeine as a potential quorum sensing inhibitor. *Sensors*, 13 (1), hlm. 5117-5129.
- Novick, R. P., & Geisinger, E. (2008). Quorum sensing in staphylococci. *Annual Review of Genetic*, 42 (1), 541-564.
- Oliveira, C. G., Antonio, R. V., Porto, L. L. (2009). *Chromobacterium violaceum* ATCC1247: multi-drug and ethidium bromide resistant. *Nature Precedings*, 9 (1), hlm. 3366-3378.
- Park, S. Y., Lee, S. J., Oh, T. K., Oh, J. W., Koo, B. T., Yum, D. Y., & Lee, J. K. (2003). AhID, an N – acyl homoserine lactonase in *Arthrobacter* sp., and predicted homologues in other bacteria. *Microbiology*, 149 (1), hlm. 1541-1550.
- Permatasari, Y. (2011). *Karakterisasi dan Identifikasi Molekuler Bakteri Endofit Akar Vetiveria zizanioides L.* (Skripsi). Jurusan Pendidikan Biologi FPMIPA Universitas Pendidikan Indonesia, Bandung.
- Petrillo, V. F., Severo, V., Santos, M. M., & Edelweiss, E. L. (1984). Recurrent infection with *Chromobacterium violaceum*: First Case Report from South America. *Journal of Infection*, 9 (1), 167-169.
- Pontieri, p., Massardo, D. R., Senatore, F., Tredici, M., Vigliotta, G., Alifano, P., Del Giudice, L. (2005). Isolation and characterization of endophytic bacteria in *Vetiveria zizanioides* (L.) Nash Roots. *Prosiding pada Kongres Anual Genetika Agrikultural* . Potenza: University of Naples.
- Pratiwi, D. (2013). *Kandungan Metabolit Sekunder yang Berpotensi sebagai Antibakteri dari Bakteri Endofit Akar Vetiveria zizanioides.* (Skripsi). Jurusan Pendidikan Biologi FPMIPA Universitas Pendidikan Indonesia, Bandung.

- Qadiri, H. M., Alami, N. I., Lin, M., Holy, M., Cavinato, A. G., Rasco, B. A. (2008). Studying of the bacterial growth phases using fourier transform infrared spectroscopy and multivariate analysis. *Journal of Rapid Methods & Automation in Microbiology*, 16 (1), hlm. 73-89.
- Queck, S., Y., Lee, M., J., Villaruz, A., E., Bach, T., H., L., Khan, B., A., Sturdevant, D., E., Ricklefs, S., M., Li, M., Otto, M. (2008). RNA III-independent target gene control by the agr quorum sensing system: Insight into the evolution of virulence regulation in *Staphylococcus aureus*. *Molecular Cell*, 32 (1), hlm. 150-158.
- Rajesh, P. S. & Ravishankar, R. V. (2013). Quorum quenching activity in cell-free lysate of endophytic bacteria isolated from *Pterocarpus Santalinus* Linn. and its effect on quorum sensing regulated biofilm in *Pseudomonas aeruginosa* PAO1. *Microbial Research*, 169 (8), hlm. 561-569.
- Rao, R., & Suseela, M. (2000). *Vetiveria Zizanioides* (Linn.) Nash A Multipurpose Eco-Friendly Grass Of India. *Prosiding pada Konferensi Vetiver ke- 3, Thailand*. Luckno: National Botanical Research Institute.
- Rasmussen, T. B., Skindersoe, M. E., Bjarnsholt, T., Phipps, R. K., Christensen, K. B., Jensen, P. O., Andersen, J. B., Koch, B., Larsen, T. O., Hentzer, M., Eberl, L., Hoiby, N., Givskov, M. (2005). Identity and effects of quorum-sensing inhibitors produced by *Penicillium* species. *Microbiology*, 151 (1), hlm. 1325-1340.
- Ratha, M., Subha, K., Senthilkumar, G., & Panneerselvam, A. (2012). Screening of phytochemical and antibacterial activity of *Hemidesmus indicus* (L.) and *Vetiveriazizanioides* (L.). *European Journal of Experimental Biology*, 2 (2), hlm. 363-368.
- Raval, J. P., Rai, A. R., Patel, N. H., Patel, H. V., Patel, P. S. (2009). Synthesis and in vitro antimicrobial activity of N<sup>7</sup>-(4-(arylamino)-6-(pyridine-2-ylamino)-1,3,5-triazin-2-yl)benzohydrazide. *International Journal of Chemistry Technology Research*, 1 (3), hlm. 616-620.
- Reddy, C. S., Rao, L. S., & Nagaraj, A. (2010). Synthesis and evaluation of Novel Bis[1,2,4]triazolo[3,4-b][1,3,4]thiadiazoles as potent antimicrobial agents. *Journal of Acta Chemistry of Slovakia*, 57 (1), 726-732.
- Reimmann, C., Ginet, N., Michel, L., Keel, C., Michaux, P., Krihnapillai, V., Zala, M., Heurlier, K., Triandafillu, K., Harms, H., Delfago, G., Haas, D. (2002). Genetically programmed autoinducer destruction reduces virulence gene expression and swarming motility in *Pseudomonas aeruginosa* PAO1. *Microbiology*, 148 (1), hlm. 923-932.
- Romano, H. Gollihar, J., Brown, S. A., Whiteley, M., Velenzuela, E., Kaplan, H. B., Wood, T. K., McLean, R. J. (2014). Indole inhibition of N-acetylated



- homoserine lactone mediated quorum signaling is widespread in gram-negative bacteria. *Microbiology*, 160 (11), hlm. 2464-2473.
- Rosenblueth, M., & Martinez Romero, E. (2004). *Rhizobium etli* maize populations and their competitiveness for root colonization. *Archive of Microbiology*, 181 (1), hlm. 337-344.
- Rosenblueth, M., and Romero E. M. (2006). Bacterial endophytes and their interactions with hosts. *The American Phytopathological Society*, 19 (8), hlm. 827-837.
- Saphiro, J., A. (1998). Thinking about bacterial population as multicellular organisms. *Annual Review of Microbiology*. 52 (1), hlm. 81-104.
- Shukla, S. T., Habbu, P., V., Kulkarni, V., H., Jagadish, K., S., Pandey, A. R., & Sutariya, V. N. (2014). Endophytic microbes: A novel source for biologically/ pharmacologically active secondary metabolites. *Asian Journal of Pharmacology and Toxicology*, 2 (3), hlm. 2347-3886.
- Sigmann, S. B. & Wheeler, D. E. (2004). The quantitative determination of food dyes in powdered drink mixes. *Journal of Chemistry*, 81 (1), hlm. 1475-1478.
- Sircili, M., P., Walters, M., Trabulsi, L. R., & Sperandio, V. (2004). Modulation of enteropathogenic *Escherichia coli* virulence by quorum sensing. *Infection and Immunity*, 72 (4), hlm. 2329-2337.
- Smith, R. S. & Iglewski, B. H. (2003). *P. aeruginosa* quorum sensing systems and virulence. *Current Opini of Microbiology*, 6 (1), 56-60.
- Solomon, J. M., Lazazzera, B. A., & Grossman, A. D. (1996). Extracellular peptide factor that affects two different developmental pathways in *Bacillus subtilis*. *Genes Development*, 10 (1), 2014-2024.
- Sperandio, V., Torres, A. G., Giron, J. A., & Kaper, J.B. (2001). Quorum sensing is a global regulatory mechanism in enterohemorrhagic *Escherichia coli* O157:H7. *Journal of Bacteriology*, 183 (1), 5187-5197.
- Stewart, P. S., & Costerton, J. W. (2001). Antibiotic resistance of bacteria in biofilm. *Lancet*, 358 (1), hlm. 135-138.
- Strobel, G. & Daisy, B. (2003). Bioprospecting for microbial endophytes and their natural products. *Microbiology and Molecular Biology Reviews*, 67 (4), hlm. 491-502.
- Sturme, M. H. J., Kleerebezem, M., Nakayama, J., Akkermans, A. D. L., Vaughan, E. E., deVos, W. M. (2002). Cell to cell communication by autoinducing peptides in gram-positive bacteria. *Antonie van Leeuwenhoek*, 81 (1), hlm. 233-243.

- Truong, P., N. (2000). Vetiver Grass System: Potential application for soil and water conservation in Northern California. *Stiff Grass Technology Seminar, Australia, May 2000*.
- Uroz, S., Chhabra, S. R., Camara, M., Williams, P., Oger, P., & Dessaux, Y. (2005). N-acyl homoserine lactone quorum sensing molecules are modified and degraded by *Rhodococcus erythropolis* W2 by both amidolytic and novel oxidoreductase activities. *Microbiology*, 151 (1), hlm. 3313-3322.
- Vasconcelos, A. T. R., Almeida, D. F., Almeida, F. C., Almeida, R., Almeida, L. G. P., Gomes, J. A., Simpson, A. J. G. (2003). Complete genome sequence of *Chromobacterium violaceum* reveals remarkable and exploitable bacterial adaptability. *Proceeding National Academy Science of USA*, 100 (1), hlm. 11660-11665.
- Waters, C. M., & Bassler, B. L. (2005). Quorum sensing: Cell to cell communication in bacteria. *Annual Review of Cellular Devision Biology*, 21 (1), hlm. 319-346.
- Weng, L. X., Zhan, Y. Q., Meng, H., Yang, Y. X., Quan, Z. X., Zhang, Y. Y., Wang, L.H. (2012). Screening and isolating quorum sensing inhibitor from bacteria. *African Journal of Microbiology Research*, 6 (5), hlm. 927-936.
- Yang, C. H. & Li, Y. H. (2011). *Chromobacterium violaceum* infection: a clinical review of important but neglected infection. *Journal of the Chinese Medical Assosiation*, 74 (1), hlm. 435-441.
- Zhu, J., & Winans, S. C. (1999). Autoinducer binding by the quorum sensing regulator TraR increases affinity for target promoters *in vitro* and decreases TraR turnover rates in whole cells. *Proceedings of National Academy of Science of United States of America*, 96 (9), hlm. 4832-4837.