

## DAFTAR PUSTAKA

- Adams, R., Habte, M., Park, S., & Dafforn, M. (2004). "Preliminary Comparison of Vetiver Root Essential Oils From Cleansed (Bacteria - and Fungus-Free) Versus Non-Cleansed (Normal) Vetiver Plants". *Journal Biochemical Systematics and Ecology*. **32**, (12), 1137-1144.
- Ahamed, N. 2012. "Isolation and Identification of Secondary Metabolites Producing Organisms from Marine Sponge". *Discovery*. **1**, (1), 14-17.
- Aili, N., Darah, I., Afifah, N., & Fariza, S. (2011). "Effects Of Methanolic Extract of A Soft Sponge, Haliclona Sp. on Bacterial Cells: Structural Degeneration Study". *International Journal Of Comprehensive Pharmacy*. **7**, (2), 1-6.
- Backer, C.A. & Brink, R.C.B.V.D. (1968). *Flora of Java (Spermatophytes only) Vol III*. Netherland : Wolters-Noordhoof N.V. Groningen.
- Basuri, T., & Vishal, M. (2011). Anti-Arthritic Activity of Root Extracts of *Vetiveria zizanioides*. *Journal of Pharmacy Research*. **4**, (4), 1240-1241.
- Battu, P.R., & Reddy, MS. (2012). "Isolation of Secondary Metabolites from *Pseudomonas Fluorescens* and Its Characterization". *Asian J. Research Chem*. **2**, (1), 26-29.
- Berdy, J. (2004). "Bioactive Mikrobial Metabolites". *Journal Antibiotik*. **58**, (1), 1-26.
- Bintang, M. (2010). *Biokimia, Teknik Penelitian*. Jakarta : Erlangga.
- Bhoonobong, A. Sawadsitang, S., Sodngam, S., & Mongkolthanaruk, W. (2012). "Characterization of Endophytic Bacteria, *Bacillus Amyloliquefaciens* for Antimicrobial Agents Production". *International Conference on Biological and Life Sciences IPCBEE*. **40**, 1-6.
- Brock, T.D., & Madigan, M.T. (1991). *Biology of Microorganisms 6th edition*. Prentice-Hall, Englewood Cliffs, NJ, 874.
- Bunch, A., & Harris, R. (1986). "The Manipulation of Microorganism for The Production of Secondary Metabolites". *The university of Kent, UK*. 117-144.
- Cappucino, J. G. & Sherman, N. (1987). *Microbiology: A Laboratory Manual*. California: The Benjamin Cummings Publishing Company, Inc.
- Caraballo, I. (2010). "A Study of Bacterial Endophytes of *Coccoloba uvifera* at Cabo Rojo, Puerto Rico". *BS, Industrial Microbiology*, Universidad de Puerto Rico.

- Chomchalow, N. (2000). *Manual of the International Training Course on the Vetiver System*. Bangkok : Office of the Royal Development Projects Board, Bangkok, Thailand.
- Cordero, M., Borbon, H., Roman, F., Viques, R., Villegas, L., Soto, R., Vega, I., & Herrera, J. (2012). “Antimicrobial Activity and Phytochemical Screening of Secondary Metabolites Extracted from the Ascidian *Rhopalaea birkelandi*”. *European Journal of Scientific Research*. **70**, (3), 345-353.
- Demain, A. (1998). “Induction of Microbial Secondary Metabolism”. *Springer-Verlag Ibérica* . (1), 259–264.
- Deny, B.J., Novotny, L., West, P.W.J., Blesova, M., West, Z., & Zamocka, J. (2005). “Antimicrobial Activity of a Series of 1-Alkyl-2-(4-Pyridyl) Pyridinium Bromides against Gram-Positive and Gram-Negative Bacteria”. *Medical Principle Practice*. **14**, 377–381.
- Departemen Kehutanan Indonesia. (2007). *Statistik Kehutanan Indonesia*. Jakarta : Departemen Kehutanan Indonesia.
- Devi, P., D’Souza, L., Kamat, T., Rodrigues, C., & Naik, C. (2009). “Batch Culture Fermentation *Penicillium chrysogenum* and a Report on the Isolation, Purification, Identification and Antibiotic Activity of Citrinin”. *Indian Journal of Marine Sciences*. **38**, (1), 38-44.
- Dhanasekaran, D., Tajudin, M. T., Panneerselvam, A. (2008). “An Antifungal Compound: 4' Phenyl -1-Naphthyl –Phenyl Acetamide from *Streptomyces* sp. Dptb16”. *Journal Medicine and Biology*. **15**, (1), 7 – 12.
- Ebrahimi, A., Asgharian, S., & Habibian, S. (2010). “Antimicrobial Activities of Isolated Endophytes from Some Iranian Native Medicinal Plants”. *Iranian Journal of Pharmaceutical Sciences*. **6**, (3), 217-222.
- Ezra, D., Castillo, U., Strobel, G., Hess, W., Porter, H., Jensen, J.B., Condrón, M., Teplow, D., Sears, J., Maranta, M., Hunter, M., Weber, B., & Yaver, D. (2002). “Coronamycins, Peptide Antibiotics Produced by a Verticillate *Streptomyces* sp. (MSU-2110) Endophytic on *Monstera* sp.”. *Journal of Microbiology*. (150), 785–793.
- Farhana, S., Biviand, R., & Khairulmazmi, A. (2011). “Effect of Carbon Sources on Bacterial Production of Metabolites against *Fusarium oxysporum* and *Colletotrichum gloeosporioides*”. *International Journal Of Agriculture & Biology*. **13**, (1), 1-8.
- Fei-sheng, Wang., Yuan, W., & Peng-fei, Z. (2009). “Comparison of Chemical Compositions between Two Essential Oils from *Vetiveria zizanioides* by Different Extraction Methods”. *Food science*. **30**, (8), 212-214.
- Finkel, S. (2006). “Long-Term Survival During Stationary Phase: Evolution and

- The GASP Phenotype". *Nature Reviews Microbiology*. **4**, 113-120.
- Fukuda, T., Matsumoto, A., Takahashi, Y., Tomoda, H., & Omura, S. (2005). "Phenatic Acid A and B, New Potentiators of Antifungal Miconazole Activity Produce by *Streptomyces* sp. K03-0132". *Journal Antibiotic*. **58**, (4), 252-259.
- Garba, S., & Salihu, L. (2011). "Antibacterial Activities of 2-O-butyl-1-O-(2'-ethylhexyl) benzene-1,8-dicarboxylate and 1-phenyl-1,4-pentanedione Isolated from *Vitellaria paradoxa* Root bark". *Asian Journal of scientific Research*. **4**, (2), 149-157.
- Gohar, Y., El-Naggar, M., Soliman, M.P., & Barakat, M. (2009). "Characterization of Marine *Burkholderia cepacia* Antibacterial Agents". *Journal of Natural Products*. **3**, 86-94.
- Gohil, V., Agrawal, S.A., Saxena, A.K., Garg, D., Gopimohan, C., Bhutani, K. (2009). "Synthesis, Biological Evaluation and Molecular Docking of Aryl Hydrazines and Hydrazides for Anticancer Activity". *Indian Journal of Experimental Biology*. **48**, 265-268.
- Greenfield, J. (2002). *Vetiver Grass An Essential Grass For The Conservation Of Planet Earth*. Haverford, Infinity, PA.
- Guidice, D., Massardo, D.R., Pontieri, P., Berte, C.M., Tredici, C., Talà, A., M, Stefano., Maffei, M., & Alifano, P. (2008). "The Microbial Community of Vetiver Root is Necessary for Essential Oil Biosynthesis". *Proceedings of the 52nd Italian Society of Agricultural Genetics*. Annual Congress Padova, Italy – 14/17 September, 2008.
- Gulani, C. Bhattacharya, S. Das, A. (2012). "Assessment Of Process Parameters Influencing The Enhanced Production of Prodigiosin From *Serratia Marcescens* and Evaluation of Its Antimicrobial, Antioxidant and Dyeing Potentials". *Malaysian Journal of Microbiology*. **8**, (2), 116-122.
- Gupta, S., & Dwivedi, G. (2011). "Antimycobacterial Activity of Fractions and Isolated Compounds from *Vetiveria zizanioides*". *Medical Chemistry research*. 1-7.
- Hanifati, F. 2008. *Bakteri Endofit Batang Akar Wangi Vetiveria zizanioides dan Kajian Keragaman Bakteri*. Skripsi Sarjana pada FPMIPA UPI Bandung: tidak diterbitkan.
- Herbert, R. (1995). *Biosintesis Metabolit Sekunder*. Semarang : IKIP Semarang Press.
- Hites, R. (1997). *Gas Chromatography Mass Spectrometry*. Handbook of Instrumental Techniques for Analytical Chemistry. 609-627.
- Kawasaki, K., Hojo, K. Maeda, M., & Smith, T.J. (2002). "Acylation of

- Hydrazides with Acetic Acid and Formic Acid". *Chemical Pharm. Bull.* **50**, (1), 140-142.
- Liasi, S., Azmi, T., Hassan, M.D., Shuhaimi, M., Rosfarizan, M., & Ariff, A. (2009). "Antimicrobial Activity and Antibiotic Sensitivity of Three Isolates of Lactic Acid Bacteria from Fermented Fish Product, Budu". *Malaysian Journal of Microbiology.* **5**, (1), 33-37.
- Li, J., Zhao, G.Z., Chen, H.H., Wang, B.H., Qin, S., Zhu, W.Y., , Xu, L.H., Jiang, C.H., & Li, W.J. (2008). "Antitumour and Antimicrobial Activities of Endophytic Streptomycetes from Pharmaceutical Plants in Rainforest". *Journal compilation, The Society for Applied Microbiology.* **47**, (2008) 574–580.
- Lloren, J., Tormo, A., & Garcia, E. (2010). "Stationary Phase in Gram-Negative Bacteria". *Federation European Microbiological Science. Microbiol Review.* **34**, 476–495.
- Luqman, S., Srivastava, S., Darokar, M.P., & Khanuja, S. (2005). "Detection of Antibacterial Activity in Spent Roots of Two Genotypes of Aromatic Grass *Vetiveria zizanioides*". *Journal Pharmaceutical Biology.* **43**, (8), 732–736.
- Maffei, M. (2002). *Vetiveria. The genus Vetiveria (ed. M. Maffei)*. London and New York : Taylor & Francis.
- Margino, S. (2008). "Produksi Metabolit Sekunder (Antibiotik) oleh Isolat Jamur Endofit Indonesia". *Majalah Farmasi Indonesia.* **19**, (2), 86 – 94.
- Massardo, R., Senatore, F., Alifano, P., Giudice, L., & Pontieri, P. (2006). "Vetiver Oil Production Correlates with Early Root Growth". *Biochemical Systematics and Ecology.* **34**, (5), 376–382.
- Matlock, B., Beringer, R., Ash, D., & Andrew, F. (2011). *Differences in Bacterial Optical Density Measurements between Spectrophotometers*. USA : Thermo Fisher Scientific, Wilmington.
- Nantachit, K., Bunchoo, M., Khantava, B., & Khamvan, C. (2010). "Antimicrobial Activity of Alkaloid from Roots of *Vetiveria zizanoides* (L.) Nash ex Small". *Thai Pharm Health Science Journal.* **5**, (2), 99 - 102.
- Nazir, M. (1998). *Metode Penelitian*. Jakarta: Ghalia Indonesia.
- O'Donnell, G., Poeschl, R., Zimhony, O., Gunaratnam, M., Moreira, J., Neidle, S., Evangelopoulos, D., Bhakta, S., Malkinson, J., Boshoff, H., & Lenaerts, A. (2009). "Bioactive Pyridine-N-oxide Disulfides from *Allium stipitatum*". *Journal Natural Product.* **72**, (3), 360–365.
- Oh, KB., Mar, W., Kim, S., Kim, J., Lee, T., Kim, J., Shin, D., Sim, C., & Shin, J. (2006). "Antimicrobial Activity and Cytotoxicity of Bis(indole) Alkaloids



- from the Sponge *Spongosorites* sp.”. *Biol. Pharm. Bull.* **29**, (3) 570-573.
- Okwu, D.E., & Igara, E.C. (2007). “Isolation, Characterization and Antibacterial Activity of Alkaloid from *Datura metel* Linn Leaves”. *African Journal of Pharmacy and Pharmacology.* **3**, (5), 277-281.
- Pankey, G. & Sabath, L. (2013). “Clinical Relevance of Bacteriostatic versus Bactericidal Mechanisms of Action in the Treatment of Gram - Positive Bacterial Infections”. *CID.* **38.** 864-870.
- Parvin, R., Absar, MN., Ershaduzzaman, M., Elahi, M., & Shil, A. (2011). “Antibiogram Of Single, Double And Triple Chain Aroyl Hydrazine Against Some Gram Positive And Gram Negative Bacteria”. *International Journal of Natural Sciences.* **1**, (1), 17-21.
- Pelezar, M., & Chan, E.C.S. (1988). *Dasar-dasar Mikrobiologi II.* Jakarta : Universitas Indonesia Press.
- Permatasari, Y. (2011). *Karakterisasi dan Identifikasi Molekuler Bakteri Endofit Akar Vetiveria zizanioides L.* Skripsi Sarjana pada FPMIPA UPI Bandung: tidak diterbitkan.
- Pimentel, M.R., Molina, G., Dionisio, A., Junior, M., & Pastore, G. (2012). “The Use of Endophytes to Obtain Bioactive Compounds and Their Application in Biotransformation Process”. *SAGE-Hindawi Access to Research Biotechnology Research International.* 1-11.
- Pin, C., & Baranyi, J. (2008). “Single-Cell and Population Lag Times as a Function of Cell Age”. *Journal Applied And Environmental Microbiology.* **74**, (8), 2534–2536.
- Pringgenies, D., Harmawan, A., & Ridho, A. (2012). “Uji Fitokimia dan Aktifitas Anti Bakteri Ekstrak Media Supernatan Bakteri Symbion *Vibrio sp.* Gastropoda *Oliva vidua* Terhadap Bakteri Multi Drug Resistant”. *Journal of Marine Research.* **1**, (1), 84-89.
- Pripdeevech, P., Wongpornchai, S., & Promsiri, A., (2006). “Highly Volatile Constituents of *Vetiveria zizanioides* Roots Grown under Different Cultivation Conditions”. *Molecules.* **11**, 817-826.
- Qin, L., Yu, H., Zhang, L., Li, L., Zheng, C., Guo, L., Li, W., & Sun, P. (2010). “Recent Developments and Future Prospects of Antimicrobial Metabolites Produced By Endophytes”. *Sciencedirect Microbiological Research.* **165**, 437—449.
- Radji, M. (2005). “Peranan Bioteknologi dan Mikroba Endofit dalam Pengembangan Obat Herbal”. *Majalah Ilmu Kefarmasian.* **2**, (3), 113 - 126.
- Rao, R., & Suseela, M. (2000). “*Vetiveria Zizanioides* (Linn.) Nash A

Multipurpose Eco-Friendly Grass Of India". *Proceedings of the 3<sup>rd</sup> International Vetiver Conference, Thailand, January 2000.*

- Ratha, M., Subha, K., Senthilkumar, G., & Panneerselvam, A. (2012). "Screening of Phytochemical and Antibacterial Activity of *Hemidesmus indicus* (L.) and *Vetiveria zizanioides* (L)". *European Journal of Experimental Biology*. **2**, (2), 363-368.
- Rolfe, M., Rice, C.J., Lucchini, S., Pin, C., Thompson, A., Cameron, A., Alston, M., Stringer, M.F., Betts, R.P., Baranyi, J., Peck, M., & Hinton, J. (2011). "Lag Phase Is a Distinct Growth Phase That Prepares Bacteria for Exponential Growth and Involves Transient Metal Accumulation". *Journal of Bacteriology*. **194**, (3), 686–701.
- Romoli, R., Papaleo, M.C., Pascale, D., Tutino, M.L., Michaud, A. LoGiudice, A., Fani, R., & Bartolucci, G. (2013). "GC–MS Volatolomic Approach to Study The Antimicrobial Activity of The Antarctic Bacterium *Pseudoalteromonas* sp. TB41". *Metabolomics*. 1-10.
- Roy, S., & Banerjee, D. (2010). "Isolation Of Antimicrobial Compound By Endophytic Bacteria From *Vinca rosea*". *International Journal Of Current Research*. **5**, 047-051.
- Saga, T., & Yamaguchi, K. (2009). "History of Antimicrobial Agent and Resistant Bacteria". *JMAJ*. **52** (2), 103 -108.
- Samrot, A., Chandana, K., Senthilkumar, P. & Narendrakumar, G. (2011). "Optimized Production of Prodigiosin from *Serratia Marcescens* SU-10 Grown as Batch Culture and Evaluation of Bioactivity of Produced Prodigiosin". *International Journal of Medicobiological Research*. **1**, (3), 145-150.
- Sharma, M.C., Nigam, V.K., Behera, B., & Kachhawa, J. (2009). "Antimicrobial Activity of Aqueous Extract of *Holoptelea Integrifolia* (Roxb.) Leaves: an *In vitro* Study". *Pharmacologyonline*. **1**: 155-159.
- Sasidharan, S. Darah, I. Jain, K. (2011). "In Vitro And In Situ Antiyeast Activity Of *Gracilaria changii* Methanol Extract Against *Candida albicans*". *European Review for Medical and Pharmacological Sciences*. **15**, 1020 – 1026.
- Sasidharan, S., Darah, I., Noordin, M. (2010). "In Vitro Antimicrobial Activity Against *Pseudomonas Aeruginosa* and Acute Oral Toxicity of Marine Algae *Gracilaria Changei*". *Biocatalysis and Agricultural Biotechnology*. **27**, (4), 390-396.
- Seswita, D., & Hadipoentyanti, E. (2010). "Pemanfaatan Plasma Nutfah Akarwangi Dalam Memperoleh Varietas Unggul". *Jurnal Perkembangan Teknologi TRO*. **22** (1), 27-30.

**Dwi Pratiwi, 2013**

Kandungan Metabolit Sekunder Yang Berpotensi Sebagai Antibakteri Dari Bakteri Endofit Akar *Vetiveria zizanioides*

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Silva, I., Martins, M., Carvalho, C., Azevedo, J., & Procópio, R. (2012). "The Effect of Varying Culture Conditions on the Production of Antibiotics by *Streptomyces* sp., Isolated from The Amazonian Soil". *Journal Fermentation Technology*. **1**, (3), 1-5.
- Simanjuntak, P., Parwati, T., Bustanussalam., Prana, T.K., & Shibuya, H. (2002). "Produksi Alkaloid Kuinina Oleh Beberapa Mikroba Endofit Dengan Penambahan Zat Induser (Studi Mikroba Endofit Tanaman *Cinchona* sp.)". *Majalah Farmasi Indonesia*. **13**, (1), 1-6.
- Strobel, G., & Daisy, B. (2003). "Bioprospecting for Microbial Endophytes and Their Natural Products". *Microbiology and Molecular Biology Reviews*. **67**, (4), 491–502.
- Subhadradevi, V., Asokkumar, K., Umamaheswari, M., Sivashanmugam, A.T., & Sankaranand, R. (2010). "In vitro antioxidant activity of *Vetiveria zizanioides* root extract". *Tanzania Journal of Health Research*. **12**, (2), 1-10.
- Tanaka, J.C., Silva, D., Oliveira., Nakamura, C.V., Filho, D. (2006). "Antibacterial Activity of Indole Alkaloids from *Aspidosperma ramiflorum*". *Brazilian Journal of Medical and Biological Research*. **39**, (3), 387-391.
- Truong, P., & Loch, R. (2004). "Vetiver System For Erosion and Sediment Control". *International Soil Conservation Organisation Conference – Brisbane, July 2004*. (10), 1-6.
- Truong, P., Gordon, I., & Amstrong, F. (2002). "Vetiver Grass For Saline Land Rehabilitation Under Tropical And Mediterranean Climate". *Paper presented at the Productive Use and Rehabilitation of Saline Lands National Conference, Fremante*. 1- 11.
- Vining, L.C. 1990. "Secondary Metabolism". *World Journal of Microbiology and Biotechnology*. **8** (Supplement 1), 90-91.
- Weyens, N. (2009). "Phytoremediation: Plant–Endophyte Partnerships Take The Challenge". *Current Opinion in Biotechnology*. **20**, 248–254.
- Wink, M. (1998). "Alkaloids : Biochemistry, Ecology and medical Application". New York : Plenum press.
- Yeh, P., Tschumi, A., & Kishony, R. (2006). "Functional Classification of Drugs by Properties of Their Pairwise Interactions". *Nature Genetik*. **38**, (4), 489-494.
- Yu, M. Wang, J., Tang, K., Shi, X., Wang, S., Zhu, W., & Zhan, X. (2012). "Purification and Characterization of Antibacterial Compounds of *Pseudoalteromonas flavipulchra* JG1". *Journal of Microbiology*. **158**, 835–842.