

UJI VALIDITAS DAN RELIABILITAS INSTRUMEN

Scale: ALL VARIABLES

Case Processing Summary

| | | N | % |
|-------|-----------------------|----|-------|
| Cases | Valid | 50 | 100.0 |
| | Excluded ^a | 0 | .0 |
| | Total | 50 | 100.0 |

a. Listwise deletion based on all variables in the procedure.

Item-Total Statistics

| | Scale Mean if Item Deleted | Scale Variance if Item Deleted | Corrected Item-Total Correlation | Cronbach's Alpha if Item Deleted |
|-----------------|----------------------------|--------------------------------|----------------------------------|----------------------------------|
| VAR00001 | 106.2222 | 248.256 | .436 | .910 |
| VAR00002 | 106.4815 | 236.567 | .617 | .906 |
| VAR00003 | 107.6296 | 231.165 | .639 | .906 |
| VAR00004 | 106.3704 | 246.627 | .347 | .910 |
| VAR00005 | 106.9259 | 238.302 | .499 | .908 |
| VAR00006 | 106.1852 | 239.387 | .731 | .906 |
| VAR00007 | 106.5556 | 240.333 | .543 | .908 |
| VAR00008 | 106.4074 | 232.866 | .661 | .905 |
| VAR00009 | 106.5185 | 252.875 | .120 | .912 |
| VAR00010 | 107.8519 | 244.208 | .537 | .908 |
| VAR00011 | 106.5926 | 245.481 | .587 | .908 |
| VAR00012 | 107.2222 | 239.718 | .497 | .908 |
| VAR00013 | 107.7037 | 252.755 | .045 | .917 |
| VAR00014 | 106.8519 | 236.900 | .524 | .908 |
| VAR00015 | 106.5185 | 240.105 | .548 | .908 |

| | | | | |
|----------|----------|---------|------|------|
| VAR00016 | 106.5926 | 253.943 | .099 | .912 |
| VAR00017 | 106.3704 | 247.319 | .319 | .911 |
| VAR00018 | 106.5185 | 252.028 | .200 | .911 |
| VAR00019 | 106.8889 | 249.410 | .164 | .913 |
| VAR00020 | 106.2963 | 246.832 | .370 | .910 |
| VAR00021 | 107.6667 | 230.846 | .616 | .906 |
| VAR00022 | 106.8519 | 238.285 | .521 | .908 |
| VAR00023 | 106.4074 | 241.943 | .576 | .908 |
| VAR00024 | 106.7778 | 254.410 | .030 | .914 |
| VAR00025 | 106.4444 | 239.026 | .586 | .907 |
| VAR00026 | 106.4444 | 249.641 | .225 | .912 |
| VAR00027 | 106.6667 | 235.769 | .637 | .906 |
| VAR00028 | 107.7037 | 231.678 | .615 | .906 |
| VAR00029 | 106.4074 | 236.020 | .665 | .906 |
| VAR00030 | 106.4815 | 240.182 | .611 | .907 |
| VAR00031 | 106.3704 | 241.242 | .608 | .907 |
| VAR00032 | 107.6296 | 243.473 | .461 | .909 |
| VAR00033 | 106.7407 | 238.430 | .560 | .907 |
| VAR00034 | 107.6667 | 234.462 | .533 | .908 |
| VAR00035 | 106.5185 | 246.721 | .323 | .911 |

VALIDITAS

Untuk mengetahui validitas kuesioner dilakukan dengan membandingkan *r table* dengan *r hitung*. Nilai *r table* dilihat pada *table r* dengan $df = n - 2$ (n =jumlah responden/sampel). Pada tingkat kemaknaan 5%, maka didapatkan angka *r table*.

$$r \text{ table} = df = 27 - 2 = 25, 5\% \ 0,05 = \mathbf{0,381}$$

Bila *r* hasil > *r table* maka pernyataan valid, dari 35 item diperoleh 11 item yang tidak valid dan 24 item yang valid.

Reliability Statistics

| | |
|------------|------------|
| Cronbach's | |
| Alpha | N of Items |

Reliability Statistics

| Cronbach's Alpha | N of Items |
|------------------|------------|
| .911 | 35 |

REABILITAS

Dalam penentuan tingkat realibilitas suatu instrumen penelitian dapat diterima apabila memiliki koefisien alpha lebih besar dari 0,60, sesuai yang dikemukakan oleh Nugroho dan Suyuthi (dalam Sujianto 2009). Sehingga instrumen penelitian ini dikatakan reliabel karena memiliki koefisien alpha $> 0,60$ yaitu 0,911.