

DAFTAR PUSTAKA

- Adhytiawan, A.A. dan Diah, S. (2013). Pengaruh variasi waktu tahan hidrotermal terhadap sifat kapasitif superkapasitor material graphene. *Jurnal Teknik Pomits*, 2 (1).
- Arwida, S. D. (2008). *Adenium Arabicum Si Bonggol Eksotik*. Gramedia Pustaka Utama: Jakarta.
- Buwalda, S.J., Boere, K. W.M., Dijkstra, P. J., Feijen, J., Vermonden, T., dan Hennink, W.E. (2014). Hydrogel in a historical perspective: from simple networks to smart material. *Journal of Controlled Release*, (190) hlm. 254 – 273
- Byung-Su, K., Young-Sang, C., dan Hyun-Ku, H. (1996). Controlled release of urea from rosin-coated fertilizer particles. *Ind. Eng. Chem. Res*, hlm. 250-257.
- Chen, Y., Wang, X., Zhang, Q., Li, Y., dan Wang, H. (2011). Synthesis and characterization of MWCNTc/Co_{1-x}Zn_xFe₂O₄ magnetic nanocomposites and their use in Hydrogels. *Journal of Alloy and Compounds*, 509 (9), hlm:4053-4059.
- Chippada, U. (2013). *Non-Intrusive Characterization Of Hydrogels. (Dissertation)*. University of New Jersey: New Brunswick.
- Costa, M. M. E., Cabral-Albuquerque, C. M., Alves, T. L. M., Pinto, J. C., dan Fialho, R. L. (2013). Use of polyhydroxybutyrate and ethyl cellulose for coating of urea granules. *Agricultural and Food Chemistry*. 61 (42), hlm. 99884-9991.
- El-Rafaie, K. and Sakran, Al. A. (1996). Controlled release formulation of agrochemicals from calcium alginate. *Ind. Eng. Chem. Res*, hlm. 3726-3729.
- Farid, O., Mansour, F., Habib, M., Robinson, J., Tarleton, S. (2016). Investigating the sorption influence of poly (vinyl alcohol) (PVA) at different crosslinking content. *Journal of Environmental Chemical Engineering*, 4 (1), hlm. 293-298.
- Gani, A. (2009). Keunggulan pupuk majemuk NPK lambat urai untuk tanaman padi sawah. *Penelitian Pertanian Tanaman Pangan*. 3 (28), hlm. 148-157.
- Gonzalez, J.S., Martinez, Y.N., Castro, G.R., dan Alvarez, V.A. (2016). Preparation and characterization of polyvinyl alcohol-pectin cryogels containing enrofloxacin and keratinase as potential transdermal delivery device. *Advanced Materials Letters*, 7 (8), hlm: 640-645.
- Haider, S., Park, S.Y., Saeed, K., dan Farmer, B.L. (2007). Swelling and electroresponsive characteristics of gelatin immobilized onto multi-waled

- carbon nanotubes. *Sensors and Actuators, B: Chemical*, 124 (2), hlm. 517-528.
- Han, X., Chen, S., dan Hu, X. (2009). Controlled-release fertilizer encapsulated by starch/polyvinyl alcohol coating. *Disalinatio*, 240 (1-3), hlm. 21-26.
- Hendrawan, Khoerunnisa, F., Sonjaya, Y., Chotimah, N. (2016). Physical and chemical characterization of alginat-fily (vinyl alcohol) based control release hydrogel. *Journal of Environmental Chemical Engineering*.
- Herawati, S. (2012). *Tip dan Trik Membuahkkan Tanaman Buah dalam Pot*. AgroMedia Pustaka: Jakarta.
- Imami, N. (2014). *Pengaruh Bionutrien AMA₂ dan PBAG₂ dengan Penambahan Ion Logam Terhadap Pertumbuhan dan Hasil Panen Tanaman Padi Gogo (Oryza sativa L.)*. (Skripsi). Universitas Pendidikan Indonesia, Bandung.
- Jamnongkan T. dan Supranee K. (2010). Potassium release kinetic and water retention of controlled-release fertilizer based on chitosan hydrogels. *J Polym Environ*. hlm. 413-421.
- Jamnongkan, T. dan Kaewpiriron, S. (2010). Controlled-release fertilizer based on chitosan hidrogel: phosphorus release kinetic. *Science Journal UBU*, hlm. 43-50.
- Kastono dan Dody. (2005). Pengaruh nomor ruas stek dan dosis pupuk urea terhadap pertumbuhan dan hasil kumis kucing. *Jurnal Ilmu Pertanian*, 12 (1), hlm. 56-64.
- Lestari, E. G. (2008). *Kultur Jaringan Menjawab Persoalan Pemenuhan Kebutuhan Akan Peningkatan Kualitas Bibit Unggulan dan Perbanyakan Secara Besar-Besaran*. Bogor: Akademia.
- Li, Z., Tang, M., Dai, J., Wang, T., dan Bai, R. (2016). Effect of multiwalled carbon nanotube-grafted polymer brushes on the mechanical and swelling properties of polyacrylamide composite hydrogels. *Polymer (United Kingdom)*, 85, hlm. 67-76.
- Ma, P.C., Siddiqui, N.A., Marom, G., dan Kim, J.K. (2010). Dispersion and functionalization of carbon nanotubes for polimer-based nanocomposites: a review. *Composites Part A: Applied Science and Manufacturing*, 41 (10), hlm. 1345-1367.
- Mallakpour, S., Abdolmaleki, A., dan Borandeh, S. (2014). L-Phenylalanine amino acis functionalized multi walled carbon nanotube (MWCNT) as a reinforced filler for improving mechanical and morphological properties of poly(vinyl alcohol)/MWCNT composite. *Progress in Organic Coatings*.
- Mansur, H. S., Sadahira, C. M., Souza, A. N., dan Mansur, A. A. P. (2008). FTIR spectroscopy characterization of poly (vinyl alcohol) hydrogel with different

- hydrolysis degree and chemically crosslinked with glutaraldehyde. *Materials Science and Engineering*, hlm. 539-548.
- Mishra, R.K., Datt, M., dan Banthia, A.K. (2008). Synthesis and characterization of pectin/PVP hydrogel membranes for drug delivery system. *AAPS PharmSciTech*, 9 (2), hlm. 395-403.
- Mukhiddinov, Z.K., Khalikov, D.Kh., Abdusamiev, F.T., dan Avloev, Ch.Ch. (2000). Isolation and structural characterization of a pectin homo and ramnagalacturonan, *Talanta*, 53, hlm:171-176.
- Novosel'skaya, I.L., Voropaeva, N.L., Semenova, N.L., dan Rashidova, S.Sh. (2000). Trends in the science and application of pectins. *Chemistry of Natural Compounds*, 36 (1), hlm: 3-11.
- Nurastuti, R. Y. (2013). *Preparasi dan Uji Swelling Ratio Hidrogel Berbahan Dasar Polivinil Alkohol-Bioflokulan DYT*. (Skripsi). Universitas Pendidikan Indonesia, Bandung.
- Park, O. K., Jeevananda, T., Kim, N. H., Kim, S. I., & Lee, J. H. (2009). Effects of surface modification on the dispersion and electrical conductivity of carbon nanotube/polyaniline composites. *Scripta Materialia*, 60(7), hlm. 551-554.
- Park, S.D., Han, D.H., Teng, D., dan Kwon, Y. (2008). Rheological properties and dispersion of multi-walled carbon nanotube (MWCNT) in polystyrene matrix. *Current Applied Physics*, 8 (3-4), hlm. 482-485.
- Peppas, N. A. dan Khare, A. R. (1993). Preparation, structure and diffusional behaviour of hydrogels in controlled release: a review. *Advanced Drug Delivery Reviews*, 11 (1-2), hlm 1-35.
- Plantamor. (2012). Informasi Spesies: Cincau Perdu *Premna oblongifolia* Merr. [Online]. Tersedia: <http://www.plantamor.com/index.php?plant=1502>. (13 Juli 2016).
- Prasek, J., Drbohlavova, J., Chomucka, J., Hubalek, J., Jasek, O., Adam, V. dan Kizek, R. (2011). Methods for carbon nanotubes synthesis-review. *Journal of Materials Chemistry*, 40 (21), hlm. 15872-15884.
- Purohit, R., Purohit, K., Rana, S., Rana, R. S., dan Patel, V. (2014). Carbon nanotubes and their growth methods. *Procedia Materials Science*, 6 (Icmpc), hlm. 716-728.
- Putri, A. D. (2013). *Sintesis, Karakterisasi, dan Uji Kinerja Biohidrogel Berbahan Dasar DYT-PVA dengan Crosslinker Glutaraldialdehid*. (Skripsi). Universitas Pendidikan Indonesia, Bandung.
- Putri, O. D. (2015). *Sintesis dan Karakterisasi Hidrogel CRF (Controlled Release Fertilizer) Berbasis Komposit PVA-Alga Merah-Carbon Nanotube*. (Skripsi). Universitas Pendidikan Indonesia, Bandung.

- Qiu, S., Wu, L., Pan, X., Zhang, L., Chen, H., & Gao, C. (2009). Preparation and properties of functionalized carbon nanotube/PSF blend ultrafiltration membranes. *Journal of Membrane Science*, 342(1), hlm. 165-172.
- Rachmawati, A.K. (2009). *Ekstraksi dan Karakterisasi Pektin Cincau Hijau (Premna oblongifolia. Merr.) untuk Pembuatan Edible Film*. (Skripsi). Universitas Sebelas Maret, Surakarta.
- Rosalina. (2015). *Sintesis dan Karakterisasi Hirogel Superabsorben Berbasis Komposit Poli (Akrilamida-Ko-Vinil Alkohol)/Grafit Oksida*. (Skripsi). Universitas Pendidikan Indonesia, Bandung.
- Rosmankam, A. dan Nasih W. Y. (2011). *Ilmu Kesuburan Tanah*. Kanisius: Yogyakarta.
- Satarkar, N.S., Johnson, D., Marrs, B., Andrews, R., Poh, C., Gharaibeh, B., Saito, K., Anderson, K.W., dan Hilt, J.Z. (2010). Hydrogel-MWCNT Nanocomposites: synthesis, characterization, and heating with radiofrequency fields. *Journal of Applied Polymer Science*. (117), hlm: 1813-1819.
- Septiani, W. (2015). *Penggunaan Arang Bambu (Gigantochloa verticillata) Tercampur Bentonit Sebagai Adsorben pada Pemucatan Cincau Hijau serta Karakterisasinya*. (Skripsi). Universitas Pendidikan Indonesia, Bandung.
- Shanov, V., Y. Heung Yun, dan M.J. Schulz. (2006). Synthesis and characterization of carbon nanotube material. *Journal of the University Of Chemical Technology and Metallurgy*. hlm. 377-390.
- Silahooy, Ch. (2008). Efek pupuk KCl dan SP-36 terhadap kalium tersedia, serapan kalium dan hasil kacang tanah (*Arachis hypogaea L.*) in brunizem soil. *Bul. Agron*. 2 (36), hlm. 126-132.
- Sriamornsak, Pornsak. (2016). Chemistry of pectin and its pharmaceutical uses: a review. hlm: 206-227.
- Subandi. (2013). Peran dan pengelolaan hara kalium untuk produksi pangan Indonesia. *Pengembangan Inovasi Pertanian*. 1 (6), hlm. 1-10.
- Theodore, M., Hosur, M., Thomas, J., dan Jeelani, S. (2011). Influence of functionalization on properties of MWCNT-epoxy nanocomposites. *Materials Science and Engineering A*, 528 (3), hlm. 1192-1200.
- Tong, X., Zheng, J., Lu, Y., Zhang, Z., dan Cheng, H. (2007). Swelling and mechanical behaviors of carbon nanotube/poly (vinyl alcohol) hybrid hydrogels. *Materials Lettes*, 61 (8-9), hlm: 1704-1706
- Trenkel, M. E. (1997). Controlled-release and stabilized fertilizers in agriculture. *Libro Fertilizantes*, hlm. 1-151.

- Ulfah, N. N. (2013). *Preparasi dan Uji Swelling Ratio Hidrogel Berbahan Dasar Polivinil Alkohol-Bioflokulan DYT dan Kitosan*. (Skripsi). Universitas Pendidikan Indonesia, Bandung.
- Vural, S., Dikovics, K.B., dan Kalyon, D.M. (2010). Cross-link density, viscoelasticity and swelling of hydrogels as affected by dispersion of multi-walled carbon nanotubes. *Soft Matter*, 6 (16), hlm. 3870-3875.
- Wu, Z., *et al.* (2007). Preparation and characterization of chitosan-grafted multiwalled carbon nanotubes and their electrochemical properties. *Carbon*, 45(6), hlm. 1212-1218.
- Yenni, A. (2012). *Pembuatan Slow Release Fertilizer dengan Menggunakan Polimer Amilum dan Asam Polyacrylic serta Polivinil Alkohol sebagai Pelapis dengan Menggunakan Metoda Fluidizedbed*. (Tesis). Universitas Diponegoro, Semarang.
- Yeom, C., dan Lee, K. (1996). Pervaporation separation of water-acetic acid mixtures through poly(vinyl alcohol) membranes crosslinked with glutaraldehyde. *Journal of Membran Science*. 109 (2), hlm. 257-265.