

DAFTAR PUSTAKA

- Ahola, S., Sterberg, O., Laine, J. (2008). *Cellulose nanofibrils adsorption with poly(amideamine) epichlorohydrin studied by QCM-D and application as a paper strength additive. Cellulose, 15*, 303-314.
- Ahola, S., Turon, X., Laine, J., Rojas, O. J. (2008). Enzymatic Hydrolysis of Native Cellulose Nanofibrils and Other Cellulose Model Films: Effect of Surface Structure. *Langmuir, 24*, 11592-11599.
- Amarasekara, A. S., Owereh, O. S. (2009). Hydrolysis and Decomposition of Cellulose in Bronsted Acidic Ionic Liquids Under Mild Conditions. *Ind. Eng. Chem. Res., 48*, 10152-10155.
- Chakraborty, A., Sain, M., Kortschot, M. (2005). Cellulose microfibrils: A novel method of preparation using high shear refining and cryocrushing. *Holzforchung, 59*, 102-107.
- Cherian, B. M., Pothan, L. A., Nguyen-Chung, T., Menning, G., Kottaisamy, M., Thomas, S. (2008). A Novel Method for the Synthesis of Cellulose Nanofibril Whiskers from Banana Fibers and Characterization. *J. Agric. Food Chem, 56*, 5617-5627
- Dee, S. J. and Bell, A. T. (2011). A Study of the Acid-Catalyzed Hydrolysis of Cellulose Dissolved in Ionic Liquids and the Factors Influencing the Dehydration of Glucose and the Formation of Humins. *ChemSusChem, 4*, 1166-1173.
- Direktorat Pengolahan dan Pemasaran Hasil Hortikultura. (2005). Road Map Pisang Pasca Panen, Pengolahan dan Pemasaran Hasil Pisang. Direktorat Pengolahan dan Pemasaran Hasil Hortikultura, Indonesia.
- Divya, B. dan Tyagi, V. K., (2008), *Microwave Synthesis of Cationic Fatty Imidazolines and their Characterization*. AOCS.
- Frone, A. N., Panaitescu, D. M., Donescu, D. (2011). Some Aspects Concerning The Isolation Of Cellulose Micro- and Nano- Fibers. *U.P.B. Sci. Bull, 73*, 133-151
- Forsstrom, U. (2012). From Nanocellulose Science towards Applications. *TAPPI International Conference* (pp. 1-31). Canda: TAPPI
- Fahrurrozie A.,Sunarya, Y., Mudzakir, A. (2010). Efisiensi Inhibisi Cairan Ionik Turunan Imidazolin Sebagai Inhibitor Korosi Baja Karbon Dalam Larutan Elektrolit Jenuh Karbon Dioksida. *Jurnal Sains dan Teknologi Kimia, 20*, 100-111.
- George, J., Ramana, K. V., Bawa, A. S., Siddaramaiah (2011). Bacterial cellulose nanocrystals exhibiting high thermal stability and their polymer

Raden Muhammad Nashrullah Abdul Rozzaq, 2013

Isolasi Nanoselulosa dari Biomassa Batang Pisang Menggunakan Cairan Ionik cis-Oleil-Imidazolinium Asetat

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- nanocomposites. *International Journal of Biological Macromolecules*, 48, 50-57.
- Gordon, C. M., 2003. *Synthesis and Purification of Ionic Liquid*, dalam *Ionic Liquid in Synthesis*. P. Wasserscheid dan T. Welton (Eds.), Wiley Verlag, Frankfurt.
- Habibi, Y., Lucia, L. A., Rojas, O. J. (2010). Cellulose Nanocrystals: Chemistry, Self-Assembly, and Applications. *Chemical Reviews*, 10, 3479-3500.
- Hardian, A., Mudzakir, A., Sumarna, O. (2010). *Sintesis dan karakterisasi kristal cair ionik berbasis garam fatty imidazolinium sebagai elektrolit redoks pada sel surya tersensitisasi zat warna*. *Jurnal Sains dan Teknologi Kimia*, 1, 7-16.
- Hasani, M., Cranston, E. D., Westman, G., Gray, D. G. (2008). Cationic surface functionalization of cellulose nanocrystals. *The Royal Society of Chemistry*, 4, 2238-2244.
- Iskandar, F. (2009). *Komposit Ganggang Hijau-Fatty Imidazolinium-Grafit sebagai Komponen Bifungsional Elektroda-Elektrolit*. Program Studi Kimia, Jurusan Pendidikan Kimia, FPMIPA UPI.
- Kilpelainen, I., Xie, H., King, A., Granstrom, M., Heikkinen, S., Argyopoulos, D. S. (2007). Dissolution of Wood in Ionic Liquids. *J. Agric. Food Chem.*, 55, 9142-9148.
- Krishnamachari, P., Hashaikeh, R., Chiesa, M., Gad el Rab, R. M. (2011). Effects of Acid Hydrolysis Time on Cellulose nanocrystals Properties: Nanoindentation and Thermogravimetric Studies. *Cellulose Chemistry and Technology*, 46, 13-18.
- Li, J., Wei, X., Wang, X., Chen, J., Chang, G., Kong, L., Su, J., (2012). Homogeneous isolation of nanocellulose from sugarcane bagasse by high pressure homogenization. *Carbohydrate Polymers*, 90, 1609-1613.
- Man, Z., Muhammad, N., Sarwono, A., Bustam, M. A., Kumar, M. V., Rafiq, S. (2011). Preparation of Cellulose Nanocrystals Using an Ionic Liquid. *J. Polym. Environ.*, 19, 726-731.
- Murakami, M., Kaneko, Y., Kadokawa, J. (2007). Preparation of cellulose-polymerized ionic liquid composite by in-situ polymerization of polymerizable ionic liquid in cellulose-dissolving solution. *Carbohydrate Polymers*, 69, 378-381.

- Nuraini, L. (2010). *The Utilization of Banana Stem (Musa sp.) As a Fiberboard Raw Material with Thermo-mechanical Treatment*. Manado: Balai Penelitian Kehutanan Manado.
- Okamura, Taniguchi, T., Keizo (1998). New films produced from microfibrillated natural fibres. *Polymer International*, 47, 291-294.
- Peng, B. L., Dhar, N., Liu, H. L., Tam, K. C. (2011). Chemistry and Applications of Nanocrystalline Cellulose and its Derivatives: a Nanotechnology Perspective. *CHEMICAL ENGINEERING*, 9999, 1-16.
- Roliadi, H. and Anggraini, D. (2010). *Manufacturing of Fancy Paperboard from the Mixture of Empty Fruit Bunches (EFB) Pulp, Paper-Mill Sludge, and Banana Stem Pulp*. J. Penerbit. Has. Hut, 28, 305-321.
- Rosa, M. F., Medeiros, E. S., Malmonge, J. A., Wood, D. F., Orts, W. J., Imam, S. H. (2009). Cellulose nanocrystals from coconut fiber: Preparation and Characterization. *International Conference on Advanced Materials* (p. 1). Rio de Jenerio: ICAM.
- Sadeghifar, H., Filpponen, I., Clarke, S. P., Brougham, D. F., Argyopoulos, D. S. (2011). Production of cellulose nanocrystals using hydrobromic acid and click reactions on their surface. *J Mater Sci*, 1-12.
- Sun, N. (2010). *Dissolution And Processing of Cellulosic Materials With Ionic Liquids: Fundamentals and Application*. Tuscaloosa: University of Alabama.
- Swatloski, R. P., Spear, S. K., Holbrey, J. D., Rogers, R. D. (2002). Dissolution of Cellose with Ionic Liquids. *J. AM. CHEM. SOC.*, 124, 4974-4975.
- Tyagi,R., Tyagi, V., Pandey, S. K. (2007). Imidazoline and Its Derivates : An Overreview. *Journal of Oleo Science*, 5, 211-222.
- Wahyuningrum, D., Achmad, S., Syah, Y. M., Buchari, Ariwahjoedi, B. (2008). The Synthesis of Imidazoline Derivative Compounds as Corrosion Inhibitor towards Carbon Steel in 1% NaCl Solution. *ITB J. Sci.*, 40 A, 33-48.
- Yue, Y. (2007). *A Comparative Study of Cellulose I and II Fibers and Nanocrystals*. Louisiana: Heilongjiang Institute of Science and Technology.
- Zang, Y., Xue, G, Zhang, X., Zhao, Y. (2012). Enzymatic Preparation of Nanocrystalline Cellulose from Bamboo Fibers. *Advanced Materials Research*, 441, 754-758.
- Zhang, Y., Lu, X. B., Gao, C., Lv, W. J., Yao, J. M. (2012). Preparation and Characterization of Nano Crystalline Cellulose from Bamboo Fibers by Controlled Cellulase Hydrolysis. *Journal of Fiber Bioengineering & Informatics*, 263-271.

- Zhu, S., Wu, Y., Chen, Q., Yu, Z., Wang, C., Jin, S., Ding, Y., Wu, G. (2006). Dissolution of cellulose with ionic liquids and its application: a mini-review. *Green Chemistry*, 8, 325-327.
- Zuluaga, R., Putaux, J. L., Cruz, J., Vélez, J., Mondragon, I., Gañán, P. (2009). Cellulose microfibrils from banana rachis: Effect of alkaline treatments on structural and morphological features. *Carbohydrate Polymers*, 76, 51-59.

