

DAFTAR PUSTAKA

- Aha, D., Kibler, D., & Albert, M. (1991). Instance-based learning algorithms. *Machine Learning* 6 , 37–66.
- Albregtsen, F. (2008). *Statistical Texture Measures Computed from Gray Level Coocurrence Matrices*. Oslo: Image Processing Laboratory Department of Informatics University of Oslo.
- Almasi, M. A., Dehabad, S. H., & Eftekhari, Z. (2013). Immunocapture Loop Mediated Isothermal Amplification for Rapid Detection of Tomato Yellow Leaf curl Virus (TYLCV) without DNA Extraction. *Journal of Plant Pathology & Microbiology*.
- Altman, D. G. (1990). *Practical Statistics for Medical Research*. Chapman and Hall.
- Arakeri, M. P., Arun, M., & K., P. R. (2015). Analysis of Late Blight Disease in Tomato Leaf Using Image Processing Techniques. *I.J. Engineering and Manufacturing*.
- Bai, Y., & Lindhout, P. (2007). Domestication and Breeding of Tomatoes: What have We Gained and What Can We Gain in the Future? *Ann Bot*, 1085–1094.
- Bashan, Y., Kritzman, G., Sharon, E., Okon, Y., & Henis, Y. (1981). A Note on the Detection of Phytopathogenic Bacteria within the Leaf by a Differential Staining Procedure. *Journal of Applied Bacteriolog*, 315-317.
- Bauer, S., Korč, F., & Förstner, W. (2011). The potential of automatic methods of classification to identify leaf diseases from multispectral images. *Precision Agric*.
- Ben-David, A. (2007). A lot of randomness is hiding in accuracy. *Engineering Applications of Artificial Intelligence* 20, 875–885.
- Beyer, K., Goldstein, J., Ramakrishnan, R., & Shaf, U. (1999). When is “nearest neighbor” meaningful? *Database Theory—ICDT99*, 217-235.
- Caciagli, P., & Bosco, D. (1996). Quantitative determination of tomato yellow leaf curl geminivirus DNA by chemiluminescent assay using digoxigenin-labeled probes. *Journal of Virological Methods Volume 57, Issue 1*, 19-29.
- Cass, S. (2016, Juli 26). *The 2016 Top Programming Languages : C is No. 1, but big data is still the big winner*. Retrieved from <http://spectrum.ieee.org>:

<http://spectrum.ieee.org/computing/software/the-2016-top-programming-languages>

- Chaki, J., Parekh, R., & Bhattacharya, S. (2015). Plant leaf recognition using texture and shape features with neural classifiers. *Journal Pattern Recognition Letters Volume 58 Issue C*, 61-68.
- Chatarine, V. A. (2012). *Strategi Pengembangan Bisnis Buah Semangka pada CV Salim Abadi, Kabupaten Lampung Tengah, Provinsi Lampung*. Bogor: Institut Pertanian Bogor.
- Chen, Y., Garcia, E., Gupta, M., Rahimi, A., & Ca, L. (2009). Similarity-based classification: concepts and algorithms. *Journal of Machine Learning Research 10*, 747–776.
- Cohen, J. (1960). A coefficient of agreement for nominal scales. *Educational and Psychological Measurement 20*, 37–46.
- Conners, R., Trivedi, M., & Harlow, C. (1984). Segmentation of a High-Resolution Urban Scene Using Texture Operators. *Computer Vision, Graphics, and Image Processing, Vol. 25*, 273-310.
- Cover, T., & Hart, P. (1967). Nearest Neighbor Pattern Classification. *IEEE Transactions on Information Theory 13*, 21-27.
- Crespi, S., Accotto, G., Caciagli, P., & Gronenborn, B. (1991). Use of digoxigenin-labelled probes for detection and host-range studies of tomato yellow leaf curl geminivirus. *Research in Virology Volume 142, Issue 4*, 283-288.
- D'Arcy, W. G. (1979). The classification of the Solanaceae. In J. G. Hawkes, R. N. Lester, & A. D. Skelding, *The biology and taxonomy of the Solanaceae* (pp. 3-47). London: Academic Press. Retrieved from <http://solanaceaesource.org/content/phylogeny-0>
- Dange, M., & Handore , S. (2015). Extraction Of Texture Features By Using Gabor Filter In Wheat Crop Disease Detection. *IJRET: International Journal of Research in Engineering and Technology*, 227-230.
- Darwish, S., & Mohammed, A. (2014). Interval Type-2 Fuzzy Logic to the Treatment of Uncertainty in 2D Face Recognition Systems. *International Journal of Machine Learning and Computing, Vol. 4, No. 1*, 24-30.
- Daugman, J. G. (1985). Uncertainty relation for resolution in space, spatial frequency, and orientation optimized by two-dimensional visual cortical filters. *Journal of the Optical Society of America* , 1160–1169.
- Derrac, J., García, S., & Herrera, F. (2014). Fuzzy nearest neighbor algorithms: Taxonomy, experimental analysis and prospects. *Information Sciences: an International Journal Volume 260*, 98-119 .

- Devi, H. K. (2006). Thresholding: A Pixel-Level Image Processing Methodology Preprocessing Technique for an OCR System for the Brahmi Script. *Ancient Asia*, 1, 161 - 165.
- Dhaygude,, S., & Kumbhar, N. (2013). Agricultural plant Leaf Disease Detection Using Image Processing. *International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering* Vol. 2, Issue 1,, 559-602.
- Direktorat Jenderal Hortikultura, K. P. (2014). *Statistik Produksi Hortikultura Tahun 2013*. Jakarta: Direktorat Jenderal Hortikultura, Kementerian Pertanian.
- Duriat, A. S., Gunaeni, N., & Wulanda, A. W. (2007). *Penyakit Penting Pada Tanaman Cabai dan Pengendaliannya*. Bandung: Balai Penelitian Tanaman Sayuran.
- Fernández, J. A., López, S. G., Hilario, A. F., Martín, J. L., Velázquez, I. T., Rus, J. D., . . . Sáez Muñoz, J. A. (2017, June 6). *KEEL Included Algorithm*. Retrieved from KEEL: Software tool. Evolutionary algorithms for Data Mining: <http://www.keel.es/>
- Fisher, R. A. (1936). The use of multiple measurements in taxonomic problems. *Annals of Eugenics*, 179–188.
- Fix, E., & Hodges, J. (1951). Discriminatory analysis, nonparametric discrimination: Consistency properties. *US Air Force School of Aviation Medicine, Vol. Technical Report 4, No. 3.* , 477.
- Forgy, E. (1965). Cluster analysis of multivariate data: efficiency versus interpretability of classifications. *Biometrics*, 768–769.
- Gabor, D. (1946). Theory of communication. Part 1: The analysis of information. *Journal of the Institution of Electrical Engineers-Part III: Radio and Communication Engineering*, vol. 93, no. 26, 429-441.
- Gadkari, D. (2000). *Image Quality Analysis Usinf GLCM*. Florida : University of Central .
- Ghodsi, A. (2006). *Dimensionality Reduction A Short Tutorial*. Ontario: Department of Statistics and Actuarial Science University of Waterloo.
- Ghosh, A. (2006). On optimum choice of k in nearest neighbor classification. *Computational Statistics & Data Analysis* 50 , 3113–3123.
- Gleason, M. L., & Edmunds, B. A. (2006). *Tomato diseases and disorders*. Iowa: Department of Plant Pathology, Iowa State University Extension .
- Gonzalez, R. C., & Woods, R. E. (2008). *Digital Image Processing* (Third Edition ed.). New Jersey: Pearson Prentice Hall.

- Gunaeni, N., & Purwati, E. (2013). Uji Ketahanan tehadap Tomato Yellow Leaf Curl Virus pada Beberapa Galur Tomat. *J. Hort*, 65-71.
- Guru, D., Kumara, Y., & Manjunath, S. (2011). Textural features in flower classification. *Mathematical and Computer Modelling Volume 54, Issues 3–4*, 1030–1036.
- Hall-Beyer, M. (2007, February 21). *The GLCM Tutorial Home Page*. Retrieved from Mryka Hall-Beyer: <http://www.fp.ucalgary.ca/mhallbey/tutorial.htm>
- Haralick, R., Shanmugam, K., & Dinstein, I. (1973). Textural Features for Image Classification. *IEEE Trans. on Systems, Man and Cybernetics, Vol. SMC-3*, 610-621.
- Hotelling, H. (1933). Analysis of a complex of statistical variables into principal components. *Journal of Educational Psychology*, 498–520.
- Ifan, Y., Dewanti, P., & Sugiharto, B. (2014). Potensi produksi tanaman tomat (*Lycopersicon esculentum* Mill.) produk rekayasa genetika overekspresi gen SoSPS1-SoSUT1 pada generasi ketiga (T2). *Berkala Ilmiah Pertanian*.
- Ingale, N., & Borkar, A. (2013, June). Digital Image Processing. *International Journal of Scientific & Engineering Research*, 4(6), 85-88.
- Ivey, D. M., & Miller, D. S. (2014, Mei). *Bacterial Leaf Spot of Tomato*. Wooster: Departement of Plant Pathology Ohio State Universtiy. Retrieved Mei 29, 2017, from OSU.edu: http://u.osu.edu/vegetablediseasefacts/files/2014/05/Bacterial-Leaf-Spot-Fact-Sheet_English-1a4aw7c.pdf
- Jahromi, M., Parvinnia, E., & John, R. (2009). A method of learning weighted similarity function to improve the performance of nearest neighbor. *Information Sciences* 179 , 2964–2973.
- Jensen, R., & Cornelis, C. (2011). Fuzzy-rough nearest neighbour classification and prediction. *Theoretical Computer Science Volume 412, Issue 42*, 5871-5884.
- John. (2007, June 27). *Bilinear Image Scaling*. Retrieved from Tech-Algorithm.com - Algorithm and Programing: <http://tech-algorithm.com/articles/bilinear-image-scaling/>
- Johnson, R. A., & Wichern, D. W. (1998). *Applied Multivariate Statistical Analysis*. New Jersey: Prentice-Hall International Inc.
- Keller, J., Gray, M., & Givens, J. (1985). A fuzzy k-nearest neighbor algorithm. *IEEE Transactions on Systems, Man, and Cybernetics 15:4*, 580-585.

- Kim, J., Kim, B.-S., & Savarese, S. (2012). Comparing Image Classification Methods: K-Nearest-Neighbor and Support-Vector-Machines. *Applied Mathematics in Electrical and Computer Engineering*.
- Kiswondo, S. (2011, Juni). Penggunaan Abu Sekam dan Pupuk ZA Terhadap Pertumbuhan dan Hasil Tanaman Tomat (*Lycopersicum escelentum Mill.*). *EMBRYO*, 8, 9-17.
- Kohavi, R., & Provost, F. (1998). "Glossary of Terms" . Machine Learning. *Machine Learning*, 271.
- Kong, W., Zhang, D., & Wenxin, L. (2003). Palmprint feature extraction using 2-D Gabor filters. *Pattern recognition*, vol. 36, no. 10, 2339-2347.
- Lamptey, J. N., Osei, M. K., Mochiah, M. B., Osei, K., Berchie, J. N., Bolfrey-Arku, G., & Gilbertson, R. L. (2013). Serological Detection of Tobacco Mosaic Virus and Cucumber Mosaic Virus Infecting Tomato (*Solanum Lycopersicum*) using a Lateral Flow Immunoassay Technique . *Journal of Agricultural Studies Vol. 1, No. 2*, 102-113.
- Llyod, S. P. (1982). Least squares quantization in PCM. *IEEE Transactions on Information Theory*, 129–137.
- MacQueen, J. B. (1967). Some Methods for classification and Analysis of Multivariate Observations. *Proceedings of 5th Berkeley Symposium on Mathematical Statistics and Probability*, 281–297.
- Maimon, O., & Rokach, L. (2005). *Data Mining and Knowledge Discovery Handbook*. Secaucus: Springer-Verlag New York.
- Manjunath, B. S., & Ma, W. Y. (1996). Texture features for browsing and retrieval of image data. *IEEE Trans.Patt.Anal.Mach.Intell.*, vol.18.
- Maryati. (2017, 5 5). *Sektor pertanian paling banyak serap tenaga kerja*. Retrieved from [www.antaranews.com: http://www.antaranews.com/berita/627616/sektor-pertanian-paling-banyak-serap-tenaga-kerja](http://www.antaranews.com/berita/627616/sektor-pertanian-paling-banyak-serap-tenaga-kerja)
- Matos, F. M., & Souza, R. M. (2012). An Image Vehicle Classification Method Based on Edge and PCA Applied to Blocks. *IEEE International Conference on Systems, Man, and Cybernetics*.
- McConnell, S. (2011). *Code Complete*. Microsoft Press.
- Miranda, A. A., Le Borgne, Y. A., & Bontempi, G. (2008). New Routes from Minimal Approximation Error to Principal Components. *Neural Processing Letters Volume 27, Number 3*.

- Mokhtar, U., El-Bendary, N., Hassenian, A., Emery, E., Mahmoud, M., Hefny, H., & Tolba, M. (2015). SVM-Based Detection of Tomato Leaves Diseases. *Intelligent Systems and Computing* 323, 641-668.
- Nilsson, N. J. (1998, November 3). Introduction To Machine Learning. California, Amerika.
- Olivier, T., Sveikauskas, V., Demonty, E., De Jonghe, K., Gentit, P., Virsek-Marn, M., . . . Lasne. (2016). Inter-laboratory comparison of four RT-PCR based methods for the generic detection of pospiviroids in tomato leaves and seeds. *European Journal of Plant Pathology*, Vol. 144, No. 3, 645-654.
- Paputungan, I. R. (2014). *Intensitas Serangan Penyakit Antraknosa Pada 3 Varietas Tanaman Tomat (Solanum lycopersicum L.)*. Gorontalo.
- Patil, A., & Bhagat, K. (2016). Plants Identification by Leaf Shape using GLCM, Gabor Wavelets and PCA. *International Journal of Engineering Trends and Technology (IJETT) – Volume 37 Number 3*, 140-143.
- Patil, J. K., & Kumar, R. (2011). Color Feature Extraction of Tomato Leaf Diseases. *International Journal of Engineering Trends and Technology*, 2(2), 72-74.
- Pearson, K. (1901). On Lines and Planes of Closest Fit to Systems of Points in Space. *Philosophical Magazine*. 2, 559–572.
- Pedregosa, F., Varoquaux, G., Gramfort, A., Thirion, B., Grisel, O., Blondel, M., . . . Duchesnay, É. (2011). Scikit-learn: Machine Learning in Python. *Journal of Machine Learning Research* 12, 2825–2830.
- Pressman, R. (2002). *Software Engineering: A Practitioner Approach*. New York: Mc Graw Hill.
- Pulli, K., Baksheev, A., Konyakov, K., & Eruhimov, V. (2012). Realtime Computer Vision with OpenCV. *Queue - Processors Volume 10 Issue 4*, 40.
- Putra, D. (2010). *Pengolahan Citra Digital*. Penerbit Andi: Yogyakarta.
- Ramakrishnan, A., Raja, S. K., & Ram, H. R. (2002). Neural network-based segmentation of textures using Gabor features. *Proc. 12th IEEE Workshop on Neural Networks for Signal Processing*, 365 - 374.
- Raza, S.-e.-A., Prince, G., Clarkson, J. P., & Rajpoot, N. M. (2015). Automatic Detection of Diseased Tomato Plants Using Thermal and Stereo Visible Light Images. *PLoS One*.
- Rhee, F.-H., & Hwang, C. (2003). An interval type-2 fuzzy k-nearest neighbor. *Proceedings of the 12th IEEE International Conference on Fuzzy Systems (FUZZ'03)* (pp. 802-807). St Louis (Missouri USA, 2003): IEEE.

- Riaz, F., Hassan, A., Rehman, S., & Qamar, U. (2013). Texture Classification Using Rotation- and Scale-Invariant Gabor Texture Features. *0, NO.6, JUNE 2013 607 Texture Classification Using Rotation- and Scale-Invariant Gabor Texture Features Farhan Riaz, Ali Hassan, Saad Rehman, and Usman Qamar.*
- Rother, C., Kolmogorov, V., & Blake, A. (2014). Cuts, “GrabCut” — Interactive Foreground Extraction using Iterated Graph. *ACM Trans. Graph.*, vol. 23, 309–314.
- Russell, S., & Norvig, P. (2009). *Artificial Intelligence: A Modern Approach 3rd edition*. New Jersey: Pearson.
- Sabrol, H., & Satish, K. (2016). Tomato plant disease classification in digital images using classification tree. *Communication and Signal Processing (ICCPSP), 2016 International Conference on*. Melmaruvathur, India: IEEE.
- Saferbrand. (2017). *20 Common Potato Plant Problems and How to Fix Them*. Retrieved Mei 28, 2017, from Safer Brand: <http://www.saferbrand.com/articles/common-tomato-plant-problems-how-to-fix-them>
- Sakshica, & Gupta, K. (2015). Various Raster and Vector Image File Formats. *IJARCCE*, 4(3), 268-271.
- Samuel, A. L. (1959). Some Studies in Machine Learning Using the Game of Checkers. *IBM Journal*.
- Senthilkumaran, N., & Vaithogi, S. (2016). Image Segmentation by Using Thresholding Techniques for Medical Images. *Computer Science & Engineering: An International Journal (CSEIJ)*, 6(1), 1-13.
- Sikora, E. J. (2011, Oktober 6). *Virus Diseases Of Tomato*. Alabama: Alabama A&M University and Auburn University. Retrieved Mei 29, 2017, from ACES Publication: <http://www.aces.edu/pubs/docs/A/ANR-0836/ANR-0836.pdf>
- Smith, K. (2015). *Cython: A Guide for Python Programmers*. O'Reilly Media. .
- Solomon, C., & Breckon, T. (2011). *Fundamentals of Digital Image Processing - A Practical Approach with Examples in Matlab*. Chichester: A John Wiley & Sons.
- Sommerville, I. (2015). *Software Engineering (10th Edition)*. Pearson.
- Soylu, E. M., Soylu, S., & Kurt, S. (2006). Antimicrobial activities of the essential oils of various plants against tomato late blight disease agent Phytophthora infestans. *Mycopathologia*, 119-128.

- Steinhaus, H. (1957). Sur la division des corps matériels en parties. *Bull. Acad. Polon. Sci.*, 801–804.
- Tan, P.-N., Steinbach, M., & Kumar, V. (2005). *Introduction to Data Mining, (First Edition)*. Boston: Addison-Wesley Longman Publishing.
- Thallapally, P. K., Reddy, M. V., & Bora, P. K. (2016). Leaf Identification Using Shape and Texture Features. In: Raman B., Kumar S., Roy P., Sen D. (eds). *Proceedings of International Conference on Computer Vision and Image Processing. Advances in Intelligent Systems and Computing*, vol 460.
- Triguero, I., Derrac, J., & Garcíia, S. (2012). A Taxonomy and Experimental Study on Prototype Generation for Nearest Neighbor Classification. *IEEE TRANSACTIONS ON SYSTEMS, MAN, AND CYBERNETICS—PART C: APPLICATIONS AND REVIEWS*, VOL. 42, NO. 1, , 86-99.
- Tsai, D. M. (n.d.). *Optimal Gabor filter design for texture segmentation*. Taiwan: Machine Vision Lab. Department of Industrial Engineering and Management.
- Van Vuurde, J. W., Ruissen, M. A., & Vruggink, H. (1987). Principles and prospects of new serological techniques including immunosorbent immunofluorescence, immunoaffinity isolation and immunosorbent enrichment for sensitive detection of phytopathogenic bacteria. *Plant Pathogenic Bacteria. Curr Plant Sci Biotech Agric*, 835–842.
- Walt, S. v., Schönberger, J., Nunez-Iglesias, J., Boulogne, F., Warner, J., Yager, N., . . . Yu, T. (2014). scikit-image: image processing in Python. *PeerJ*. 2.
- Wang, J., Neskovic, P., & Cooper, L. (2007). Improving nearest neighbor rule with a simple adaptive distance measure. *Pattern Recognition Letters* 28, 207–213.
- Wang, X. Z., Zhu, J., & Geng, S. (2008). Spectral prediction of Phytophthora infestans infection on tomatoes using artificial neural network (ANN). *International Journal of Remote Sensing*, 1693-1706.
- Witten, I., Frank, E., & Hall, M. (2011). *Data Mining: Practical Machine Learning Tools and Techniques, third ed.* Morgan Kaufmann.
- Wu, X., Kumar, V., Quinlan, J. R., Ghosh, J., Yang, Q., Motoda, H., . . . Steinberg, D. (2008). The Top Ten Algorithms in Data Mining. *Knowl Inf Syst*.
- Xie, C., Shao, Y., Xiaoli, L., & He, Y. (2015). Detection of early blight and late blight diseases on tomato leaves using hyperspectral imaging. *Scientific Reports* 5.

- Xie, Y., Jiao, X., Zhou, X., Liu, H., Ni, Y., & Wu, J. (2013). Highly sensitive serological methods for detecting tomato yellow leaf curl virus in tomato plants and whiteflies. *Virol J.*
- Yang, X., Guo, W., Ma, X., An, Q., & Zhou, X. (2011). Molecular Characterization of Tomato Leaf Curl China Virus, Infecting Tomato Plants in China, and Functional Analyses of Its Associated Betasatellite. *Applied and Environmental Microbiology*.
- Yoon, J.-Y., Kim, S., Choi, G.-S., & Choi, S.-K. (2015). A Simple and Reliable Molecular Detection Method for Tomato yellow leaf curl virus in Solanum lycopersicum without DNA Extraction. *Res. Plant Dis.* 21.
- Yu, S., Backer, S., & Scheunders, P. (2012). Genetic feature selection combined with composite fuzzy nearest neighbor classifiers for hyperspectral satellite imagery. *Pattern Recognition Letters Volume 23, Issues 1–3*, 183-190.
- Zhang, M., Qin, Z., Liu, X., & Ustin, S. L. (2003). Detection of stress in tomatoes induced by late blight disease in California, USA, using hyperspectral remote sensing. *International Journal of Applied Earth Observation and Geoinformation*, 295–310.
- Zhaoa, L.-m., Lia, G., Gaoa, Y., Zhub, Y.-r., Liua, J., & Zhu, X.-p. (2015). Reverse transcription loop-mediated isothermal amplification assay for detecting tomato chlorosis virus. *Journal of Virological Methods Volume 213*, 93–97.
- Zitter, T., McGrath, M., & O'Brien, D. (2000). *Tomato Disease Identification Key By Affected Plant Part: Stem and Whole Plant Symptoms*. Retrieved from Cornell Plant Pathology Vegetable Disease Web Page: <http://vegetablemdonline.ppath.cornell.edu/DiagnosticKeys/TomWlt/TomWiltKey.html>