

DAFTAR PUSTAKA

- Abdi, Herve., Williams, Lynne J. (2010). Overview Principal Component Analysis. *John Wiley&Sons, Inc.* 2, hlm. 433-459.
- Acquah, George. (2007). *Principles of Plant Genetics and Breeding*. United Kingdom: Blackwell Publishing Ltd..
- Afni, Merry. (2014). *Analisis Fenetik Beberapa Tanaman Sawo (Pouteria, Sapotaceae) Berdasarkan Data RAPD (Random Amplified Polymorphic DNA)*. (Skripsi). Fakultas Pendidikan Matematika dan Ilmu Pengatahuan Alam, Universitas Pendidikan Indonesia, Bandung.
- Animos, Lamar., Rao, Satyawada Rama. (2015). Efficacy of RAPD, ISSR and RFLP markers in assessment of genetic variability and population structure of wild *Musa acuminata* colla. *Physiol Mol Biol Plant.* 21(3), hlm. 349-358.
- Ardiana, Dwi Wahyuni. (2010). Teknik Isolasi DNA Genom Tanaman Pepaya Dan Jeruk Dengan Menggunakan Modifikasi Bufer CTAB. *Jurnal Bioteknologi*, 14 (1), hlm. 12-16.
- Arif, Ibrahim A., Bakir, Mohammad A., Khan, Haseeb A., Al-Farhan, Ahmad., Homaidan, Ali., Bahkali, Ali H., Sadoon, Mohammad Al., Shobrak, Mohammad. (2010). A Brief Review of Molecular Techniques to Assess Plant Diversity. *International Journal of Molecular Sciences*, 11, hlm. 2079-2096.
- Bala, Santosh., Gupta, Raghbir. (2011). Effect of secondary associations on meiosis, pollen fertility, and pollen size in cape gooseberry (*Physalis angulata* L.). *Chromosome Botany*(6), hlm. 25-28.
- Bargeron, Bryan. (2002). *Bioinformatics Computing*. United States of America : Pearson Education Inc..
- Barnes, Michael R., Breen, Gerome. (2010). *Genetic Variation Methods and Protocols*. United Kingdom: Humana Press.
- Beardmore, J. A. (1983). Extinction, Survival, and Genetic Variation. In: *Genetics and Conservation*. London: The Benjamin/Cummings Publishing Company, Inc.
- Beaumont, Robin. (2012). *Principal Component Analysis and Factor Analysis Using SPSS 19 and R (psych package)*. (Jurnal). Hlm. 1-24.
- Bentley, D.R. (2006) *Whole-genome resequencing*. *Curr. Opin. Genet. Dev.*, (16), hlm. 545–552.
- Bolarick, S., Barth, S., Melchinger, A.E., Posselt., U.K. (2005). *Genetic diversity in European perennial ryegrass cultivars investigated with RAPD markers*. *Plant Breeding*. 124, hlm.161-166.
- Campbell, N. A., Reece, J. B., & Mitchell, L. G., (2003). *Biology 9th Edition*. Frenchs Forest, N.S.W.: Pearson Austalia.

- Carsono, Nono., Lukman, Pradita., Damayanti, Farida., Susanto, Untung., Sari, Santika. (2014). Identifikasi Polimorfis Marka-Marka Molekuler Yang Diduga Berkaitan Dengan Karakter Daya Hasil Tinggi pada 30 Genotip Padi. *Chemica el Natura Acta* (2) 1, hlm. 91-95.
- Chiang, H.C., Jaw, S.M. & Chen, C.F. (1992). Inhibitory effects of Physalin B and Physalin F on Various Human Leukemia Cells in vitro. *Anticancer Res*, 12(4), hlm. 1155-1162.
- Costa, Rita., Pereira, Graca., Garrido, Inmaculada., Tavares-de-Sousa, Manuel Maria., Espinosa, Fransisco. (2016). Comparison of RAPD, ISSR, and AFLP Molecular Markers to Reveal and Classify Orchardgrass (*Dactyloctenium aegyptium* L.) *Germplasm Variations. Plos One*. DOI:10.1371. hlm.1-15.
- Cornquist, A. (1981). *An Integrated System of Classification of Flowering Plants*. Columbia University Press: New York.
- Cui, Cuiju., Li, Yan., Liu, Yanling., Li, Xiaojie., Luo, Shiju., Zhang, Zhuangzhi., Wu, Ruina., Liang, Guangjin., Sun, Juan., Peng, Jie., Tian, Pingping. (2016). Determination of genetic diversity among *Saccharina* germplasm using ISSR and RAPD markers. *Comptes Rendus Biologies*. XX, 11-21.
- Dokianakis, Emmanouil., Tsirigotakis, Nikolas., Christodoulou, Vasiliki., Poulakakis, Nikos., Antonion, Maria. (2016). DNA Sequencing confirms PCR-RFLP identification of wild caught *Larrousius* sand flies from Crete and Cyprus. *Acta Tropica*, (16), hlm. 1-26.
- Fatchiyah, Arumingtyas., E.L., Widyawati., Rahayu, S. (2011). *Biologi Molekuler : Prinsip Dasar Analisis*. Jakarta: Erlangga.
- Febriyantje, Vania. (2014). *Studi Kekerabatan fenetik beberapa jenis tanaman sawo Pouteria (Sapotaceae) menggunakan metode RAPD*. (Skripsi). Fakultas Pendidikan Matematika dan Ilmu Pengatahuan Alam, Universitas Pendidikan Indonesia, Bandung.
- Fedorov, A.A. (1969). *Chromosome Numbers of Flowering Plants*. Moscow: Academy of Science of USSR.
- Fischer, G. & Martínez, O. (1999). *Calidad Y Madurez De La Uchuva (Physalis peruviana L.) Em Relación Con La Coloración Del Fruto*. *Agron. Colomb*, 16(1-3) hlm. 35-39.
- Florez, V.J., Fischer, G. & Sora, A.D. (2000). *Produccion, Poscosecha Y Exportación De La Uchuva*. Unibiblos, Bogotá, 175p.
- Fredricks, D. N., Smith, C. And Meier, A. (2005). Comparison Of Six Dna Extraction Methods For Recovery Of Fungal Dna As Assessed By Quantitative PCR. *Journal Of Clinical Microbiology*, 43(10) hlm. 5122–5128.

- Freeland, Joanna R. (2005). *Molecular Ecology*. United Kingdom: John Wiley & Sons, Ltd.
- Gabriyan, L., Avashia, N., (2013). *Polymerase Chain Reaction*. *Journal of Investigations Dermatology* 133, hlm. 1-4.
- Gaikwad, Ambika. (2016). PCR amplification assays : RAPD. [Online]. Tersedia di: https://www.researchgate.net/profile/Ambika_Gaikwad2/publications
- Garzon-Martinez, Gina., Osorio-Guarin, Jaime., Delgadilo-Duran, Paola., Mayorga, Franklin., Enciso-Rodriguez, Felix., Landsman, David., Marino-Ramirez, Leonardo., Barero, Stella. (2015). Genetic diversity and population structure in *Physalis peruviana* and related taxa based on InDels and SNPs derived from COSII and IRG markers. *Plant Gene*. 4(1), hlm. 29-37.
- Gurusubramanian, Guruswami., Kumar, Senthil N. (2011). Random amplified polymorphic DNA (RAPD) markers and its applications. *Colloquium Mizogram University, Science Version* 11(3) hlm. 116-124.
- Hao, D.C., Gu, X., Xiao, P. G. (2015). Medicinal Plant, Chemistry, Biology, and Omics. *Woodhead Publishing Series in Biomedics*.
- Hanboosong, Yupa. (1994). *A Comparative Phenetic and Cladistic Analysis of The Genus Holcopsis Chaudoir*. (Thesis). Lincoln University, New Zealand.
- Handirawan, Eko. (2012). Keragaman Molekuler Dalam Suatu Populasi. Lokakarya Nasional Pengelolaan dan Perlindungan Sumber Daya Genetik di Indonesia: Manfaat Ekonomi untuk Mewujudkan Ketahanan Nasional. Pusat Penelitian dan Pengembangan Peternakan: Bogor.
- Hseu, Y., Wu, C., Chang, H., Kumar, K., Lin, M., Chen, C., Cho, H., Huang, C. (2011). Inhibitory effects of *Physalis angulata* on tumor metastasis and angiogenesis. *Ethnopharmacol* 135, hlm. 762-771.
- Hidayat, T., Priayandoko, D., Wardiny, P.Y., Islami, D.K. (2016). Molecular Phylogenetic Screening of *Withania somnifera* Relative from Indonesia Based on Internal Transcribed Spacer Region. *Hayati Journal and Bioscience* 23(2), hlm. 92-95.
- Hidayat, Topik. dan Pancoro, Adi. (2008). Sistematika dan Filogenetik Molekuler. (Makalah). Kursus Singkat Aplikasi Perangkat Lunak PAUP dan Mr.Bayes untuk Penelitian Filogenetika Molekuler *SITH-ITB*. [Online]. Tersedia di: http://file.upi.edu/Direktori/FPMIPA/JUR._PEND._BIOLOGI/197004101997021-TOPIK_HIDAYAT/Makalah_Filogenetik_Molekuler.pdf.
- Huang, Chunqiong. Liu, Guodao., Bai, Changju., Wang, Wenqiang. (2014). Genetic Analysis of 430 Chinese *Cynodon dactylon* Accessions Using Sequence-Related Amplified Polymorphism Markers. *Interantional Journal of Molecular Sciences*. 15(1), hlm. 19134-19146.
- Jose, J. and R. Usha. (2000). Extraction of geminiviral DNA from a highly mucilaginous plant (*Abelmoschus esculentus*). *Plant Mol. Rep*, hlm.349-355.

- Kasture, Avani., Krishnamurthy, Ramar., Rajkumar, Katagi. (2016). Genetic Variation in the endangered Indian Sweet Flag (*Acorus calamus* L.) using ISSR and RAPD Markers. *Journal of Applied Research on Medicinal and Aromatic Plants* (68), hlm.1-8.
- Kavanagh, K., Whittaker, P. A. (1996) Application Of Protoplast Fusion To The Nonconventional Yeasts. *Enzyme And Microbial Technology* 18, hlm.45–51.
- Kavanagh, Kevin. (2007). *Medical Mycology: Cellular And Molecular Techniques*. John Wiley & Sons. Ltd: England.
- Khan, Haseeb A., Arif, Ibrahim A., Bahkali, Ali., Al-Farhan, Ahmad., Al-Homaidan, Ali. (2008). Bayesian, Maximum Parsimony and UPGMA Models for Inferring the Phylogenies of Antelopes Using Mitochondrial Markers. *Evolutionary Bioinformatics*. 4, hlm.263-270.
- Kimura, M. and J.F. Crow, (1964). The number of alleles that can be maintained in a finite population. *Genetics*, 49: 725-738. PMID: 14156929.
- Kohn, M., Knauer, F., Stoffella, A., Schroder, W., Paabo, S. (1995). Conservation genetics of the European brown bear—a study using excremental PCR of nuclear and mitochondrial sequences. *Mol Ecol* (4), hlm. 95–103.
- Kordostami, M., Rahimim M. (2015). Molecular Markers in Plants: Concepts and Applications. *ResearchGate*, hlm. 4024-4031.
- Kumar, P., Gupta, V.K., Misra, A.K., Modi, D.R., Pandey, B.K. (2009). Potential of Molecular Marker in Plant Biotechnology. *Plant Omics Journal*, 2(4), hlm.141-162.
- Kumari, Nandani., Thakur, Saroj Kumar. (2014). Randomly Amplified Polymorphic DNA-A Brief Review. *American Journal of Animal and Veterinari Sciences*, 9(11), hlm. 6-13.
- Kusumaningtyas, R.W., Noer, L., Putri, L. (2015). Potential of Ciplukan (*Ciplukan* L.) as Source of Functional Ingredient. *Procedia Chemistry* (14), hlm. 367-372.
- Kwok P Y. (2001). Methods for genotyping single nucleotide polymorphisms. Annual Review of Genomics and Human Genetics. *Plant Omics Journal*, 2(4), hlm. 235–258.
- Langga, I.F., Restu M., Kuswinanti, T. (2012). Optimasi Suhu dan Lama Inkubasi Dalam Ekstraksi DNA Tanaman Bitti (*Vitex cofassus* Reinw) Serta Analisis Keragaman Genetik dengan Teknik RAPD-PCR. *J Sains & Teknologi* 12 (3), hlm. 265-276.
- Latha, K. Makari, H. (2011). Random Amplified Polymorphic DNA Analysis for Varietal Identification in Cucumber. *Asian J.Exp*, 2(4), hlm. 731-738.
- Layyina, Hilwi. (2014). Toksisitas Ekstrak Ciplukan (*Physalis angulata*) Berdasarkan Uji Letalitas Larva Udang. (Skripsi). Fakultas Matematika dan Ilmu Pengatahuan Alam, Institut Pertanian Bogor, Bogor.

- Lewontin, R.C., Dobzhansky, T., M.K. Hecht and W.C. (1972). The Apportionment of Human Diversity. In: *Evolutionary Biology. Steere (Eds.), Springer*, hlm. 381-398.
- Lin, Y.S., Chiang, H.S., Hone, E., Shin, S.J. & Won, M.H. (1992). Immunomodulatory Activity Of Various Fractions Derived From Ciplukan L. Extract. *Am. J. Chin. Med*, 20(3-4) Hlm. 233-243.
- Lumaret, R., H. Michaud, J.P. Ripoll, and L. Toumi. (1998). Chloroplast DNA Extraction Procedure Species High Phenolics And Polysaccharide, hlm 15-17.
- Opperdoes, F. (1997). *Phenetics and cladistics and the pro's and contra's of the various phylogeny inference methods*. [Online]. Tersedia di: <http://www.deduveinstitute.be/~opperd/private/phenetics>
- Ogundajo, Akiyanto., Akpome, Atikueke., Tijani, Nimota., Ogunwande, Isiaka. (2015). Chemical Constituents of the leaf essential oil of *Physalis angulata* L. *Asian Journal of Applied Sciences*, (03), hlm. 652-655.
- Poerba, Y. S. & Martanti, D. (2008). Keragaman Genetik Berdasarkan Marka *Random Amplified Polymorphic DNA* pada *Amorphophallus muelerri* Blume di Jawa. *Biodiversitas*. 9(4), hlm. 245-249.
- Poczai, Peter., Cseh, Andreas., Taller, Janos., Symon, David. (2011). Genetic diversity and relationship in *Solanum* subg. *Archaesolanum* (Solanaceae) based on RAPD and chloroplast PCR-RFLP analyses. *Plant Syst Evol*, hlm. 35-47.
- Mahalakshmi, A.M., Ramesh, Nidavani B. (2014). *Physalis angulata* L. : An Ethanopharmacological Review. *Indo American Journal of Pharmaceutical Research*. *Indo American Journal of Pharmaceutical* 4(03), hlm. 1479-1486.
- Mahjoub, Asma Aloui., Mguis, Kaled., Rouaissi, Mustapha., Roudha, Abdellaoui., Brahim, Nadia Ben. (2012). RAPD analysis of genetic diversity in natural populations of *Aegilops geniculata* Roth and *Triticum durum* Desf from Tunisia. *Agriculture and Biology Journal of North America*. 3(11), hlm. 466-475.
- Manimekalai, R., Nagarajan, P., Kumaran, P.M. (2010). Comparison of Effectiveness of RAPD, ISSR, and SSR markers for Analysis of Coconut (*Cocos nucifera* L.) *Germplasm Accessions*. *Tropical Agricultural Research* . 18, hlm. 1-10.
- McPerson, Michael J. *et al.* (1992). *Molecular Plant Pathology*. New York: Oxford University Press.
- Meira, Cassio Santana., Guimaraes, Elisalva Teixeira., Santos, Jamyle Andrade., Moreira, Diogo Rodrigo., Nogueira, Renata Campos., Tomassini, Therezinha Coelho Barbosa., Ribeiro, Ivone., Souza, Claudia Valeria Campos., Santos, Ricarco Riberio., Soares, Milena Botelho. (2015). In Vitro and In Vivo antiparasitic activity of *Physalis angulata* L. concentrated ethanolic extract against *Trypanosoma cruzi*. *Phytomedicine* (22), hlm. 969-974.

- Moreira, P.A., Oliveira D.A. (2011). Leaf age affects the quality of DNA extracted from *Dimorphandra mollis* (Fabaceae), a tropical tree species from the Cerrado region of Brazil. *Genetics Molecular Research*. 10(1), hlm. 353-358.
- Morjan, Carrie L., Rieseberg, Loren H. (2004). How species evolve collectively: implications of gene flow and selection for the spread of advantageous alleles. *Molecular Ecology*. Vol.13(6), hlm. 1341-1356. [Online]. Tersedia di:<http://onlinelibrary.wiley.com/doi/10.1111/j.1365294X.2004.02164.x/full>
- Mueller, U.G., Wolfenberger, L.L. (1999). AFLP genotyping and fingerprinting. *US National Library of Medicine National Institutes of Health* 25 (10), hlm. 386-394.
- Nagy, Sandor., Poczai, Peter., Cernak,Istvan., Gorji, Ahmad Mousapour., Hegedus, Geza., Taller, Janos. (2012). PICcalc: An Online Program to Calculate Polymorphic Information Content for Molecular Genetic Studies. *Biochem Genet*. 50, hlm. 670-672.
- Nolan, T. (2014). *A Technical Guide PCR Technologies*. Sigma-Aldrich.
- Novaes, RM., Rodrigues, JG., Lovato, MB. (2009). An efficient protocol for tissue sampling and DNA isolation from the stem bark of Leguminosae trees. *Genet. Mol. Res*. 8, hlm. 86-96.
- Ramesh, Nidavani., Mahalakshmi, A.M. (2014). *Physalis Angulata L.: An Ethanopharmacological Review*. *Indo-Am J Pharm Sci*, 3(8), 6055-6065.
- Rasal, Kiran Dashrath., Chakrapani, Vemlawada., Pandey, Amrendra Kumar., Rasal, Avinash Rambhau., Sundaray, Jitendra K., Ninawe, Arun., Jayasankar, Pallipuram. (2017). Status and Futures Perspectives of Single Nucleotide Polymorphisms (SNPs) markers in farmed fishes: Way ahead using Next Generation Sequencing. *Gene Reports, Accepted Manuscripted*.
- Rojas, T.J., Andrade-Rodriguez, M., Allia-Tejacal, I., Lopez-Martinez, V., Espinosa-Zaragoza, S., Esquinca-Aviles, H. (2012). Molecular Characterization of Zapote Maey (*Pouteria sapota* (Jacq.) Moore and Stearn). *Rec. Fac. Agron*. 29, hlm. 339-354.
- Sambrook, J., Russel, D. W. (2001). *Molecular Cloning a Laboratory Manual, Third Edition*. New York: Cold Spring Harbor Laboratory Press.
- Semagn, K., Bjornstad, A., Ndjiondjop, M.N. (2006). Overview of Molecular marker Methods for Plants. *Journal of Biotechnology*, 5(25), hlm 2540-2568.
- Silva, L.F., Contreira, C.L., Lima, C.S.M., Betemps, D.L. & Rufato, A.R. (2009). Principais Pragas Que Afetam A Cultura Da *Physalis* Em Pelotas, Capão Do Leão E Vacaria. In: *Congresso Iniciação Científica*. Ufpel, 4 P.
- Silva, B.J., Silva, R.Rp., Rodrigues, A.P.D., Farias, L.H.S., Nascimento, J.L.M., Silva, E.O. (2016) *Physalis angulata* induces death promastigotes and amastigotes of *Leishmania amazonensis* via the generation of reactive oxygen species. Vol.82. 25-32.

- Singh, A.K., Singh, Major., Singh, Rakesh., Kumar, Sanjeev., Kalloo, G. (2006). Genetic diversity within the genus *Solanum* (Solanaceae) as revealed by RAPD markers. *Current Science*, 90(5), hlm. 711-716.
- Sokal, Robert. (1966). *Numerical Taxonomy*. *Scientific American*, 215(6), hlm. 106-116.
- Somma, M. (2004). Extraction and Purification DNA. Training Course on the Analysis of Food Samples for The Presence of genetically modified organisms user manual. *User Manual*, hlm. 3-18.
- Somma, M., Quercy, M. (2006). Polymerase Chain Reaction. Training Course On The Analysis of Food Samples for The Presence of Genetically Modified Organisms. *User Manual*, hlm 6-30.
- Srihari, A. M., Verma¹, B., Kumar, N., Chahota, R. K., Singh, V., Rathour, R., Singh, S. K., Sharma, S. K., & Sharma, T. R. (2013). Analysis of Molecular Genetic Diversity and Population Structure In Sea Buckthorn (*Hippophae* spp. L.) From North-Western Himalayan Region of India. *Journal of Medicinal Plants Research*. Vol. 7(43), hlm. 3183-3196.
- Stuessy, Tod F. (2009). Paradigms in biological classification (1707–2007): Has anything really changed?. *Taxon*. 58(1), hlm. 68-76.
- Sullivan, J.R. (1984). Pollination Biology of *Physalis viscosa* var. *cinerascens*. *Am J Bot*, hlm. 815-820.
- Sultana, N., Hassan, M.A., Momtaz, B., Mahbura, S. (2008). Ciplukan L. (*Solanaceae*) – A New Angiospermic Record for Bangladesh. Short Communication. *Bangladesh J. Bot*, 37(2) hlm 195-198.
- Surzycki, S. (2000). *Basic Techniques in Molecular Biology*. Springer-Verlag. Berlin, Heidelberg: New York.
- Tjitrosoepomo, Gembong. (1995). *Morfologi Tumbuhan*. UGM Press : Yogyakarta.
- Uddin, Q.L. Samiulla, V.K., Singh, Jamil, S.S.. (2012). Phytochemical and Pharmacological Profile of *Whitania somnifera* Dunal. A Review Journal of Applied Pharmaceutical Science. *Pharmaceutical Science* 02 (01) hlm 170-175.
- Valdivia-Mares, Luis., Zaragoza, Fabian Rodriguez., Gonzalez, Jesus Sanchez., Vargas-Ponce, Ofelia. (2016). Phenology agronomic and nutritional potential of three wild husk tomato species (*Physalis*, *Solanaceae*) from Mexico. *Scientia Horticulturae*, hlm. 83-94.
- Vos, P., Hogers, R., Bleeker, M., Reijans, M., Van, D.L.T., Hornes, M., Frijters, A., Pot, J., Pelemen, J., Kuiper, M., Zabeau, M., 1995. AFLP, a new technique for DNA fingerprinting. *Nucleic Acids Research* 21, 4407–4414.

- Weising, K., Nybom, H., Wolff, K., Kahl, G. (2005). *DNA Fingerprinting in Plants Principle, Methods, and Applications Second Edition*. CRC Press: Florida.
- Westmermer, R. (2005). *Gel Electrophoresis. Encyclopedia of Life Science*, hlm 16.
- Widodo, Nashi., Priyandoko, Didik., Navjot Shah., Wadhwa, Renu., Kaul., Sunil. (2010). Selective Killing of Cancer Cells by Ashwagandha Leaf Extract and Its Component Withanone Involves ROS Signaling. *PLoS ONE* 5(10): e13536. doi:10.1371/journal.pone.0013536
- Winter P, Kahl G. (1995). Molecular marker technologies for plant improvement. *World Journal of Microbiology and Biotechnology. Molecular Biology* 11(4), hlm. 438-48.
- Wright, Sewall. (1931). Evolution in Mendelian populations. *Genetics* 16, hlm 97-159.
- Wulandari, Linda Tri. (2016). *Analisis RAPD Ciplukan (Physalis angulata; Solanaceae) Di Daerah Bandung dan Sekitarnya*. (Skripsi). Fakultas Pendidikan Matematika dan Ilmu Pengatahuan Alam, Universitas Pendidikan Indonesia, Bandung.
- Wurtele, E.S., Chappel, J., Jonnes, A.D., Celiz, M.D., Rarisom, N., Hur, M., Rizshsky, L., Crispin. (2012). Medicinal Plants: A Public Resource for Metabolomics and Hypothesis Development Metabolite. *Plant Omics* (2), hlm. 1031 – 1059.
- Xu J L, Wang Y, Hou M, Li Q. 2015. Progress on detection methods of SNP. *Molecular Plant Breeding*, (13), hlm. 475–482.
- Xu, J.J., Zhang, L.Y., Zhao, B., Shen, H.F. (2017). Assessment of genetic diversity among six populations of *Rhododendron triflorum* in Tibet using ISSR and AFLP markers. *South African Journal of Botany*, (108), hlm. 175-182.
- Yilmaz, M., Ozix, C., Gok, I. (2012). *Principle of Nucleic Acid Separation by Agarose Gel Electrophoresis, Gel Electrophoresis-Principle and Books*. InTech.
- Yosnata, Lea Juliana. (2016). *Analisis Variasi Genetik Ciplukan (Physalis angulata; Solanaceae) Menggunakan Random Amplified Polymorphism DNA (RAPD)*. (Skripsi). Fakultas Pendidikan Matematika dan Ilmu Pengatahuan Alam, Universitas Pendidikan Indonesia, Bandung.
- Zargar, Sajad Majeed., Farhat, Sufia., Mahajan, Reetika., Bhakhri, Ayushi., Sharma, Ajun. (2016). Unraveling the efficiency of RAPD and SSR markers in diversity analysis and population structure estimation in common bean. *Saudi Journal of Biological Sciences*. 23, hlm. 139-149.
- Zamora-Tavares, Maria del P., Martinez, Mahinda., Magallon, Susana., Guzman-Davalos, Laura., Vargas-Ponce, Ofelia. (2016). *Physalis and physaloids: A*

- Recent and complex evolutionary history. *Molecular Phylogenetics and Evolution*, 100(2016), hlm. 41-50.
- Zamora-Tavares, P., Ofelia, V.P., Jose, S.M., Danae, C.T. (2014). Diversity and genetic structure of the husk tomato (*Physalis philadelphica* Lam.) in Western Mexico. *Genet Resour Crop*, (62), hlm. 141-153.
- Zimmer, E. A., & Roalson, E. H. (2005). Molecular Evolution Producing The Biochemical Data. *Academic Press*. hlm. 1-896.
- Zhang, Z.F., van Parijs, F.R.D., Xiao, B.Z., 2014. *The status of AFLP in the genomics era and a pipeline for converting AFLPs into single-locus markers*. *Molecular Breeding* 34, hlm. 1245–1260.