

## DAFTAR PUSTAKA

- Abate. (1990). Oxidative Stress and Gene Regulation Free Radical. *Biol Med*, 1(1): 4-7.
- Abdul, R. (2005). Chemical and Biological Evaluation of The Essential Oil Of *Zingiber officinale*. *Int. J. Essential Oil Therap*, 2: 76-81.
- Agarwal, A., Gupta, S., Sharma, RK. (2005). Role of Oxidative Stress in Female Reproduction. *Journal Reprod Biology*. 2(1): 10-12.
- Ahmad, M., Cahya, A., dan Gustiar, H. (2008). Pengaruh Antioksidan Ekstrak Jahe Merah (*Zingiber officinale var. Sunti*) terhadap Poliferasi Sel Luekimia (THP-1). *Penulisan Ilmiah*, IPB Bogor 3(2).
- Alpina. (2016). Uji Fitokimia, Toksisitas Dan Aktivitas Antioksidan Fraksi N-Heksan dan Etil Asetat terhadap Ekstrak Jahe Merah. *Jurnal Sci UNMUL* 1(1).
- Amri. (2007). Effect of Carnitine and Herbal Mixture Extract on Obesity Induced by High Fat Diet in Rats. *PubMed Central*, 1(1).
- Andoko dan Harmono (2005). *Budidaya dan Peluang Bisnis Jahe*. Jakarta: Agromedia. Pustaka
- Antolovich, M., P. D. Prenzler, E. Patsalides, S. McDonald, and K. Robards. (2002). Methods for Testing Antioxidant Activity. *Analyst Journal*, 127: 183–198.
- Apak, R. (2007). Carotenoids and the immune respon. *J Nutr*, 119:112- 115
- Araújo, B.M. (2011). Oxidative Stress in the Liver of Exercised Rats. *International Journal of Nutrition and Metabolism*, 3(5): 58-64.
- Arief, S. (2014). *Radikal Bebas*. Surabaya: FK UNAIR Press.
- Arora, A.Sairam, R.K.; Srivastave, G.C. (1998). Oxidative stress and antioxidative systems in plants. *Curr. Sci*. 82, 1227–1238.
- Arnelia (2002). Fitokimia Komponen Ajaib Pencegah Kanker. Diakses dari <http://Puslitbangbogor.go.id/> [10 Agustus 2017]
- Arsyad. (2014). Antioxidant Activity of Deodecyl Gallat. *J Agriculture Food Chemistry*, 50: 3533-3539.
- Balittro. (2000). Standar Prosedur Operasional (SPO) Jahe. Tersedia di [www.balittro.litbang.pertanian.go.id](http://www.balittro.litbang.pertanian.go.id). [Diakses 09 Agustus 2017].
- Bartley, J. (2000). Effect of Drying on Flavor Compounds in Australian Grown Ginger. *J Sci Food Agric*, 80:209-215.
- Bartosz, G. (1990). *Erythrocyte Membrane Changes during Aging in Vivo*. New York: Plenum Press.

- Basma A, Zakaria Z, Latha L Y, Sasidharan S. (2011): Antioxidant Activity and Phytochemical Screening of The Methanol Extracts *Euphorbia hirta* L. *Journal Biology Division*, 1(2): 2-3.
- Benjamin. (2010) .Derm Notes Dermatology Philadelphia : F.A. Davis Company.
- Benzie, I. F. dan Strain, J. J. (1999). Ferric Reducing Antioxidant Power Assay; Direct Measure of Total Antioxidant Activity of Biological Fluids and Modified Version for Simultaneous Measurement of Total Antioxidant Power and Ascorbic Acid Concentration. *Methods Enzymol.* 299: 15 – 27.
- Berry, D. (2003). Food Product Design: Fat's Chance. Northbrook: Week Publishing Company.
- Bintang,T. (2010). Effect of functional food ingredient : Vitamin E modulation of cardiovascular diseases and immune status in the elderly. *J Sci food*, 1(1).
- Boer, Y. (2000). Uji Aktivitas Antioksidan Ekstrak Kulit Buah Kandis (*Garcinia parvifolia* Miq). *Jurnal Matematika dan IPA*, 1(1):26- 33
- Buck DF. (1991). Antioksidant Food. Glasgow: Blakie Academic & Profesional.
- Carpenter, Philip L. (1975). Plants in The Lanscape. San Fransisco: W.H Foreman & Company.
- Chen, J.C., J.Y Yeh, P.C. Chen, dan C.K. Hsu. (1986). Phenolic Content and DPPH Radical Scavenging Activity of Yam-containing Surimi Gels Influenced by Salt and Heating. *Asian Journal of Health and Information Sciences*, 2:1-11.
- Cormack. (2006). Ham's Histology. Jakarta: Binarupa Aksara.
- Depkes RI. (2000). Antioksidan Resep Sehat dan Umur Panjang. *Artikel*. Diakses dari. <http://www.depkes.go.id>. [14 Juli 2017]
- Deniati,SH. (2006). Aktivitas Antioksidan dan Kandungan Fenol Total Beberapa Ekstrak Bahan Alam. *Tesis*. Biokimia Fakultas Kedokteran Indonesia.
- Djafar, F., M. D. Supardan, dan A. Gani. (2010). Pengaruh Ukuran Partikel, SF Rasio, dan Waktu Proses Terhadap Rendemen Pada Hidrodistilasi Minyak Jahe. *Jurnal Hasil Penelitian Industri*, 23:47-54.
- Djuariah, D., dan Sumiati, E. (2003). *Perbaikan Teknologi Biji Botani Bawang Merah dengan Teknik Polinasi Artificial*. Laporan Hasil Penelitian BALITSA.
- Donnelly JK dan Robinson DS. (1990) Oxygen Radicals in Living System and in Food. *BNF Nutri Bull*, 15: 115-129.
- Droge, W. (2002). Free Radicals in the Physiological Control of Cell Function. *Journal Physiology Rev*, 82:47-95.
- Eurell, J.A.C. (2004). Veterinary Histology. Salt Lake City: Teton New Media. Salt Lake City

- Fathona, D.(2011). Gingerol and Shogaol Contents, Pungency Intensity and Panelists Acceptance In Oleoresin Of Gajah Ginger (*Zingiber officinale* var. *Roscoe*), Emprit Ginger (*Zingiber Officinale* var. *Amarum*), And Merah Ginger (*Zingiber officinale* var. *Rubrum*). *J Scie Pharm IPB*, 4:78-98.
- Fridovich, I. (1983). Superoxide radicals, superoxide dismutases and oxygen toxicity in plants. *Photochem Photobiol*, 1(1): 37.
- Fugio, S. (2004). Khasiat Jahe. Jakarta: Prestasi Pustaka.
- Gain, S.K., dan S.B. Shohet. (1981). Calcium potentiates the peroxidation of erythrocyte membrane lipids. *Biochem Biophys Acta*. 642: 46-54.
- Ganong, W.F. (2002). Buku Ajar Fisiologi Kedokteran. Jakarta: EGC Press.
- Ghasemzadeh, A. (2010). Combined Effect of CO<sub>2</sub> Enrichment and Foliar Application of Salicylic Acid on The Production and Antioxidant Activities of Anthocyanins, Flavonoids, and Isoflavonoids from Ginger. *BioMed Central*, 2(3): 65-70.
- Gomez., K.A. (1995). *Prosedur Statistik untuk Penelitian*. Edisi Kedua. Jakarta. UI Press.
- Gordon MH. (2001). Measuring Antioksidan Activity. New York: CRC Press.
- Giriwijoyo, S. (2004). Ilmu Faal Olahraga Fungsi Tubuh Manusia pada Olahraga. Bandung: UPI Press.
- Gratzer, W.B. (1981). The Red Cell Membrane and its Cytoskeleton. *J. Biochem*, 198: 1-8.
- Grosch, W dan Belitz, H.D. (1986). Food Chemistry. Berlin. Springer.
- Guenther E. (1952). The Essential Oil. New York: Nostrand Co Inc.
- Guyton, dan Hall, JE. (2006). Buku Ajar Fisiologi Kedokteran (Terjemahan). Jakarta: EGC Press.
- Gyorgy,K. (2006)., Research of Competitiveness Factors of SME. Acta Polytechnica Hungarica. *Budapest Tech*. 3(4).
- Halliwell,B. (1994). Free Radical, Antioxidant and Human Disease : Curiosity, Cause or Consequence. *Jou The Lancet*, 344:721-724.
- Hanani E, Mun'im A, Sekarini R. (2005). Identifikasi Senyawa Antioksidan dalam Spons *Callyspongia* Sp. dari Kepulauan Seribu. *Majalah Ilmu Kefarmasian*, 2(3):127-133.
- Handajani, H dan W. Widodo. (2010). Nutrisi Ikan. Malang: Penerbit UMM.
- Harris. (2000). Antioxidant Activity and Hepatoprotective Potential *Phyllanthus niruri*. *J Food Chem*, 95: 180-185.

- Hatherill, J.R., G.O. Till, P.A. Ward. (1991). Mechanisms of Oxidant-Induced Changes in Erythrocytes. *Agents Actions*.32(4): 351-358.
- Heinrich, B., Joanne. (2004). Fundamental of Pharmacognosy and Phytotherapy. Elsevier Hungary.
- Hernani dan Mono Raharjo.(2005). Tanaman Berkhasiat Antioksidan. Jakarta: Penerbit Swadaya
- Hirasa K dan Takemasa M. (1998). Spice Science and Technology. New York.: Marcel Dekker, Inc
- Hirazumi, A. dan E. Furuzawa. (1999). An immunomodulatory polysaccharide-rich substance from the fruit juice of *Morinda citrifolia* (noni) with antitumor activity. *J chem Rev*, 3(5): 20-21
- Hoffman, M.R., Martin, S.T., Choi, W., and Bahneman, D.W. (1997). Environmental Application of Semiconductor Photocatalysis. *J Chem. Rev*, 2(5): 44-56.
- Husa. (1944). Sediaan Darah. Jakarta: Bakti Husada Departemen Kesehatan Republik Indonesia
- Irwan, K. (2011). Aktivitas Antidiabetes Ekstrak Air Daun Wungu. *Skripsi*. Institut Pertanian Bogor.
- Jakopic, F. (2009). Extraction of Phenolic Compounds from Green Walnuts Fruit from Different Solvents. *Acta Agric*, 93:11-15.
- Jang, H.D., Chang, K.S., Huang, C.L., Lee S.H., Su, M.S. (2007). Principal Phenolic Phytochemical and Antioxidant Activities of Three Chinese Medicial Plants. *Food Chem*. 103: 749-756.
- Jun, M.H.Y., J., Fong, X., Wan, C.S., Yang, C.T., and Ho. (2003). Comparison of Antioxidant Activities of Isoflavones Form Kudzu Root (*Pueraria labata O*). *Journal Food Science Institute of Technologist*, 68: 2117-2122.
- Kahkonen, M. P. (1999). Antioxidant of Food. Helsinki: University of Helsinki press.
- Kamilah. 2011. Kadar Antioksidan Rendah Meningkatkan Risiko Hemolisis pada Sepsis Neonatus. *Jurnal Kedokteran Brawijaya*, 36: 3-2.
- Karadeniz, F., Burdurlu, H.S., Koca, N., Soyer, Y. (2005). Antioxidant Activity of Selected Fruits and Vegetables Grown in Turkey, *Turk. J. Agric. Food*, 29: 297- 303.
- Kedare, S.B. dan Singh, R.P,. (2011). Genesis and Development of DPPH Method of Antioxidant Assay, *J Food Sci Technol*, 48:412-422.
- Kikuzaki, H.,Nakatani, N.(1993). Antioxidant effect of some Ginger Constituents. *Journal of Food*, 1(3).

- Kiuchi, F., dan G. Honda. (1982). Tetrahydrochromones from agarwood artificially produced by intentional wounding. *Tetrahedron Lett.* 46:4395-4398
- Kiuchi F., Iwakami, S., dan Shibuya, M., (1992), Inhibition of Prostaglandine and Leukotriene Biosynthesis by Gingerols and Diaryheptanoids. *Jurnal of Herbal Medicine*, 40: 387-391.
- Kochar, S.P. dan B. Rossell. (1990). Detection Estimation And Evaluation of Antioxidants in Food System. Elvisier London Applied Science.
- Koswara S. (1995). Jahe dan Hasil Olahannya. Jakarta: Pustaka Sinar Harapan.
- Kresno, S. B. (1996), Imunologi: Diagnosis dan Prosedur Laboratorium, Jakarta: UI Press.
- Kristiyanasari, W. (2010). Gizi Ibu Hamil. Yogyakarta: Nuha Medika.
- Kumalaningsih. (2006). Antioksidan Alami Penangkal Radikal Bebas Sumber, Manfaat, Cara Penyediaan dan Pengolahan. Surabaya: Trubus Agrisarana.
- Kumar, E.K., Ramesh, A. & Kasiviswanath, R.. (2005). Hypoglycemic and Antihyperglycemic Effect of *Gmelina asiatica* Linn. In normal and in alloxan Induced Diabetic Rats. *J Pharm Andhra Pradesh* 1(7).
- Lapworth. (1917). Gingerol. *Jurnal Sci UI.* 50(67): 20-22.
- Langseth, L. (1995). Oxidants, Antioksidants and Disease Prevention. Belgium. ILSI Europe.
- Lawless HT dan Heymann H. (1998). Sensory Evaluation of Food Principles and Practices. New York: Kluey Academic.
- Lestari. (2006). Pengaruh Nisbah Rimpang dengan Pelarut dan Lama Ekstraksi terhadap Mutu Oleoresin Jahe Merah. *Skripsi*. Institut Pertanian Bogor.
- Miranda, Buhler, D.R., dan Cristobal, (2000). Antioxidant Activities of Flavonoid. *The Linus Pauling Institute*, 4(7):10-19.
- Mohan., Priyadarsini K. I., S. M. Khopde, S. S. (2011). Free radical studies of ellagic acid, a natural phenolic antioxidant. *J.Agric Food Chem* ,50 : 2200-2206.
- Molyneux. (2004). Antioxidant Activity of The Microalga *Spirulina maxima*. *Journal of chem FAPESP*, 8: 16-17.
- Mongkolship, M. (2004). Radical Scavenging Activity and Total Phenolic Content of Medical Plant Used in Primary Health Care. *J,pham sie.* 9: 32-37.
- Mosca A, Paleari R, Ivaldi G, Galanello R, dan Giordano PC. (2009). The Role of Haemoglobin A2 Testing in The Diagnosis of Thalassaemias and Related Haemoglobinopathies. *Journal Clin Pathol*, 62:13–17
- Mosquera, O., Correa, Y. M., dan Nino, J., (2007). Antioxidant Activity of Plants Extract from Colombian Flora. *Jou pharm Braz.* 19(2) : 382-387.

- Muchtadi H. (1993). Sayur-sayuran. Sumber serat dan Antioksidan : Mencegah penyakit Degeneratif. Bogor : Penerbit IPB.
- Mudrikah F. (2006). Potensi Ekstrak Jahe Merah (*Zingiber officinale* Rosc.) dan Campurannya dengan Herba Suruhan (*Peperomia pellucida*.L) sebagai Antihiperuresemia pada Tikus. *Skripsi*. FMIPA. IPB Bogor.
- Muhlisah F. (2007). Tanaman Obat Keluarga (Toga). Jakarta: Penebar Swadaya.
- Mukherjee .(2014). An Approach towards Optimization of The Extraction of Polyphenolic Antioxidants from Ginger (*Zingiber officinale*). *J Food Sci Techno*, 51(11):3301–3308
- Muralidhar,. Aamir Javed, Dwijendra Trivedi, Khum Prasad Bhusal. (2010). Biosorption of Heavy Metals from Soil by *Pseudomonas aeruginosa*. *International Journal of Innovative Technology and Exploring Engineering (IJITEE)*, 2(4).
- Nair, I.C. (2008). Biodegradation of Phenol . *African Journal of Biotechnology*. 7(12).
- Nazir, M. (2005). Metode Penelitian. Jakarta: Ghalia Indonesia.
- Nielsen. (2015). Produksi Jahe Merah. Diakses dari <http://greenleafindonesia.co.id/2017/04/12/our-products/> [25 Juli 2017].
- Nursal. (2007). Uji Toksisitas dalam Jahe (*Zingiber officinale*). Yogyakarta: Kanisius.
- Oktarini. (2014). Aktivitas Antioksidan Senyawa Flavonoid Ekstrak Etanol Biji terong Belanda (*Solanum betaceum*) dalam Menghambat Reaksi Peroksidasi Lemak pada Plasma Darah Tikus Wistar. *J Scie Unud*, 3(2).
- Oktaviana, P.R. (2010). Kajian Kadar Kurkuminoid, Total Fenol dan Aktivitas Antioksidan Ekstrak Temulawak (*Curcuma xanthorrhiza* Roxb.) pada Berbagai Teknik Pengeringan dan Proporsi Pelarutan. *Skripsi*: Universitas Sebelas Maret.
- Oktora, R., Ayliaawati, D. dan Sudaryanto, Y. (2007). Ekstraksi Oleoresin dari Jahe. *Jurnal Sci Widya Teknik*. 6(2): 131-141.
- Paimin,F. & Murhananto . (1999) . Seri Agribisnis Budi Daya Pengolahan, Perdagangan. Jakarta: Penebar Swadaya.
- Panovska, T.K., Kulevanova, S., Stefova. (2005). In Vitro Antioxidant Activity of Some Teucrium Species (Lamiaceae). *Acta Pharm*, 55: 207-214.
- Pokorny, N. Yanishlieve, M. Gordon.(2007). Antioxidants in Food. New York: CRC Press.
- Prakash,A, Heldira., D, Trina,.Y. (2001). Antioxidant Activity. *Medallion Laboratories Analitical Progress*, 19(2).

- Pryor, W.A. (1976). *Free Radical Reactions in Biological Systems*. New York: Academic Press.
- Purnomo, H., Jaya, F., dan Widjanarko S.B. (2010). *The effect of time and type of thermal processing on ginger (Zingiber Officiale Roscoe) rhizome antioxidant compounds and its quality*. *International Food Research Journal* 17: 335-347
- Purseglove, J.W, E.G. Brown. (1981). Spicies. *Tropical Agriculture Series*, 2(12).
- Qadeer dan Rehan. (1998). A study of the adsorption of phenol by activated carbon from aqueous solutions. *Turkish journal of chemistry*, 26(3).
- Rahmawati, A. (2009). Kandungan Fenol Total Ekstrak Buah Mengkudu *Morinda citrifolia*. *Journal Sci Pharm*, 1(1).
- Ravindran, P.N., Babu, K. N. (2005). *Ginger The Genus Zingiber*. New York: CRC Press.
- Rohmatussolihat. (2009). Antioksidan, Penyelamat Sel-Sel Tubuh Manusia. *Jurnal Bio Trends*. 4(1).
- Rose, N.R., dan Gyorgy.M. Penn. (1994). *Manual Clinical Laboratory Immunology*. New York: CRC Press.
- Sahid, R. (2001). *Patofisiologi*. Jakarta: EGC Press.
- Sayuti,I,K. (2015). *Antioksidan Alami dan Sintetik*. Padang: UNAND Press.
- Shahidi F dan Naczk M. (1995). *Food Phenolics: Sources, Chemistry, Effects, Application*. Lancaster: Technomic Publishing Co.
- Shanmugapriya R., Ramanathan T., Thirunavukkarasu P. (2011). Evaluation of Antioxidant Potential and Antibacterial Activity *Acalypha indica* Linn Using in Vitro Model. *Asian Journal of Biomedical and Pharmaceutical Science* 1(1): 18-22.
- Shier D, Butler, J., & Lewis, R. (2002). *Somatic and Special Senses*. Hole's Human Anatomy and physiology. New York: The McGraw-Hill Companies Inc.
- Shiva, Abbas. (2007). *Cellular and Molecular Immunology*. 6th ed. Philadelphia: Saunders Elsevier.
- Shukla Y dan Singh M. (2006). Cancer preventive properties of ginger: a brief review. *J. Food and Chemical Toxicology* 45: 683-690.
- Singleton, V.L. dan Rossi, J.A. (1965). Colorimetry of Total Phenolic with Phosphomolybdc-Phosphotungstic Acid Reagent, *Am. J. Enol.Vitic*, 16(1).
- Smith, T. (1991). *Tekanan Darah Tinggi*. Jakarta: Arcan.
- Strain,D. (1996). *Characterization of Antioxidants and Change of Antioxidant Levels During Storage of Manilkara zapota L*. *Agricultural and Food Chemistry*.

- Stoilova. (2007). Antioxidant Activity of a Ginger Extracts *Zingiber officinale*. Bulgaria. Elsevier.
- Sudarmadji, S.B. (1989). Prosedur Analisa untuk Bahan Makanan dan Pertanian. Yogyakarta: Liberty.
- Sudjana. (1982). Metoda Statistika. Bandung: Tarsito.
- Sumiati, T. (2012). Pengaruh Pengolahan Senyawa Antioksidan terhadap Mutu Cerna Protein Ikan Mujair. *J Sci IPB*, 2(4).
- Sundaryono A. (2011). Uji Aktivitas Senyawa Flavonoid Total dari *Gynura segetum* (Lour) terhadap Peningkatan Eritrosit dan Penurunan Leukosit pada Mencit (*Mus Musculus*). *Jurnal Exacta*, 9(2).
- Surh YJ. (2002). *Anti-tumor promoting potential of selected spice ingredients with antioxidative and anti-inflammatory activities: a short review*. *J. Food and Chemical Toxicology*
- Suryohudoyo, P. (2005). Oksidan, Antioksidan dan Radikal Bebas. Jakarta. Kapita Selekta Ilmu Kedokteran Molekular.
- Susanti, T., M. (2015). Analisis Antioksidan, Total Fenol Dan Kadar Kolesterol pada Kuning Telur Asin Dengan Penambahan Ekstrak Jahe. *Journal sci food*, 1(9): 90-110.
- Tappel, A.L. (1953). The Mechanism of Oxidation of Unsaturated Fatty Acids Catalyzed by Hematin Compounds. *Arch. Biochem. Biophys.* 44: 378-395.
- Taylor, A. G., dan Bernheimer, A. W. (1987). Further characterization of Staphylococcal gamma-hemolysin. *Infect. Immun.* 10 (1): 54-59.
- Thangaraj., (2016). Biochemical Change in Low Irradiance Tolerant and Susceptible Rice Cultivars. *Biol. Plantarum*, 36(2): 237 – 242.
- Theilade. (1996). *The Plant List* .Diakses dari <http://www.theplantlist.org/tpl/record/kew-273367> [07 Agustus 2017].
- Thitilertdech N, Teerawutgulrag A, Rakariyatham N. (2008). Antioxidant and antibacterial activities of *nephelium lappaceum l.* extracts. *Swiss Society of Food Science and Technology*, 67(5): 345-567.
- Tririzqi, F. (2011). Ekstraksi Senyawa Gingerol dari Rimpang Jahe dengan Metode Maserasi Bertingkat. *Skripsi*. IPB.
- Tsushida, Mamoru, S., I. Kazunori, S. Kazuhiko, A. Masaki, and H. Eikichi. (1984). Pharmacological Studies on Ginger. I. Pharmacological Action of Pungent Constituents, 6-Gingerol and 6- Shogaol. *Journal of Pharmacobio-Dynamics* ,7: 836-848.



- Umam. (2009). Pengaruh Ekstrak Tulang Ikan Pepes Iradiasi Dosis Tinggi Terhadap Hemolisis Eritrosit Dan Proliferasi Limfosit Manusia Secara In Vitro. Skripsi. IPB Bogor.
- Vallyathan, V., Shi, S. (1997). The Role of Oxygen Free Radicals in Occupational and Environmental Lung Diseases. *Journal Environmental Health Perspectives*, 105 (1): 165-178.
- Viranda. (2009). *Kandungan Antioksidan Lycopersicum esculentum*. Jurnal Kedokteran UI, 2(1): 1-67.
- Voight,R. (1994). Buku Pelajaran Teknologi Farmasi. Yogyakarta: UGM Press.
- Walker,K. (1996). Inventory of *Zingiber officinale*. *Western Australia Seminar*. 4:27-31.
- Weismann, J. D. Duncan, J. Gibson and T. Crawford. (1978). Effects of Fluid Properties and Pipe Diameter on Two-Phase Flow Patterns In Horizontal lines. *Int. J. Multiphase Flow*, 5: 46-437.
- WHO. (1999). Phenolics and Radical Scavenging. *J Science*, 2(3):16-17.
- WHO. (2012). Monographs on selected medicinal plants. *J Science*, 1(1).
- Widiyanti,R. (2009). Kandungan Fenol Total Jahe *Zingiber officinale Roscoe*. *J Science UI*, 1(1).
- Widyastuti, N. (2010). Pengukuran Aktivitas Antioksidan dengan Metode CUPRAC, DPPH, dan FRAP serta korelasi dengan Fenol dan Flavonoida pada Enam Tanaman. *Skripsi*. Institut Pertanian Bogor.
- Wijaya A. (1996). Radikal Bebas dan Parameter Status Antioksidan. Jakarta: Forum Diagnosticum. Lab Klinik Prodia.
- William, P.A. dan G.O.Phillips. (1987). Introduction to Hydrocolloids. New York: CRC Press.
- Winarti, Sri. (2010). Makanan Fungsional. Yogyakarta: UGM Press.
- Winarsih. (2007) . Antioksidan Alami dan Radikal Bebas. Yogyakarta: Penerbit Kanisius.
- Wresdiyati, T., Adyane, I. K. M. (2013). Aktivitas Anti Inflamasi Oleoresin Jahe (*Zingiber Officinale*) Pada Ginjal Tikus yang Mengalami Perlakuan Stres. *Jurnal Teknologi dan Industri Pangan*, 1(2).
- Yani,E. (2010). Jahe dan Manfaatnya. Semarang: Unsoed Press.
- Younkin, S., Oski, F.A. & Barness, L.A., (1971). Mechanism of the Hydrogen Peroxide Hemolysis Test and Its Reversal with Phenols. *The American Journal of Clinical Nutrition*, 24: 7-13.

- Yuhernita. (2006). Comparative Antioxidant Potential of Some Fruit and Vegetables Using DPPH Method. *International Journal of Pharmacy & Technology*, 3(1), 1952-1957.
- Yulianti, R. (2015). Perbandingan Metode Ekstraksi dan Variasi Pelarut Terhadap Rendemen dan Aktivitas antioksidan Ekstrak *Zingiber officinale*. *Journal of Faculty Of Pharmacy Univesitas Gadjah Mada*, 19 (1): 43-48.
- Zakaria.,F.,Juliana.,W. (2000). Minuman Jahe (*Zingiber officinale*) Meningkatkan Aktivitas Sel Natural Killer. *Buletin Teknologi Industri dan Pangan*, 10(2): 40-46.