

DAFTAR PUSTAKA

- Balouiri, M., Moulay, S., & Saad, K. (2016). "Methods for in Vitro Evaluating Antimicrobial Activity: A Review." *Journal of Pharmaceutical Analysis* 6(2): 71–79. doi: <http://dx.doi.org/10.1016/j.jpha.2015.11.005>.
- Baudrion, F., Périchaud, & Vacelet. (2000). "Influence of Concentration and Structure of Quaternary Ammonium Salts on Their Antifouling Efficiency Tested against a Community of Marine Bacteria." *Biofouling* 14(4): 317–31. doi: <http://dx.doi.org/10.1080/08927010009378424>.
- Beveridge, T. (2001). "Use of the Gram Stain in Microbiology." *Biotechnic & Histochemistry* 76(3): 111–18. <http://www.tandfonline.com/doi/full/10.1080/bih.76.3.111.118>.
- Bataillon, S., Tattevin, Martine, B., & Anne, J., (2012). "Emergence of Resistance to Antibacterial Agents: The Role of Quaternary Ammonium Compounds - A Critical Review." *International Journal of Antimicrobial Agents* 39(5): 381–89. doi: <http://dx.doi.org/10.1016/j.ijantimicag.2012.01.011>.
- Causserand, C., & Aimar, P. (2010). "Characterization of Filtration Membranes." *Comprehensive Membrane Science Engineering*. 1: 311–35. doi:<https://doi.org/10.1016/B978-0-08-093250-7.00001-3>
- Coates, J. (2000). *Interpretation of Infrared Spectra: A Practical Approach*. Newtown: John Wiley & Sons Ltd.
- Davis, M.(2010). *Water and Wastewater Engineering*. New York: Mc Graw Hill.
- Fane, A., Tang, C., & Wang, R. (2011). "Membrane Technology for Water: Microfiltration, Ultrafiltration, Nanofiltration, and Reverse Osmosis." *Treatise on Water Science*. 4: 301–35. doi: <http://dx.doi.org/10.1016/B978-0-444-53199-5.00091-9>
- Fazlara, A., & Ekhtelat, M. (2012). "The Disinfectant Effects of Benzalkonium Chloride on Some Important Foodborne Pathogens." *American-Eurasian Journal of Agricultural & Environmental Science*, 12 (1): 23-29.
- Gao, W., Liang, H., Ma, J., Han, M., Chen, Z., Han, Z., & Li, G., (2011). "Membrane Fouling Control in Ultrafiltration Technology for Drinking Water Production: A Review." *Desalination* 272 (1–3): 1–8. doi: <http://dx.doi.org/10.1016/j.desal.2011.01.051>.
- Garcia-ivars, J., Alcaina, M., & Iborra, M. (2014). "Enhancement in Hydrophilicity of Different Polymer Phase-Inversion Ultrafiltration Membranes by Introducing PEG / Al₂O₃ Nanoparticles." *Separation and Purification Technology* 128: 45–57. doi : <http://dx.doi.org/10.1016/j.seppur.2014.03.012>.

Salma Zahra, 2017

KARAKTERISTIK, AKTIVITAS ANTIBAKTERI, DAN KINERJA MEMBRAN NANOKOMPOSIT KITOSAN/PEG/MWCNT/ BENZALKONIUM KLORIDA

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Gerba, C. (2015). "Quaternary Ammonium Biocides: Efficacy in Application." *Applied and Environmental Microbiology* 81(2): 464–69. doi:10.1128/AEM.02633-14.
- Guillen, G., Pan, Y., Li, M., & Hoek, E. (2011). "Preparation and Characterization of Membranes Formed by Nonsolvent Induced Phase Separation: A Review." *Industrial and Engineering Chemistry Research* 50 (7): 3798–3817. doi: 10.1021/ie101928r.
- Harris, J. (1992). *Poly(ethylene Glycol) Chemistry : Biotechnical and Biomedical Applications*. New York: Springer Science+Business Media.
- Honarkar, H., & Barikani, M. (2009). "Applications of Biopolymers I: Chitosan." *Monatshefte fur Chemie* 140(12): 1403–20. doi: <https://doi.org/10.1007/s00706-009-0197-4>.
- Ibrahim, K. (2013). "Carbon Nanotubes – Properties and Applications : A Review." *Carbon Letters* 14(3): 131–44. doi : 10.5714/CL.2013.14.3.131
- Jaramillo, D., Arriola, A., Safavi, K., & Paz, L., (2012). "Decreased Bacterial Adherence and Biofilm Growth on Surfaces Coated with a Solution of Benzalkonium Chloride." *Journal of Endodontics* 38(6): 821–25.
- Karkhanechi, H., Takagi, R., Ohmukai, Y., & Matsuyama, H. (2013). "Enhancing the Antibiofouling Performance of RO Membranes Using Cu(OH)₂ as an Antibacterial Agent." *Desalination* 325: 40–47. doi: <http://dx.doi.org/10.1016/j.desal.2013.06.015>.
- Kochkodan, V., & Hilal, N. (2015). "A Comprehensive Review on Surface Modified Polymer Membranes for Biofouling Mitigation." *Desalination* 356: 187–207. doi: <http://dx.doi.org/10.1016/j.desal.2014.09.015>.
- Krieg, H. (2004). "Salt Rejection in Nanofiltration for Single and Binary Salt Mixtures in View of Sulphate Removal." *Desalination* 171: 205–15. doi: <https://doi.org/10.1016/j.desal.2004.05.005>
- Krishna, K., Reddy, P., Lee, Y., & Kim, C. (2012). "Synthesis and Characterization of Chitosan-PEG-Ag Nanocomposites for Antimicrobial Application." *Carbohydrate Polymers* 87(1): 920–25. doi: <https://doi.org/10.1016/j.carbpol.2011.07.028>
- Kuda, T., Yano, T., & Kuda, M. (2008). "Resistances to Benzalkonium Chloride of Bacteria Dried with Food Elements on Stainless Steel Surface." *LWT - Food Science and Technology* 41(6): 988–93. doi: <https://doi.org/10.1016/j.lwt.2007.06.016>
- Lackner, M., Manka, B., & Guggenbichler, P., (2013). "Antimicrobial Surfaces" DOI: 10.1002/14356007.q03_q01.
- Law, Kock-Yee. (2014). "Definitions for Hydrophilicity, Hydrophobicity, and Superhydrophobicity: Getting the Basics Right." *Journal of Physical*

Salma Zahra, 2017

KARAKTERISTIK, AKTIVITAS ANTIBAKTERI, DAN KINERJA MEMBRAN NANOKOMPOSIT
KITOSAN/PEG/MWCNT/ BENZALKONIUM KLORIDA

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

Chemistry 5(4) : 686–88. **DOI:** 10.1021/jz402762h

- Lee, H., Venable, R., Mackerell, A., & Pastor, R. (2008). “Molecular Dynamics Studies of Polyethylene Oxide and Polyethylene Glycol: Hydrodynamic Radius and Shape Anisotropy.” *Biophysical Journal* 95(4): 1590–99. doi: 10.1529/biophysj.108.133025.
- Liu, C., Zhang, D., He, Y., Zhao, X., & Bai, R. (2010). “Modification of Membrane Surface for Anti-Biofouling Performance: Effect of Anti-Adhesion and Anti-Bacteria Approaches.” *Journal of Membrane Science* 346(1): 121–30. doi: <https://doi.org/10.1016/j.memsci.2009.09.028>.
- Liu, K., Lin, X., Chen, L., & Huang, L. (2013). “Preparation of Microfibrillated Cellulose/chitosan-Benzalkonium Chloride Biocomposite for Enhancing Antibacterium and Strength of Sodium Alginate Films.” *Journal of Agricultural and Food Chemistry* 61(26): 6562–67. doi: 10.1021/jf4010065
- Ma, Y., Shi, F., Ma, J., Wu, M., Zhang, J., & Gao, C. (2011). “Effect of PEG Additive on the Morphology and Performance of Polysulfone Ultrafiltration Membranes.” *Desalination* 272(1–3): 51–58. doi: <http://dx.doi.org/10.1016/j.desal.2010.12.054>.
- Mansourpanah, Y., Alizadeh, K., & Madaeni, S. (2011). “Using Different Surfactants for Changing the Properties of Poly (Piperazineamide) TFC Nano Filtration Membranes.” *Desalination* 271(1–3): 169–77. doi: <http://dx.doi.org/10.1016/j.desal.2010.12.026>.
- Meng, J., Zhang, X., Ni, L., Tang, Z., & Zhang, Y. (2015). “Antibacterial Cellulose Membrane via One-Step Covalent Immobilization of Ammonium/amine Groups.” *Desalination* 359: 156–66. doi: <http://dx.doi.org/10.1016/j.desal.2014.12.032>.
- Nostro, A., Scaffaro, R., & Botta, L. (2012). “Study on Carvacrol and Cinnamaldehyde Polymeric Films: Mechanical Properties, Release Kinetics and Antibacterial and Antibiofilm Activities.”
- Nuraje, N., Khan, W., Lei, Y., & Asmatulu, R. (2012). “Superhydrophobic Electrospun Nanofibers.” *Journal of Material Chemistry* (1): 1929-1946. doi: 10.1039/C2TA00189F
- Padaki, M., Murali, S., Abdullah, M., & Misdan, N. (2015). “Membrane Technology Enhancement in Oil-Water Separation. A Review.” *Desalination* 357: 197–207. doi: <http://dx.doi.org/10.1016/j.desal.2014.11.023>.
- Pandit, A., & Kumar, J. (2015). “Clean Water for Developing Countries.” *Annual Review of Chemical and Biomolecular Engineering* 6: 217–45. doi:
- Park, J., & Kim, S. (2017). “Antimicrobial Filtration with Electrospun Poly(vinyl Alcohol) Nanofibers Containing Benzyl Triethylammonium Chloride: Immersion, Leaching, Toxicity, and Filtration Tests.” *Chemosphere* 167: 469–77. doi: <http://dx.doi.org/10.1016/j.chemosphere.2016.10.030>.

Salma Zahra, 2017

KARAKTERISTIK, AKTIVITAS ANTIBAKTERI, DAN KINERJA MEMBRAN NANOKOMPOSIT KITOSAN/PEG/MWCNT/ BENZALKONIUM KLORIDA

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Rahimi, Z., Zinatizadeh, A., & Zinadini. (2015). "Preparation of High Antibiofouling Amino Functionalized MWCNTs/PES Nanocomposite Ultrafiltration Membrane for Application in Membrane Bioreactor." *Journal of Industrial and Engineering Chemistry* 29: 366–74.
- Rastogi, R., Kaushal, R., & Tripathi, S. (2008). "Comparative Study of Carbon Nanotube Dispersion Using Surfactants." *Journal of Colloid and Interface Science* 328(2): 421–28. doi: <http://dx.doi.org/10.1016/j.jcis.2008.09.015>.
- Song, R., Zhaohua, Z., & Lexun, L. (2016). "Evaluation of Chitosan Quaternary Ammonium Salt-Modified Resin Denture Base Material." *International Journal of Biological Macromolecules* 85: 102–10. doi: <http://dx.doi.org/10.1016/j.ijbiomac.2015.12.052>.
- Sun, X., Cao, Z., & Sun, Y. (2012). "An N-Halamine-Based Rechargeable Antimicrobial and Biofilm Controlling Polyurethane." *Acta Biomaterialia* 8(4): 1498–1506. doi: <http://dx.doi.org/10.1016/j.actbio.2011.12.027>.
- Takahashi, T., Imai, M., Suzuki, I., Sawai, J. (2008). "Growth Inhibitory Effect on Bacteria of Chitosan Membranes Regulated with Deacetylation Degree." *Biochemical Engineering Journal* 40(3): 485–91.
- Tezel, U., & Pavlostathis, S. (2015). "Quaternary Ammonium Disinfectants: Microbial adaptation, Degradation and Ecology." *Current Opinion in Biotechnology* 33(Mic): 296–304. doi: <http://dx.doi.org/10.1016/j.copbio.2015.03.018>.
- Van Der Bruggen, B., Vandecasteele, & Tim, V. (2003). "A Review of Pressure-Driven Membrane Processes in Wastewater Treatment and Drinking Water Production." *Environmental Progress* 22(1): 46–56. doi: 10.1002/ep.670220116
- Vasanth, D., G. Pugazhenti, & R. Uppaluri. (2013). "Cross-Flow Microfiltration of Oil-in-Water Emulsions Using Low Cost Ceramic Membranes." *Desalination* 320: 86–95.
- Yang, G., Xi, J., & Deng, Y. (2012). "Hydrothermal Synthesis of Bacterial cellulose/AgNPs Composite: A 'green' route for Antibacterial Application." *Carbohydrate Polymers* 87(4): 2482–87. doi:
- Yuan, Y., & Lee, T. (2013). *Contact Angle and Wetting Properties*. Springer Series in Surface Sciences. doi: <https://doi.org/10.1007/978-3-642-34243>
- Yuliwati, E., Ismail, A., & Matsuura, T. (2011). "Effect of modified PVDF hollow fiber submerged ultrafiltration membrane for refinery wastewater treatment" *Desalination* 283: 214–20. doi: <https://doi.org/10.1016/j.desal.2011.03.049>
- Zhang, X., Ma, J., Tang, W., & Wang, Z. (2016). "Antibiofouling Polyvinylidene Fluoride Membrane Modified by Quaternary Ammonium Compound: Direct Contact-Killing versus Induced Indirect Contact-Killing." *Environmental*

Science and Technology 50(10): 5086–93. doi: 10.1021/acs.est.6b00902