

## DAFTAR PUSTAKA

- Alam, Md. N., Bristi, N. J., Rafiquzzaman, Md. (2012). Review on in Vivo and in Vitro Methods Evaluation Of Antioxidant Activity. *Saudi Pharmaceutical Journal*, 21, 143–152.
- Andarwulan, N., Wijaya, H., Cahyono, T. (1996). Aktivitas Antioksidan dari Daun Sirih (*Piper betle* L). *Teknologi dan Industri Pangan*, 7, 6-9.
- Anonim. (tanpa tahun). *Escherichia coli* Bacteria. [Online]. Tersedia di : <https://www.microbiologyinpictures.com/escherichia%20coli.html>. (diakses pada 30 Juli 2017).
- Anonim. (tanpa tahun). *Staphylococcus Aureus* Bacteria. [Online]. Tersedia di : <https://www.microbiologyinpictures.com/staphylococcus%20aureus.html>. (diakses pada 30 Juli 2017).
- Anonim. (tanpa tahun). *Pseudomonas aeruginosa* Bacteria. [Online]. Tersedia di : <https://www.microbiologyinpictures.com/pseudomonas-aeruginosa.html>. (diakses pada 30 Juli 2017).
- Antony, B., Rekha, B., Shetty, A. K., Kuruvilla, T., Ramanathan, K. (2010). Semiquantitation And Characterization Of Streptococcus Mutans from Patients Under Going Orthodontic Treatment. *J Biosci Tech*, 1 (2), 59-63.
- Aspan, Ruslan. dkk. (2008). Taksonomi Koleksi Tanaman Obat Kebun Tanaman Obat Citeureup. Jakarta: BPOM Republik Indonesia.
- Aspan, Ruslan. dkk. (2010). Acuan Sediaan Herbal Volume Kelima Edisi Pertama. Jakarta: BPOM Republik Indonesia.
- Atun, S. (2014). Metode Isolasi dan Identifikasi Struktur Senyawa Organik Bahan Alam. *Jurnal Konservasi Cagar Budaya Borobudur*, 8, 53–61.

- Ballard, T. S. (2008). Optimizing The Extraction Of Phenolic Antioxidant Compound From Peanut Skin. Dissertation, The Faculty Of Virginia Polytechnic Institute And State University, Blacksburg, V A.
- Balouiri, M., Sadiki, M., Ibsouda, S. K. (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*, 6, 71–79.
- Banerji, A., Sarkar, M., Datta, R., Sengupta, P., Abraham. (2002). Amides from Piper brachystachyum and Piper retrofractum. *Phytochemistry*, 59, 897–901.
- Banwell, C.N. (1994). Fundamentals of molecular spectroscopy (4th edn.). New York: Mc Graw Hill.
- Bell, C dan Kyriakides, A. (2002). Foodborne pathogens. Dalam clive de W. Blackburn & peter J. McClure (Penyunting), *pathogenic Escherichia coli (hlm.279-306)*. England: woodhead publishing Ltd.
- Bermudez, M., and T. C. Hazen. (1988). Phenotypic and genotypic comparison of Escherichia coli from pristine tropical waters. *Appl. Environ. Microbiol*, 54, 979–983.
- Biswas, S.M., Chakraborty, N., Chakraborty, P., dan Sarkar, S. (2012). Antioxidant and Antimicrobial of The Hot Pungent Chabbarin are Responsible for the Medicinal Properties of *Piper chaba* Hunter. *Journal of Medicinal Plants*, 6, 574-586.
- Bodiwala, H. S., Singh, G., Singh, R., Dey, C. S., Sharma, S. S., Bhutani, K. K., Singh, I. P. (2007). Antileishmanial Amides and Lignans From Piper Cubeba and Piper retrofractum. *Journal of Natural Medicine*, 61, 418-421.
- BPOM RI. (2012). InfoPOM : Mengenal Cabe Jawa: Tanaman Obat Untuk Stamina Pria, 13(2).
- Brooks, G.F., Butel, J.S. and Morse S.A. (2001). Mycobacteriaceae in Jawetz Medical Microbiologi, 22ed, McGraw-Hill Companies Inc.

- Cannel, R. J. P. (1998). How to approach the isolation of a natural product dalam natural product isolation. New Jersey: Humana Press.
- Cappuccino, J., & Sherman, N. (2011). Microbiology : a laboratory manual. Ninth edition. California: the Benjamin comings publishing company Inc.
- Centers for disease control and prevention. (2016). Public Health Image Library (PHIL). [Online]. Tersedia di : <https://phil.cdc.gov/phil/details.asp?pid=1043>. (diakses pada 30 Juli 2017).
- Chansang, U., Zahiri, N. S., Bansiddhi, J., Boonruad, T., Thongsrirak, P., Mingmuang, J., Benjapong, N., Mulla, M.S. (2005). Mosquito Larvicidal Activity of Aqueous Extracts of long pepper (*Piper retrofractum* vahl) from Thailand. *Journal of Vector Ecology*, 30, 195-200.
- Characteristics. *International Journal of Chemistry*, 5(3), 99–122. Paju, N., Yamlean, P. V.Y., Kojong, N. (2013). Uji Efektivitas Salep Ekstrak Daun Binahong (*Anredera cordifolia* (Ten.) Steenis) pada Kelinci (*Oryctolagus cuniculus*) yang Terinfeksi Bakteri *Staphylococcus aureus*. *Jurnal Ilmiah Farmasi – UNSRAT*, 2(1).
- Costa, G. M., Endo, E. H., Cortez, D.A.G., Nakamura, T.U., Nakamura, C.V., Filho, B.P.D. (2016). Antimicrobial effects of *Piper hispidum* extract, fractions and chalcones against *Candida albicans* and *Staphylococcus aureus*. *Journal De Mycologie Médicale*, 612, 10.
- Coyle, Marie B. (2005). Manual of Antimicrobial Susceptibility Testing. American Society for Microbiology.
- Damian, L dan Patachia, S. (2014). Method for testing the antimicrobial character of the materials and their fitting to the scope. *Bulletin of the Transilvania University of Braşov*, 7(56), 2.
- Darah I., Lim C. L., Aili N. Z., Afifah, N., Fariza S. (2011). Effects of methanolic extract of a soft sponge, *haliclona* sp. on bacterial cells: structural

degeneration study . *Pharmacie globale international journal of comprehensive pharmacy*, 7 (03).

Das, K., Tiwari, R. K. S., Shrivastava, D. K. (2010). Techniques for evaluation of medicinal plant products as antimicrobial agent: Current methods and future trends. *Journal of Medicinal Plants Research*, 4(2), 104-111.

Dasgupta, Nabasree dan De Bratati. (2004). Antioxidant activity of Piper betle L. leaf extract in vitro. *Food Chemistry*, 88, 219–224.

Davis, W.W and Stout, T.R. 1971. Disc Plate Methods of Microbiological Antibiotic Assay. *Microbiology*, 22(4), 659-665.

Dewick, D. (2000). Medicinal natural products-A biosynthetic approach (3<sup>rd</sup> ed., pp.21, 147-153, 166-169, 326-328). United Kingdom: John Wiley & Sons Ltd.

Djamil, Ratna., dan Anelia. (2009). Penapisan Fitokimia, Uji BSLT, dan Uji Antioksidan Ekstrak Metanol Beberapa Spesies Papilionaceae. *Jurnal Ilmu Kefarmasian Indonesia*, 7(2), 65-71.

Dziedzic, A., Wojtyczka, R. D., Kubina, R. (2015). Inhibition of Oral Streptococci Growth Induced by the Complementary Action of Berberine Chloride and Antibacterial Compounds. *Molecules*, 20, 13705-13724.

Evizal, R. (2013). Status Fitofarmaka dan Perkembangan Agroteknologi Cabe Jawa *Piper Retrofractum Vahl*. *Agrotropika*, 18(1), 34–40.

Fani, M., Kohanteb, J., Dayaghi, M. (2007). Inhibitory activity of garlic (*Allium sativum*) extract on multidrug\_resistant *Streptococcus mutans*. *J Indian Soc Pedod Prevent Dent*.

Gerothanassis, I. P., Troganis, A., Exarchou, V., Barbarossou, K. (2002). Nuclear magnetic resonance (nmr) spectroscopy: Basic principles and phenomena, and their applications to chemistry, biology and medicine. *Chemistry education:research and practice in europe*, 3(2), 229-252.

- Ghisalberti, E.L. (2008). Detection and isolation of bioactive natural products dalam bioactive natural products: detection, isolation, and structural determination 2<sup>nd</sup> edition. New York: CRC Press.
- Hendayana, S., Kadarohman, A., Sumarna, A.A., dan Supriatna, A. (1994). Kimia Analitik Instrumen. Semarang : IKIP Semarang Press.
- Heyne, K. (1987). Tumbuhan Berguna Indonesia Jilid III. Jakarta : Badan LitbangKehutanan.
- Holti, G. P., Sneath, J. T., Stanley., William, S. T. (1994). Bergeys Manual Determinative Bakteriologi. USA: Baltimore William and Wilkins.
- Huang, D., Ou, B., Prior, R. L. (2005). Reviews - The Chemistry Behind Antioxidant Capacity Assays. *Journal of Agricultural and Food Chemistry*, 53, 1841-1856.
- Ingraham, J. L., and A. G. Marr. 1987. *In*: F. C. Neidhardt (Ed.) *Escherichia coli* and *Salmonella typhimurium*. ASM Press. Washington, DC. 1570–1572.
- Jamal, Y., Irawati, P., Fathoni, A., Agusta, A. (2013). Chemical Constituents and Antibacterial Effect of Essential Oil of Javaneese Pepper Leaves (*Piper Retrofractum* Vahl.).*Media Litbangkes*, 23(2), 65-72.
- James, T. L. (1998). Fundamentals of NMR. San Francisco: Department of Pharmaceutical Chemistry University of California.
- Jawetz E., J. L. Melnick, E. A. Adelberg, G. F. Brooks, J. S. Butel, L. N. Ornston. (1995). Mikrobiologi Kedokteran, ed. 20, University of California, San Francisco.
- Karaman, D. S., Manner, S., Fallarero, A., Rosenholm, J. M. (2017). Current Approaches for Exploration of Nanoparticles as Antibacterial Agents. *Intech*. pp. 70.

- Karsha, Pavithra dan Lakshmi. (2009). Antibacterial activity of black pepper (*Piper nigrum* Linn.) with special reference to its mode of action on bacteria. *Indian Journal of Products and Resources*, 1(2), 213-215.
- Kikuzaki, H., Kawabata, M., Ishida, E., Akazawa, Y., Takei, Y., Nakatani, N. (1993). LC-MS Analysis and Structural Determination of New Amides from Javanese Long Pepper (*Piper retrofractum*), *Bioscience, Biotechnology, and Biochemistry*, 57(8), 1329-1333.
- Kim, K. J., Lee, M. S., Jo, K., Hwang, J. K. (2011). Piperidine Alkaloids From *Piper retrofractum* Vahl. Protect Against High-Fat-Diet-Induced Obesity By Regulating Lipid Metabolism and Activating AMP-Activated Protein Kinase. *Biochemical and Biophysical Research Communications*, 411, 219-225.
- Kirtiker, K. R., dan B. D. Basu. (2003). Indian Medicinal Plants. *Bishen Singh Mahendra Pal Singh, Dehra Dun*, 3(2), 2130–2131.
- Kluytmans, J., Van Belkum, A. & Verbrugh, H. (1997). Nasal Carriage of *Staphylococcus aureus*: Epidemiology, underlying mechanisms, and associated risks. *Clinical Microbiology Reviews*, 10, 505-520.
- Koleva, I. I., van Beek, T. A., Linssen, J. P. H., de Groot, A., Evstatieva, L. N. (2002). Screening Of Plant Extracts For Antioxidant Activity: A Comparative Study On Three Testing Methods. *Phytochemical Analysis*, 13, 8-17.
- Kristanti, A.N., Aminah, N.S., Tanjung, M., Kurniadi, B. (2008). Buku Ajar Fitokimia. Surabaya : Laboratorium Kimia Organik Jurusan Kimia FMIPA Universitas Airlangga.
- Kubo, M., Ishii, R., Ishino, Y., Harada, K., Matsui, N., Akagi, M., Kato, E., Hosoda, S., Fukuyama, Y. (2013). Evaluation of Constituents of *Piper retrofractum* Fruits on Neurotropic Activity. *Journal of Natural Products*.
- Kumar, A., Khan, I. A., Koul, S., Koul, J. L., Taneja, S. C., Ali, I., Ali, F., Sharma, S., Mirza, Z. M., Kumar, M., Sangwan, P. L., Gupta, P., Thota, N.,

- Qazi, G. N. (2008). Novel structural analogues of piperine as inhibitors of the NorA efflux pump of *Staphylococcus aureus*. *Journal of Antimicrobial Chemotherapy*.
- Kusmiyati dan Ni Wayan Sri Agustini. (2007). Uji aktivitas senyawa antibakteri dari mikroalga *Porphyridium cruentum*. *Biodiversitas*, 8,(1), 48-53.
- Lim, T. K. (2012). *Edible Medicinal and Non-medicinal Plants, Volume 4*. Netherlands: Springer Science & Business.
- Luyen, B. T. T., Tai, B. H., Thao, N. P., Yang, S. Y., Cuong, N. M., Kwon, Y. I., Jang, H. D., Kim, Y. H. (2014). A New Phenylpropanoid and An Alkylglycoside From Piper Retrofractum Leaves With Their Antioxidant and  $\alpha$ -glucosidase Inhibitory Activity. *Bioorganic & Medicinal Chemistry Letters*, 24, 4120-4124.
- Madigan, M. T., Martinko, J. M., Parker, J. (2004). *Brock Biology of Microorganisms*. USA: Prentice Hall International.
- Molyneux, P. (2004). The Use of The Stable Free Radical Diphenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity. *Journal of Science Technology*, 26 (2):211-219 .
- Muharini, R., Liu Z., Lin W., Proksch P. (2015). New Amides From The Fruits of Piper retrofractum. *Tetrahedron Letters*, 56, 2521-2525.
- Mukhriani. (2014). Ekstraksi, Pemisahan Senyawa, dan Identifikasi Senyawa Aktif. *Jurnal Kesehatan*, 7(2).
- Nikaido, H. (2003). Molecular Basis of Bacterial Outer Membrane Permeability Revisited. *Microbiology and Molecular Biology Reviews*, 67(4), 593-656.
- Okwute, S. K., Egharevba, H. O., Hunter, P., Piper, L., Linn, P., Forst, P., & Asia, S. E. (2013). Piperine-Type Amides : Review of the Chemical and Biological.

- Pelezar, M. J., Chan, E. C. S. (1986). Dasar-dasar Mikrobiologi. Hadioetomo R, Sutarmi I, Angka SL, penerjemah. Jakarta: UI. Terjemahan dari: Element of Microbiology.
- Pokorny, J., Yanishlieva, N., Gordon, M. (2001). Antioxidant in Food. Practical Applications. England: Woodhead Publishing LLtd and CRC press LLC.
- Prasad, M.P. dan Sushant. (2014). In-Vitro Antioxidant Potential Analysis of Some Medicinal Plant Species Found in Southern India. *Indian Journal of Advances in Plant Research (IJAPR)*, 1(2), 27-30.
- Radji, M. (2011). Buku Ajar Mikrobiologi Panduan Mahasiswa Farmasi dan Kedokteran. Jakarta: Penerbit Buku Kedokteran EGC.
- Rahman, A., Al-reza, S. M., Kang, S. C. (2011). Antifungal Activity of Essential Oil and Extracts of *Piper chaba* Hunter Against Phytopathogenic Fungi. *The Journal of the American Oil Chemists' Society*, 88:573-579.
- Rani, S. K. S., Saxena, N., Udaysree. (2013). Antimicrobial Activity of Black Pepper (*Piper nigrum L.*). *Global Journal of Pharmacology*, 7 (1), 87-90.
- Shalehah, R. S. (2016). Pemisahan dan pemurnian senyawa metil piperat dari ekstrak metanol tumbuhan cabe jawa (*Piper Retrofractum*) asal Jawa Barat. (Skripsi). Universitas Pendidikan Indonesia. Bandung.
- Rossolini, G. M dan Mantengoli, E. (2005). Treatment and control of severe infections caused by multiresistant *Pseudomonas aeruginosa*. *Clinical Microbiology and Infection*, 11(4).
- Samaranayake, L. (2006). Essential microbiology for dentistry. 3<sup>rd</sup> ed. USA: Churchill Livingstone Elsevier.
- Sarker, S.D., Latif, Z., and Gray, A.L. (2006). Natural product isolation. New Jersey: Humana Press.
- Simanjuntak, Partomuan. (). Strategi pencarian senyawa bioaktif baru dari sumber bahan alami tumbuhan. Puslit Bioteknologi-LIPI, Fakultas Farmasi Fissa Viantina Fauzan Azima, 2017  
**UJI AKTIVITAS BIOLOGI DARI EKSTRAK DIKLOROMETANA BUAH CABE JAWA (*Piper retrofractum*) ASAL JAWA BARAT DAN ANALISIS METABOLIT SEKUNDERNYA**  
 Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

Universitas Pancasila, Srengsengsawah, Jagakarsa, Jakarta.

Singh, Chand dan Rai, Nagendra Pal. (2013). *In vitro* Antibacterial Activity of *Piper Longum L.* Fruit. *International Journal of Pharmaceutical Sciences Review and Research*, 18(2),16, 89-91.

Shahidi, Fereidoon. (1997). *Natural Antioxidants: Chemistry, Health Effects, and Applications*. Canada : AOCS Press.

Sharma, S., & Roy, S. (2015). Isolation and identification of a novel endophyte from a plant *amaranthus spinosus*. *International journal of current microbiology and applied sciences*, 4(2), 785-798.

Silverstein, R. M., Bassler, G.C., Moril, T. C. (1981). *Penyidikan spektrometri senyawa organik*. Jakarta: Erlangga.

Soebagio. (2002). *Kimia Analitik II*. Malang. Universitas Negeri Malang.

Sticher, Otto. (2007). Natural product isolation. *The Royal Society of Chemistry*, 25, 517–554.

Stover, C. K., Pham, X. Q., Erwin, A. L., Mizoguchi, S.D., Warrenner P, Hickey, M.J. (2000). Complete genome sequence of *Pseudomonas aeruginosa* PAO1, an opportunistic pathogen. *Nature*, 406:959-964.

Supratman, Unang. (2010). *Elusidasi struktur senyawa organik: metode spektroskopi untuk penentuan struktur senyawa organik*. Bandung: Widya Padjadjaran.

Taukoorah, U., Lall, N., Mahomoodally, F. (2016). *Piper betle L.* (betel quid) shows bacteriostatic, additive, and synergistic antimicrobial action when combined with conventional antibiotics. *South African Journal of Botany*, 105, 133–140.

- Tenover, F.C., Swenson J. M., O'Hara C. M., Stocker S. A. (1995). Ability of commercial and reference antimicrobial susceptibility testing methods to detect vancomycin resistance in Enterococci. *J. Clin. Microbiol*, 33(6): 1524-1527.
- Tesso, Hailemichael. (2005). Isolation and Structure Elucidation of Natural Products from Plants. Disertation, Institute of Organic Chemistry University of Hamburg.
- Tian F, Li B, Ji B, Yang J, Zhang G, Chen Y, Luo Y. (2009). Antioxidant and antimicrobial activities of consecutive extracts from *Galla chinensis*: the polarity affects the bioactivities. *Food Chem*, 113, 173-179.
- Valgas, S. M. DeSouza, E. F. A. Smânia. (2007). Screening methods to determine antibacterial activity of natural products, *Braz. J. Microbiol*, 38, 369–380.
- Vogel. (1978). Vogel's Textbook of Quantitative Inorganic Analysis Including Elementary Instrumental Analysis. Fourth edition. London : The English LanguageBook Society and Longman.
- Wasito, H., Ekowati, H., Hayati, F. F. (2011). In Vitro Antioxidant Activity of *Zingiber officinale*, *Piper retrofractum*, and Their Combinations. Indonesian *Journal of Cancer Chemoprevention*, 2011, 2(3): 295-298.
- Waterman, S. R., and P. L. Small. (1996). Characterization of the acid resistance phenotype and rpoS alleles of shigalike toxin-producing Escherichia coli. *Infect. Immun*, 64, 2808–2811.
- Williams, B. W. (1995). Use of A Free Radical Method to Evaluate Antioxidant Activity. *Food Science Technology*, 28, 25–30.
- Winarsi H. (2007). Antioksidan Alami dan Radikal Bebas. Kanesus: Yogyakarta.
- Woong Ahn, J., Lee, C.O., Kim, E. J., Zee, O. P., Kim, H. J. 1992. Piperoctadecalidine, A New Piperidine Alkaloid From *Piper retrofractum* Fruits. *Bull. Korean Chem., Soc.*, 13(4), 388-391.

Yahr, T.L dan Parsek, M.R. (2006). *Pseudomonas aeruginosa*. Dalam Martin Dworkin dkk (penyunting), *The Prokaryotes (hlm. 704–713)*. Singapura: Springer science.

Zhao H X, Rinaldi A C, Rufo A, Bozzi A, Kinnunen P K J, Di-Giulio A; Structural and charge requirements for antimicrobial peptide insertion into biological and model membranes. In: Menestrina, G., Dalla-Serra, M. and Lazarovici, P. (eds). *Pore Forming Peptides and Protein Toxins*. New York, Harwood Academic Publishers. 2003; 151-177.