

DAFTAR PUSTAKA

- Amadi, B.A., Duru, M. K. C., dan Agomuo, E.N. (2012). Chemical Profiles of Leaf, Stem, Root and Flower of *Ageratum conyzoides*. *Pelgia Research Library*, 2 (4), hlm. 428-432.
- Athman, S.Y. (2006). *Host-endophyte-pest Interaction of Endophytic Fusarium oxysporum Antagonistic to Radopholus similis in Banana (Musa sp.)*. South Africa : University of Pretoria.
- Avis, T. J. dan Belanger, R. R. (2001). Specificity and Mode of Action of the Antifungal Fatty Acid *cis*-9-Heptadecenoic Acid Produced by *Pseudozyma flocculosa*. *Aplied and Enviromental Microbiology*, 67(2).
- Bacon C. W. dan Hinton D. M. (2006). *Plant-Associated Bacteria: Bacterial endophytes: the endophytic niche, its occupants, and its utility*. Netherland: Springer.
- Balansakar, D., Vanilarasu, K., Preetha, P. S., Umadevi, S. R. M., dan Bhowmik, D. (2013). Traditional and Medicinal Uses of Vetiver. *Journal of Medicinal Plants Studies*, 1(3), hlm. 191-200.
- Balouiri, M. Sadiki, M. dan Koraichi, S. (2016). Methods for In Vitro Evaluating Antimicrobial Activity: A review. *Journal of Pharmaceutical*, 6, hlm. 71-79.
- Berić, T., Kojić, M., Stanković, S., Topisirović, L., Degrassi, G., Myers, M., Venturi, V., dan Fira, D. (2012). Antimicrobial activity of *Bacillus* sp natural isolates and their potential use in the biocontrol of phytopathogenic bacteria. *Food Technol Biotechnol*, 50(1), hlm. 25-31.
- Bhushan, B., Kumar, S. S., Tanuja, S., Lalith, S., dan Hema, A.. (2013). *Vetiveria zizanioides* (Linn.) Nash: A Pharmacological Overview. *International Reasearch Journal of Pharmacy*. 4(7), hlm. 18-20.
- Blanco, J. M. dan Lugtenberg, B. J. J. (2014). Biotechnological Applications of Bacterial Endophytes. *Current Biotechlogy*, 3, hlm. 60-75.
- Boucher, H. W., Groll, A. H., Chiou, C. C., dan Walsh, T. J. (2004). Newer systemic antifungal agents. *Drugs*, 64, hlm. 1997-2020.
- Brader, G., Compant, S., Mitter, B., Trognitz, F., dan Sessitsch, A. (2014). Metabolic Potential of Endophytic Bacteria. *Current Opinion in Biotechnology*, 27, hlm. 30-37.

- Campese, M., Sun, X., Bosch, J. A., Oppenheim, F. G., dan Helmerhorst, E. J. (2009). Concentration and fate of histatins and acidic proline-rich proteins in the oral environment. *Archives of Oral Biology*, 54, hlm. 345-353.
- Cappuccino, J.G. dan Sherman, N. (2011). *Microbiology : A Laboratory Manual. Ninth Edition*. Pearson.
- Cawoy, H., Debois, D., Franzil, L., De Pauw, E., Thonart, P., dan Ongena, M. (2015). Lipopeptides as main ingredients for inhibition of fungal phytopathogens by *Bacillus subtilis/amyloliquiefaciens*. *Microbial Biotechnolog*, 8, hlm. 281-295.
- Chahal, K. K., Kaushal, S., dan Sandhu, A. K. (2015). Chemical Composition and Biological Properties of *Chrysopogon zizanioides* (L.) Roberty syn. *Vetiveria zizanioides* (L.) Nash- A Review. *Indian Journal of Natural Products and Resources*, 6(4), hlm. 251-260.
- Chaudhry, V., Sharma, S., Bansal, K., dan Patil, P. B. (2017). Glimpse into Genomes of Rice Endophytic Bacteria: Diversity and Distribution of Firmicutes. *Frontiers in Microbiology*, 7
- Chen, S. C. A. dan Sorell, T. C. (2007). Antifungal Agents. *The Medical Journal of Australia*, 187(7), hlm. 404-409.
- Chen, C., Xin, K., Liu, H., Cheng, J., Shen, X., Wang, Y., dan Zhang, L. (2017). *Pantoea alhagi*, a novel endophytic bacterium eith ability to improve growth and drought tolerance in wheat. *Scientific Reports*, 7.
- Christina, A., Christopher, V., dan Bhole, S. J. (2012). Endophytic Bacteria as a Source of Novel Antibiotics: An Overview. *Pharmacognosy Reviews*, 7 (13), hlm. 11-16.
- Clinical and Laboratory Standards Institute. (2002). *Reference Method for Broth Dilution Antifungal Susceptibility Testing of Yeast; Approved Standard—Second Edition*. Pennsylvania: NCCLS.
- Clinical and Laboratory Standards Institute. (2004). *Method for Antifungal Disk Diffusion Susceptibility Testing of Yeasts; Approved Guideline*. Pennsylvania: NCCLS.
- Compant, S., Reiter, B., Sessitsch, A., Nowak, J., Clément, C., dan Barka, E. A. (2005). Endophytic colonization of *Vitis vinifera* L. by plant growth-

- promoting bacterium *Burkholderia sp.* strain PsJN. *Appl Environ Microbiol*, 71, hlm. 1685-1693.
- Costa, A. C. B. P. Pereira, C. A., dan Brito, G. N. B. (2015). Mini-review- *Candida Albicans* Biofilms: Characteristics, Clinical Relevance, and Drug Susceptibility. *Formatex*, hlm. 413-421.
- Cretton, S., Dorsaz, S., Azzollini, A., Favre-Godal, Q., Marcourt, L., Ebrahimi, S. N., Voinesco, F., Michellod, E., Sanglard, D., Gindro, K., Wolfender, J. L., Cuendet, M., dan Christen, P. (2016). Antifungal Quinoline Alkaloids from *Waltheria indica*. *Journal of Natural Products*.
- Dabur, R. (2004). A Novel Antifungal Pyrrole Derivate from *Datura metel* Leaves. *Pharmazie*, 59(7), hlm. 568-570.
- Davidson, W. S., Saxen, R. K, dan Gupta, R. (1999). *The fungstatic action of oleic acid*. [Online]. Diakses dari: <http://www.iisc.ernet.in/currsci/apr25/articles25.htm>.
- Demain A. L. & Fang, A. (2000). The Natural Functions of Secondary Metabolites. *Adv. Biochem Eng Biotechnology*, 69.
- De Seta, F., Schmidt, M., Vu, B., Essmann, M., dan Larsen, B. (2008). Antifungal mechanisms supporting boric acid therapy of *Candida* vaginitis. *Journal of Antimicrobial Chemotherapy*, 63, hlm. 325-336.
- Devprakash, D. Srinivasan, K.K., Subburaju, T. dan Singh, S. K. (2011). Antimicrobial activity alcoholic and aqueous extract of *Vetiveria zizanioides*. *Journal of Pharmacy Research*, 4(5), hlm 1343-1344.
- Dinesh, S., Ajit, P., Madhav, P., Chetan, P., dan Prachi, P. (2013). Study Of Antifungal Activity Of Boric Acid On Vaginal Pathogens. *International Journal of Advanced Biotechnology and Research*, 4(3), hlm. 319-323.
- Djarmika. (2007). Potensi Dari Tiga Genus Bakteri Dari Tiga Rhizosfer Tanaman Sebagai Agensia Pengendalian Hayati Penyakit Lincat. *J. Ilmu-ilmu Pertanian Indonesia*, 9 (1), hlm. 40-47.
- Encyclopedia of Life. (2015). *Candida albicans*. [Online]. Diakses dari: http://eol.org/pages/1013921/hierarchy_entries/60965445/overview.

- Fauziah, N. (2012). *Potensi Bakteri Endorizosfer Ageratum conyzoides L. sebagai Antagonis Patogen Manusia*. Skripsi. Fakultas Pendidikan Matematika dan Ilmu Pengtahuan Alam. Universitas Pendidikan Indonesia. Bandung.
- Federer, W. T. (1977). *Experimental Design Theory and Application, Third Edition*. New Delhi: Oxford and IBH Publishing.
- Firdaus, F. (2016). *Deteksi Gen Anti Fungi Isolat Bakteri Endofit Akar Tumbuhan Obat*. Skripsi. Fakultas Pendidikan Matematika dan Ilmu Pengtahuan Alam. Universitas Pendidikan Indonesia. Bandung.
- Fitriani, A., Fajrul, I., dan Yanti, H. Maemunah. (2015). Antibacteri Activity of *Shewanella* and *Pseudomonas* Endophytic Bacteria from the the Root of *Ageratum conyzoides*. *Asian Journal of Applied Science*, 3(3).
- Fouts, D. E., Tyler, H. L., DeBoy, R. T., Daugherty, S., Ren, Q., Badger, J. H., Durkin, A. S., Huot, H., Shrivastava, S., Kothari, S., Mohamoud, Y., Khouri, H., dan Dodson, R. J. (2008). Complete genomes sequence of N₂- Fixing Broad Host Range Endophyte *Klebsiella pneumoniae* 342 and Virulence Predictions Verified Mice. *PLOs Genetics*, 4(7).
- Gaiero, J. R., McCall, C. A., Thompson, K. A., Day, N. J., Best, A. S., dan Dunfield, K. E. (2013). Inside The Root Microbiome: Bacterial Root Endophyte and Plant Growth Promotion. *American Journal of Botany*, 100(9), hlm. 1738–1750.
- Gavilan, J. V. (2016). *Ageratum conyzoides (Blue billygoatweed)*. [Online]. Diakses: <http://www.cabi.org/isc/datasheet/3573> .
- Girthers, T. S. (1948). *Drug plants of Africa*. African Handbooks.
- Global Biodiversity Information Facility. (2017). *Ageratum conyzoides L.* [Online]. Diakses: <http://www.gbif.org/species/5401673>
- Gokulan, K., Khare, S., dan Cerniglia, C. (2014). Production of Secondary Metabolites of Bacteria. *Encyclopedia of Food Microbiology*, 2, hlm. 561-569.
- Gupta, G. (2012). Natural occurrence of *Pseudomonas aeruginosa* , a dominant cultivable diazotrophic bacterium colonizing *Pennisetum galucum* (L.) R. Br., *Applied Soil Ecology*, 64, hlm. 252-261.

- Haque, E., Irfan, S., Kamil, M., Sheikh, S., Hasan, A., Ahmad, A., Lakshmi, V., Nazir, A., dan Mir, S. S. (2016). Terpenoids with Antifungal Activity Trigger Mitochondrial Dysfunction in *Saccharomyces cerevisiae*. *Microbiology*, 85(4), hlm. 436-443.
- Havlickova, B., Czaika, V. A. dan Friedrich, M. (2008). Epidemiological Trends in Skin Mycoses Worldwide. *Mycoses Diagnosis Therapy and Prophylaxis of Fungal Disease*, 51(4), hlm. 2-15.
- Hung PQ, Annapurna K. 2004. Isolation and characterization of endophytic bacteria in soybean (*Glycine* sp.). *Omonric*, 12, hlm. 92-101.
- Ihsan, F. (2013). Identifikasi Metabolit Sekunder Potensial Antibakteri pada Bakteri Endorizosfer *Ageratum conyzoides*. *Skripsi*. Universitas Pendidikan Indonesia (UPI).
- Irfan, M., Alam, S., Manzoor, N., dan Abid, M. (2017). Effect of quinoline based 1,2,3-triazole and its structural analogues on growth and virulence attributes of *Candida albicans*. *PLoS ONE*, 12(4)
- Irlinger, F., Loux, V., Bento, P., Gibrat, J. F., Straub, C., Bonnarme, P., Landaud, S., dan Monnet, C. (2012). Genome sequence of *Staphylococcus equorum* subsp. *equorum* Mu2, Isolated from a French Smear Ripened Cheese. *Journal of Bacteriology*, 194(18)
- Jawetz, Melnick, Adelberg. (2008). *Mikrobiologi Kedokteran*. Jakarta : EGC.
- Jayashree, S., Rathinamala, J. dan Lakshamanalperumasamy, P. (2011). Antimicrobial Activity of *Vetiveria zizanioides* against Some Pathogenic Bacteria and Fungi. *Int J Phytomed Related Industry*, 3(2), hlm. 151-156.
- Jeff. (2012). *Oxygen and Candida albicans*. [Online]. Diakses dari: <http://www.curezone.org/blogs/fm.asp?i=1905970>.
- Jiang, Z., Kullberg, B. J., Van Der Lee, H., Vasil, A. I., Hale, J. D., Mant, C. T., Hancock, R. E. W., Vasil, M. L., Netea, M. G., dan Hodges, R. S. (2008). Effects of hydrophobicity on the antifungal activity of α -helical antimicrobial peptides. *Chem Biol Drug Des*, 72(6), hlm. 483-495.
- Jurtshuk, P. (1996). *Medical Microbiology. 4th Edition: Bacterial Metabolism*. Galveston: University of Texas Medical Branch at Galveston.

- Kauffman, C. A. (2004). New Antifungal Agent. *Semin Respir Crit Care Med*, 25(2), hlm 233-239.
- Köberl, M., Schmidt, R., Ramadan, E. M., Bauer, R., dan Berg, G. (2013). The Microbiome of Medicinal Plants : Diversity and Importance for Plant Growth, Quality and Health. *Frontiers in Microbiology*, 4, hlm. 1-8.
- Kokate, C. K. (1989). *Practical Pharmacognosy*. New Delhi: Orient Publishers.
- Kokwaro, J. O. (1976). *Medicinal Plants of East Africa*. Nairobi: University of Nairobi Press.
- Liu, X., Ren, B., Gao, H., Liu, M., Dai, H., Song, F., Yu, Z., Wang, S., Hu, J., Kokare, C. R., dan Zhang, L. (2012). Optimization for the Production of Surfactin with a New Synergistic Antifungal Activity. *Plos One*, 7(5).
- Lodewyckx, C., Vangronsveld, J., Porteous, F., Moore, E. R., Taghavi, S., Mezgeay, M., dan der Lelie, D. V. (2002). Endophytic bacteria and their potential applications. *CRC Crit Rev Plant Sci*, 21, hlm. 583–606.
- Madigan, M.T., Martinko, J.M., Stahl, D.A., Clark, D.P. (2012). Brock Biology of Microorganisms (13th Edition). San Fransisco.
- Mahmoud, D. A., Hassanein, N. M., Youssef, K. A., dan Zeid, A. (2011). Antifungal activity of different neem leaf extracts and the nimonol against some important human pathogens. *Brazillian Journals of Microbiology*, 42(3), hlm. 1007-1016.
- Maier, R. M. (2000). *Enviromental Microbiology: Bacterial Growth*. Tucson: Elsevier
- Malvanova, N. V. (2013). *Endophytic Bacteria with Plant Growth Promoting and Biocontrol Abilities*. Leiden: Institute Biology of Leiden (IBL), Faculty of Science, Leiden University
- Mania, D., Hilpert, K., Ruden, S., Fischer, R., dan Takeshita, N. (2010). Screening for Antifungal Peptides and Their Modes of Action in *Aspergillus nidulans*. *Applied And Environmental Microbiology*, 76 (21), hlm. 7102-7108.
- Manter, D. K., Delgado, J. A., Holm, D. G., dan Stong, R. A. (2010). Pyrosequencing reveals a highly diverse and cultivar-specific bacterial endophyte community in potato roots. *Microb. Ecol*, 60, hlm. 157-166.

- Masita, R. (2016). *Aktivitas Antifungi Isolat Bakteri Endofit Akar Tanaman Obat Terhadap Candida Albicans dan Trichophyton Mentagrophytes*. Skripsi. Fakultas Pendidikan Matematika dan Ilmu Pengetahuan Alam. Universitas Pendidikan Indonesia. Bandung.
- Mayer, F., Wilson, D., dan Hube, B. (2013). *Candida albicans* pathogenicity mechanism. *Landes Bioscience*, 4(2), hlm. 119-128.
- Morales, D. K., Jacobs, N. J., Rajamani, S., Krishnamurthy, M., Cubillos-Ruiz, J. R., dan Hogan, D. A. (2010). Antifungal mechanisms by which a novel *Pseudomonas aeruginosa* phenazine toxin kills *Candida albicans* in biofilms. *Molecular Microbiology*, 78 (6), hlm. 1379-1392.
- Morales, D. K., Grahl, N., Okegbe, C., Dietrich, L. E., Jacobs, N. J., dan Hogan, D. A. (2013). Control of *Candida albicans* Metabolism and Biofilm Formation by *Pseudomonas aeruginosa* Phenazines. *mBio Journals*, 4(1).
- Nadeem, S. G., Shafiq, A., Hakim, S. T., Anjum, Y., dan Kazm, S. U. (2013). Effect of Growth Media, pH and Temperature on Yeast to Hyphal Transition in *Candida albicans*. *Open Journal of Medical Microbiology*, 3, hlm. 185-192.
- National Institute of Health. (2012). *Alternative Approaches to Antifungal Therapies*. Tübingen: Exp Dermatol.
- Nazir, M. 2005. *Metode Penelitian*. Jakarta: Ghalia Indonesia.
- Nindhia, I.P.S.T.S. (2013). *Penuntun Praktikum Rancangan Percobaan dengan SPSS*. Universitas Udayana.
- Okunade, A. L. (2002). Review- *Ageratum conyzoides* L.(Asteraceae). *Fitoterapia*, 73, hlm: 1-16
- Pareek, A. dan Kumar, A. (2013). Ethnobotanical and Pharmaceutical Uses of *Vetiveria Zizanioides* (Linn) Nash: A Medicinal Plant of Rajasthan. *International Journals of Life Science and Pharma Research*, 3(4), hlm. 12-18.
- Permatasari, Y. (2011). *Karakterisasi dan Identifikasi Molekuler Bakteri Endofit Akar Vetiveria zizanioides L. .* Skripsi. Fakultas Pendidikan Matematika dan Ilmu Pengetahuan Alam. Universitas Pendidikan Indonesia. Bandung.

- Pimentel, M. R., Molina, G., Dionísio, A. P., Maróstica Junior, M. R., dan Pastore, G. M. (2011). The use of endophytes to obtain bioactive compounds and their application in biotransformation process. *Biotechnology Research International*, hlm 1-11.
- Pratiwi, D. (2013). *Kandungan Metabolit Sekunder yang Berpotensi sebagai Antibakteri dari Bakteri Endofit Akar Vetiveria zizanioides*. Skripsi. Fakultas Pendidikan Matematika dan Ilmu Pengetahuan Alam. Universitas Pendidikan Indonesia. Bandung.
- Ruiz, B., Chávez, A., Forero, A., García-Huante, Y., Romero, A., Sánchez, M., Rocha, D., Sanchez, B., Rodriguez-Sanoja, R., Sanchez, S., dan Langley, E. (2010). Production of Microbial Secondary Metabolites: Regulation by the Carbon Source. *Critical Reviews in Microbiology*, 36 (2), hlm. 146-167.
- Rosica, P. (2015). *Eksplorasi Gen Polyketide Synthase dan Identifikasi Molekuler Bakteri Endofit Akar Ageratum conyzoides*. Skripsi. Fakultas Pendidikan Matematika dan Ilmu Pengetahuan Alam. Universitas Pendidikan Indonesia. Bandung.
- Ryan, R. P., Germaine, K., Franks, A., Ryan, D. J., dan Dowling, D. N. (2008). Bacterial endophytes: Recent Development and Applications. *FEMS Microbiol Lett.*, 278, hlm. 1-9.
- Saag, M. S., Graybill, R. J., Larsen, R. A., Pappas, P. G., Perfect, J. R., Powderly, W. G., Sobel, J. D., dan Dismukes, W. E. (2000). Practice guidelines for the management of cryptococcal disease. Infectious Diseases Society of America. *Clin Infect Dis*, 30(4), hlm. 710-718.
- Sardi, J. C. O., Scorzoni, L., Bernardi, T., Fusco-Almeida, A. M., dan Giannini, M. M. (2013). Candida Species: Current Epidemiology, Pathogenicity, Biofilm Formation, Natural Antifungal Products and New Therapeutic Options. *Journal of Medical Microbiology*, 62, hlm. 10–24
- Sholichah, N.M. (2010). *Isolasi Rare Actinomycetes dari Pasir Pantai Depok Daerah Istimewa Yogyakarta yang Berpotensi Anti-Fungi terhadap Candida Albican*”. Skripsi. Universitas Muhammadiyah Surakarta.
- Simitsopoulou, M. dan Roilides, E. (2005). Evaluation of Immunotherapy in Invasive Candidiasis: Antifungal Activity and Cytokine Expression Assays. *Methods in Molecular Medicines*, 118, hlm. 161-179.

- Singh, G., Raksha, Urhekar, A. D. (2013). Candidal Infection: Epidemiology, Pathogenesis and Recent Advances For Diagnosis. *Bulletin of Pharmaceutical and Medical Science*, 1(1), hlm. 1-8.
- Siricururatana, P., Iyer, M. M., Manns, D. C., Churey, J. J., Worobo, R. W., dan Padilla-Zakour, O. I. (2013). Shelf-Life Evaluation of Natura Antimicrobials for Concord and Niagara Grape Juice. *Journal of Food Protection*, 76(1), hlm 72-78.
- Smith, N. (2013). Introduction to the Use of Standard Plate Count in Mink Feed Kitchens. *Perennia) New Ideas in Foof and Argiculture*).
- Snigdha, M., Kumar, S. S., Sharmistha, M., dan Deepa, C. (2013). An Overview on *Vetiveria zizanioides*. *Research Journal of Pharmaceutical, Biological and Chemical*, 4(3), hlm,778-783.
- Soesanto, L., Mugiastuti, E. & Rahayuniati, R. F. (2011). Morphological an physiologicas features of *Pseudomonas fluorescens* 60. *Conference Paper of The 4th International Seminar of Indonesian Societyfor Microbiology*.
- Sudbery, P., Gow, N. & Berman, J. (2004). The Distinct Mophogenic States of *C. albicans*. *Trends in Microbiology*, hlm. 1-8.
- Sugar, A. M. (2001). Overview: antifungal combination therapy. *Curr Opin Investig Drugs*, 2.
- Sukamto. (2007). *Babadotan (Ageratum conyzoides) Tanaman Multi Fungsi yang Menjadi Inang Potensial Virus Tanaman*. [Online]. Diakses dari: <http://litbang.deptan.go.id>.
- Sumi, C. D., Yang, B. W., Yeo, I. C., dan Hahm, Y. T. (2014). Antimicrobial peptides of the genus *Bacillus*: a new era for Antibiotics. *Can. J. Microbio.*, 61, hlm. 93–103.
- Strobel, G. dan Daisy, B. (2003). Bio prospecting fot Microbial Endophytes and Their Natural Products. *Microbiology and Molecular Biology Reviews*, hlm. 491-502.
- Tan, Z., Lin, B., dan Zhang, R. (2013). A Novel Antifungal Protein of *Bacillus subtilis* B25. *Springer Plus*, 2(1), hlm. 1-6.
- Tan, R. X. dan Zhou, W. X. (2001). Endophytes: a rich source of functional metabolites. *Natural Products Report*, 18, hlm. 448-459.

- Talebi, S., Sabokbar, A., Riazipour, M., dan Saffari, M. (2014). Comparison of the in vitro Effect of Chemical and Herbal Mouthwashes on *Candida albicans*. *Jundishapur Journals Microbiology*, 7(12)
- Taghavi, S., Barac, T., Greenberg, B., Borremans, B., Vangronsveld, J., dan van der Lelie, D. (2005). Horizontal gene transfer to endogenous endophytic bacteria from poplar improves phytoremediation of toluene. *Aplied Environmental Microbiology*, 71(12), hlm. 8500-8505.
- Tomita F. (2003). Endophytes in Southeast Asia and Japan: Their Taxonomic Diversity and Potential Applications. *Fungal Diversity*, 14, hlm.187-204.
- Tortora, G. J., Funke, B. R., Case, C. L., dan Johnson, T. R. (2001). *Microbiology an Introduction*. San Fransisco: Addison Wesley Longman Inc.
- United State Departement of Argiculture. (2009). 'SUNSHINE' VETIVERGRASS, *Chrysopogon zizanioides* (L.)Roberty. Hawaii: USDA.
- Vallad G.E. dan Goodman R. M. (2004). Systemic acquired resistance and induced systemic resistance in conventional agriculture. *Crop Sci* 44, hlm. 1920–1934.
- Vélez-Gavilán, J. (2016). *Ageratum conyzoides* (Billy Goat). [Online]. Diakses dari: <http://www.cabi.org/isc/datasheet/3572> .
- Vermout, S., Tabart, J., Baldo, A., Mathy, A., Losson, B., dan Mignon, B. (2008). Pathogenesis of dermatophytosis. *Mycopathologia*, 166, hlm.267-75.
- Vijayalakshmi, S., Ranjitha, J., dan Rajeswari, V. D. (2013). Enzyme Production Ability by *Bacillus subtilis* and *Bacillus licheniformis*- A Comparative Study. *Asian Journal of Pharmaceutical and Clinical Research*, 6(4), hlm 29-32.
- Walterson, A.M. dan Stravrinides, J. (2015). *Pantoea*: insights into highly versatile and diversegenus within the Enterobacteriaceae. *FEMS Microbiology Reviews*, 39, hlm 968-984.
- Widodo, G. P., Sukandar, E. Y., dan Adnyana, I. K. (2012). Antifungal Activity of Coumarin from *Ageratum conyzoides* L. Leaves on *Candida albicans* cells. *ITB Journals of Science*.

- Widodo, G. P., Sukandar, E. Y., dan Adnyana, I. K. (2008). A Coumarin from *Ageratum* Leaves (*Ageratum conyzoides* L.). *International Journals of Pharmacology*, 1(4), hlm. 56-59
- Widowati, T. (2013). Identifikasi Senyawa Kimia Antifungal dari Bakteri Endofit Asal *Taxus Sumatrana*. Tesis. Sekolah Pascasarjana. Institut Pertanian Bogor. Bogor.
- Zhang, L. (2011). Bisbibenzyls, a New Type of Antifungal Agent, Inhibit Morphogenesis Switch and Biofilm Formation through Upregulation of DPP3 in *Candida albicans*. *PLoS ONE*, 6(12), hlm 1-8.
- Zhao, X., Zhou, Z. J., Han, Y., Wang, Z. Z., Fan, J., dan Xiao, H. Z. (2013). Isolation and identification of antifungal peptides from *Bacillus* BH072, a novel bacterium isolated from honey. *Microbiological Research*, 168, hlm. 598-606.
- Zachow, C., Fatehi, J., Cardinale, M., Tilcher, R., dan Berg, G. (2010). Strain specific colonization pattern of *Rhizoctonia* antagonists in the root system of sugar beet. *FEMS Microbiol. Ecol*, 74, hlm. 124-135.
- Zhukov, V. A., Shtark, O. Y., Borisov, A. Y., dan Tikhonovich, I. A. (2013). *Breeding to Improve Symbiotic Effectiveness of Legumes*. [Online]. Diakses dari: <http://dx.doi.org/10.5772/53003> .