

## DAFTAR PUSTAKA

- Adams, *et al.* (2004). "Preliminary Comparison of Betiver Root Essential Oil from Cleansedd (Bacteria- and Fungu-Free) Versus Non-Cleansed (Normal) Vetiver Plants". *Journal Biochemical Systematic and Ecology*. 32, (12) : 1137-1144.
- Ahmed, N. (2012). "Isolation and Identification of Secondary Metabolites Producing Organism from Marine Sponge". *Discovery*. 1, (1) : 14-17.
- Aili, N., *et al.* (2011). "Effects of Methanolic Extract of a Sponge, *Haliclona Sp.* on Bacterial Cells : Structural Degeneration Study". *International Journal of Comprehensive Pharmacy*. 7, (2) : 1-6.
- Akinyemi, K.O., Oladapo, O., Okawaara, C.E., Ibe, C.C., Fasure, K.A. (2005). "Screening of Crude Extracts of Six Medicinal Plants Used in South West Nigerian Unorthodox Medicine for Antimethicilin Resistant *S. aureus* activity". *BMC Complementary and Alternative Medicine*, 5-6.
- Altun, H.U., *et al.* (2014). "Antimicrobial Susceptibilities of Clinical *Acinetobacter baumannii* Isolates with Different Genotypes". *Jundishapur Jmicrobiol*, 7 (12) : 133-147.
- Andrews, J.M. (2008). "Determination of Minimum Inhibitory Concentrations". *Journal of Antimicrobial Chemotherapy*, 48 : 5-16.
- Bacon, C.W. dan Hinton, D.M. (2006). *Bacterial Endophytes: The Endophytic Niche, Its Occupants, and Its Utility*. Netherland : Springer.
- Bachtiar, Subchan Y., Wahju T., dan Nanik S. (2012). Pengaruh Ekstrak Alga Cokelat (*Sargassum sp.*) terhadap Pertumbuhan Bakteri *Escherichia coli*. [Online]. <http://journal.unair.ac.id/filerPDF/53-60.pdf>. Diakses 29 September 2017.
- Balouiri, M., Moulay, S., dan Saad, K.I. (2016). "Methods for in Vitro Evaluating Antimicrobial Activity: A review". *Journal of Pharmaceutical Analysis*. 6, (2) : 71-79.

Giri Endah Anggraeni, 2017

**POTENSI ANTIBAKTERI ISOLAT BAKTERI ENDOFIT AKAR TANAMAN OBAT TERHADAP BAKTERI *Escherichia coli* DAN *Staphylococcus aureus***

Universitas Pendidikan Indoenesia | repository.upi.edu | perpustakaan.upi.edu

- Baris, O., Gulluce, M., Sahin, F., Ozer, H., Kilic, H., Ozkan, H., Sokmen, M., Ozbek, T. (2006). "Biological activities of the essential oil and methanol extract of *Achillea Biebersteinii* (Asteraceae)". *Turk. J. Biol.* 30 : 65-73.
- Berdy, J. (2005). "Bioactive Mikrobial Metabolites". *Journal Antibiotik.* 58, (1) : 1-26.
- Bhore, S.J. dan Sathisha, G. (2010). "Screening of Endophytic Colonizing Bacteria for Cytokinin-Like Compounds: Crude Cell-Free Broth of Endophytic Colonizing Bacteria is Unsuitable in Cucumber Cotyledon Bioassay". *World J. Agric. Sci.* 6, (4) : 345-52.
- Bhoonobong *et al.* (2012). "Characterization of Endophytic Bacteria, *Bacillus amyloliquefaciens* for Antimicrobial Agents Production". *International Conference on Biological and Life Sciences.*
- Branen, A.L. dan Davidson, P.M. (1993). *Antimicrobial in Foods*. Second edition. New York : Marcel Dekker, Inc.
- Brock, T.D. dan Madigan, M.T. (2003). *Biology of Microorganisms*. Sixth edition. Mexico : Prentice Hall International.
- Bunch, A., Harris, R. (1986). "The Manipulation of Microorganism for The Production of Secondary Metabolites." UK : The university of Kent, 117-144.
- Castillo *et al.* (2002). "Munumbicins, Widespectrum Antibiotics Produce by *Streptomyces* NRRL 30562, Endophytic on *Kennedia nigrisca*". *Microbiology*, 1, (48) : 2675-2685.
- C. G. G. J. Van Steenis. (1997). *Flora*. Jakarta : Pradnya Paramita.
- Cappuccino, J.G. dan Sherman, N. (1987). *Microbiology: A Laboratory Manual*. California : The Benjamin/Cummings Publishing Company, Inc.
- Carrillo, *et al.* (2012). "Antitumor Effects of Oleic Acid : Mechanism of Action. A Reciew". *Nutricion Hospitalaria.* 27, (5) : 1860-1865.

- Chomchalow N. (2001). "The Utilization of Vetiver as Medicinal and Aromatic Plants with Special Reference to Thailand". *Technical Bulletin No. 2001/1. Office of the Royal Development Projects Board*. Thailand : Bangkok.
- Clardy, J., Fischbach, M., dan Currie. C. (2009). "The Natural History of Antibiotics". *Curr Biol.* 9, (11) : 437-441.
- Clinical Laboratory Standards Institute. (2012). *Performance Standards for Antimicrobial Disk Susceptibility Tests*. 11<sup>th</sup> ed. CLSI 2012 document M02-A11 Vol.32 No.1. USA : Clinical Laboratory Standards Institute, Wayne, PA.
- Chung, P. Y., Navaratnam, P., dan Chung, L. Y. (2011). "Synergistic Antimicrobial Activity Between Pentacyclic Triterpenoids and Antibiotics Against *Staphylococcus aureus* Strains". *Biomed Central*, 10, 25.
- Cowan, Marjocie Murphy. (1999). *Plant Product as Antimicrobial Agents*. Ohio.
- Cronquist, A. (1981). *An Integrated System of Classification of Flowering Plants*. New York : Columbia Press
- Damayanti, E. dan T. B. Suparjana. (2007). "Efek Penghambatan Beberapa Fraksi Ekstrak Buah Mengkudu terhadap *Shigella dysenteriae*". *Prosiding Seminar Nasional Teknik Kimia Kejuangan*. Yogyakarta: Fakultas Biologi Universitas Jenderal Soedirman.
- Davis, W.W., dan Stout, T.R. (2009). "Disc Plate Method of Microbiological Antibiotic Assay". *Applied and Environmental Microbiology*. 22, (4) : 666-670.
- DeLeo FR, Otto M, Kreiswirth BN, Chambers HF. (2010). *Community-associated methicillin-resistant Staphylococcus aureus*. USA : Laboratory of Human Bacterial Pathogenesis, Rocky Mountain Laboratories, National Institute of Allergy and Infectious Diseases, National Institutes of Health.
- Dembitsky, *et al.* (2002). "Natural Occurrence of Boron-Containing Compounds in Plants, Algae and Microorganisms". *Plant Science*. 163 : 931-942.

- Demain, A. L. (1998). "Induction of Microbial Secondary Metabolism". *International Microbiol*, 259-264.
- Departemen Kehutanan Indonesia. (2007). *Statistik Kehutanan Indonesia*. Jakarta : Departemen Kehutanan Indonesia.
- Di Cosmo, F., and M. Misawa. (1995). "Plant Cell and Tissue Culture : Alternatives for Metabolites Production". *Biotechnology Advances*, 3 : 425-453.
- Doughari, J.H. (2006). "Antimicrobial Activity of *Tamarindus indica* Linn". *Tropical Journal of Pharmaceutical Research*, 5, (2) : 596-60.
- Dwivedi, D., Johri. (2003). "Antifungal from Fluorescens *Pseudomonads* Byosynthesis and Regulation". *Curr Sci*, 85 : 1693 – 1703.
- El-Said, H.M., dan Ashgar, S.S. (2012). "Pathogenic Bacteria Associated with Different Public Environmental Sites in Mecca City". *Open Journal of Medical Microbiology*, 2 : 133-137.
- Esper, R.H., Goncalvez, E., Felicio, R.C., Felicio, D.J. (2015). "Fungicidal activity and constituents of *Ageratum conyzoides* L. essential oil from three regions in São Paulo state, Brazil". *Pharmacology / Scientific Communication*, 82 : 1-4.
- Ezhilan, B. dan R. Neelamegam. (2011). "GC-MS Determination of Bioactive Compounds of *Polygonum glabrum* (Wild)". *Journal of Phytology*, 3 (9).
- Fardiaz, S. (1992). *Mikrobiologi Pangan I*. Jakarta : Gramedia Pustaka Utama.
- Fitriani, A., et al. (2013). The exploration of Ketosynthase Gene on Endophytic Bacterial Root of *Vetiveria zizanioides* L. *International Journal of Basic and Applied Sciences IJBAS-IJENS*, 13 (4), 112-119.
- Fitriani, A., Ihsan, F., Hamdiyati, Y., Maemunah. (2015). Antibacteria activity of *Shewanella* and *Pseudomonas* as endophytic bacteria from the root of *Ageratum conyzoides* L. *Asian Journal of Applied Sciences*. 3(3) : 415-420.

- Fei, *et al.* (2009). Comparison of Chemical Composition between Two Essential Oils from *Veiveria zizanioides* by Different Extraction Methods.” *Food science*. 30, (8) : 212-214.
- Feliatra. (2002). Sebaran bakteri *Escherichia coli* di Perairan Muara Sungai Bantan Tengah Bengkalis Riau.
- Fravel, D.R., (1988). “Role of Antibiosis in the Biocontrol of Plant Diseases”, *Annu. Rev. Phytopathol*, 26: 75-91.
- Frazier, W.C., Westhoff. (1988). *Food Microbiology*. New Delhi : Tata McGraw-Hill Publ. Co., Ltd.
- Freidman, M., *eta al.* (2003). “Antibacterial Activities of Phenolic Benzaldehydes and Benzoic Acids Againts *Campylobacter Jejui*, *Escherichia coli*, *Listeria Monocytogenes*, and *Salmonella Enterica*”. *Journal of Food Protection*. 66, (10) :1811-1821.
- Garcia, A., Rhoden, S.A., Bernardi, W.J., Orlandelli, R.C., Azevedo, J.L., Pamphile, J.A. (2012). “Antimicrobial activity of crude extract of endophytic fungi isolated from medicinal plant *Sapindus saponaria* L”. *Journal of applied pharmaceutical science*. 2, (10) : 35- 40.
- Giudice L., D. (2008). “The Microbial Community of Vetivee Root is Necessary for Essential Oil Biosynthesis”. *Proceeding of the 52<sup>nd</sup> Italian Society of Agricultural Genetics Annual Congress*.
- Gomez, K. A. dan A. A. Gomez. (1995). *Prosedur Statistik untuk Penelitian Pertanian*. (Terjemahan). E. Syamsudin dan J. S. Baharsjah. Jakarta : UI Press.
- Greenwood, D., Slack, R.C.B., dan Peutherer, J.F. (1995). *Medical Microbiology*. Hongkong : ELBS.
- Guan, S.H., Sattler, I., Lin, W.H., Guo, D.A. dan Grabley, S. (2005) p-Aminoacetophenonic acids produced by a mangrove endophyte: *Streptomyces griseus* subspecies. *J Nat Prod*, 68: 1198–1200.

- Gunatilaka, A.A. L. (2006). “Natural Products from Plant-Associated Microorganisms : Distribution, Structural Diversity, Bioactivity And Implications Of Their Occurrence”. *Natural Product*, 69, (3) : 509-526.
- Hawa, L.C., Susilo, B., and Jayasari, N.E. (2011). “Studi Komparasi Inaktivasi *Escherichia coli* dan Perubahan Sifat Fisik Pada Pasteurisasi Susu Sapi Segar Menggunakan Metode Pemanasan dan Tanpa Pemanasan Dengan Kejut Medan Listrik”. *J. Teknologi Pertanian*, (12) : 31- 39.
- Herbert, R.B. (1995). *Biosynthesis of Secondary Metabolites, 2nd edition*. New York : Chapman and Hall,.
- Hermawan, A. (2007). “Pengaruh Ekstrak Daun Sirih (*Piper betle L.*) terhadap Pertumbuhan *Staphylococcus aureus* dan *Escherichia coli* dengan Metode Difusi Disk.” *Artikel Ilmiah Fakultas Kedokteran Hewan, Universitas Airlangga Surabaya*.
- Holt, J.G. et al. (2000). *Bergey’s Manual of Determinative Bacteriology, Ninth Edition*. Philadelphia : Lippincott William dan Wilkins.
- Huddaya, A., dan Jayanti, H. (2013). *Pengelompokan Pestisida Berdasarkan Cara Kerja (Mode of Action)*. Bandung : Balai Penelitian Tanaman Sayuran.
- Hung, P.Q. dan Annapurna. (2004). “Isolation and characterization of endophytic bacteria in soybean (*Glycine sp.*)”. *Omonrice*, 12, 92-101.
- Igoli, J.O., Ogaji, O.G., Tor-Anyiin, T.A., Igoli, N.P. (2005). “Traditional Medicine Practice among The Igede People of Nigeria, part II”. *African journal of traditional*, 2: 134-152
- Ihsan, F. (2013). *Identifikasi Metabolit Sekunder Potensial Antibakteri pada Bakteri Endorizosfer Ageratum conyzoides*. (Skripsi). Bandung : UPI.
- Ismail N, Tenrirawe A. (2011). “Potensi Agens Hayati *Trichoderma* spp. sebagai Agens Pengendali Hayati”. *Seminar Regional Inovasi Teknologi Pertanian, Mendukung Program Pembangunan Pertanian Propinsi Sulawesi Utara*.
- Iskandar, Y., D. Rusmiati, dan R.R. Dewi. (2005). *Uji Aktivitas Anti bakteri Ekstrak Etanol Rumpun Laut (Eucheuma cottonii) Terhadap Bakteri*

*Escherichia coli* Dan *Bacillus cereus*. Sumedang : Universitas Padjadjaran Jatinangor.

- Janny, S., Bert, F., Dondero, F., Nicolas, C.M.H., and Belghiti, J. (2012). “Fatal *Escherichia coli* Skin and Soft Tissue Infection in Liver Transplant Recipients: Report of Three Cases”. *Transpl Infect Dis*, 15, (2) : 49 – 53.
- Javed, S. dan Uzma B. (2012). “Antifungal activity of different extracts of *Ageratum conyzoides* for *Fusarium solani*”. *Biotechnology*, 11, (49) : 11022-11029.
- Jawetz, E., Melnick, J.L., dan Adelberg, E.A. (2008). *Medical Microbiology*. USA : McGraw-Hill Companies.
- Jha, S. dan Dhakal, M. (1990). “Allelopathic Effects of Various Extract Herbs on Rice and Wheat”. *J. Inst. Agr. Anim. Sci.* 11 : 121-123.
- Kaga, H., et al. (2009). “Rice Seeds as Sources of Endophytic Bacteria”. *Microbes Environ*, 24 (2) : 154–162.
- Koberi, Martina et al. (2013). “The Microbiome of Medicinal Plants : Diversity and Importance for Plant Growth, Quality and Health”. *Frontiers in Microbiology* 4 : 1-8.
- Kong, C., Hu, F., Xu, X., Liang, W., dan Zhang, C. (2004). “Allelopathic Plants. *Ageratum conyzoides* L”. *Allelopathy Journal*. 14, (1) : 1-12.
- Kusuma, F. dan Zaky, B.M. 2005. *Tumbuhan Liar Babandotan (Ageratum conyzoides) Berkhasiat Obat*. Jakarta : AgroMedia Pustaka.
- Kusmiyati dan Agustini, N. W. S. (2007). “Uji Aktivitas Antibakteri dari Mikroalga *Porphyridium cruentum*”. *Biodiversitas*.
- Langfield, R.D., Scarano, F.J., Heitzman, M.E., Kondo, M., Hammond, G.B., Neto, C.C. (2004). “Use of a Modified Microplate Bioassay Method to Investigate Antibacterial Activity in the Peruvian Medicinal Plant *Peperomia galiodes*”. *J. Ethnopharmacol*, 94: 279-281.
- Lawrence, C.A., dan Block, S.S. (1968) *Desinfection, Sterilization, and Preservation*. Philadelphia : Lea & Febiger.

Giri Endah Anggraeni, 2017

**POTENSI ANTIBAKTERI ISOLAT BAKTERI ENDOFIT AKAR TANAMAN OBAT TERHADAP BAKTERI *Escherichia coli* DAN *Staphylococcus aureus***

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Lindberg, David C. (1990). *The Beginnings of Western Science*. Chicago : University of Chicago Press.
- Long, H. H., *et al.* (2008). “Native Bacterial Endophytes Promote Host Growth in a Species-Specific Manner; Phytohormone Manipulations Do Not Result in Common Growth Responses”. *Max Planck Institute for Chemical Ecology*, 3, (7) : 1-10.
- Lorain V. (2005). *Antibiotic in Laboratory Medicine*. London: Williams and Wilkins Co.
- Lumowa, S.V.V. (2011). “Efektivitas ekstrak babadotan (*Ageratum conyzoides* L.) terhadap tingkat kematian larva *Spodoptera litura* F”. *Eugenia*, 6 (8) : 1747-1755.
- Manitto, P. (1981). *Biosintesis Produk Alami*. Terjemahan : Koensoemardiyah. Semarang : IKIP Semarang Press.
- Margino, S. (2008). “Produksi Metabolit Sekunder (Antibiotik) oleh Isolat Jamur Endofit Indonesia.” *Majalah Farmasi Indonesia*, 19, (2) : 86-94.
- Matlock, B.C., *et al.* (2011). “Differences in Bacterial Optical Density Measurements between Spectrophotometers”. *Journal of Thermo Scientific*.
- Mahidol C., Prawat H., Prachyawarakorn V., Ruchirawat S. (2002). “Investigation of some bioactive Thai medicinal plants”. *Phytochem. Rev.*, 1, (3) : 287-297.
- Malfanove, N.V. (2013). “Endophytic Bacteria with Plant Growth Promoting and Biocontrol Abilities”. *Leiden University Repository*.
- Manatsathit S, Dupont HL, Farthing MJG, *et al.* (2002). Guideline for the Management of acute diarrhea in adults. *Journal of Gastroenterology and Hepatology*, 17: S54-S71.
- Mantell, S. H., H. Smith (Eds.). *Plant Biotechnology*. New York : Cambridge University Press.
- Melo, F. M., *et al.* (2009). “Antifungal Compound Produced by The Cassava Endophyte *Bacillus pumilus* MA IIM4A”. *Science Agriculture*, 5 : 583-592.



- Menpara D and Chanda S. (2013). "Endophytic bacteriaunexplored reservoir of antimicrobials for combating microbial pathogens". *FORMATEX: Microbial pathogens and strategies for combating them: science, technology and education* (A. Méndez-Vilas, Ed.) : 1095- 1103.
- Ming, LC. (1999). "Ageratum conyzoides: A Tropical Source of Medicinal and Agricultural Products. *ASHS Press*, hlm. 469-473.
- Miranti, M., Prasetyorini, dan C. Suwary. (2013). "Perbandingan Aktivitas Antibakteri Ekstrak Etanol 30% San 96% Kelopak Bunga Rosella (*Hibiscus sabdariffa* L) terhadap Bakteri *Staphylococcus aureus*". *Ekologia*. 13, (1) : 9-18.
- Moffitt dan B.A. Neilan. (2002). "Evolutionary Affiliation within the Superfamily of Ketosynthases Reflect Complex Pathway Associations". *Journal of Molecular Evolution*, 56 : 446-457.
- Muhsinin, *et al.* (2016). "Isolation of Endophytic Bacteria from Plant Basil (*Ocimum sanctum* L.) as Antibacterials Against *Staphylococcus aureus*". *Journal of Innovations in Pharmaceutical and Biological Sciences (JIPBS)*, 3, (4) : 92-96
- Mustafa, M.R., Mahmood, Sidik, Noor. (2005). "Evaluation Of Wound Healing of *Ageratum conyzoides* L. Extract in Combination with Honey in Rats as Animal Model". *International J of Molecular and Advance Science*, (1) : 406-410.
- NCCLS. (2003). *Performance standards for antimicrobial disk susceptibility tests. Approved standard, 8th ed. NCCLS document M2-A8*. NCCLS : Wayne, Pa.
- Nindhia, T.S. (2013). *Penuntun Praktikum Rancangan Percobaan dengan SPSS*. Bali (ID): Udayana Press.
- Noviana, H. (2004). Pola Kepekaan Antibiotika *Escherichia coli* yang Diisolasi Dari Berbagai Spesimen Klinis. Jakarta : Mikrobiologi Fakultas Kedokteran Universitas Katolik Atma Jaya

- Nychas, G.J.E., dan Tassou. (2000). *Traditional Preservatives-Oils and Spices*. London : Academic Press.
- Ogunmwonyi, I.H., *et al.* (2010). “In Vitro Time-Kill Studies of Antibacterial Agents from Putative Marine *Streptomyces* Species Isolated from The Nahoon Beach, South Africa”. *African Journal of Pharmacy and Pharmacology*, 4, (12) : 908-916.
- Okunade, Adewole L. (2002). *Ageratum conyzoides* L. (Asteraceae). *Fitoterapia* 73 : 1-16.
- Oliver, S. P., B. E. Gillespie, M. J. Lewis, S. J. Ivey, R. A. Almeida, D. A. Luther, D. L. Johnson, K. C. Lamar, H. D. Moorehead and H. H. Dowlen. (2001). “Efficacy of a new premilking teat disinfectant containing a phenolic combination for the prevention of mastitis”. *J. Dairy Sci.* 84: 1545-1549.
- Padalia, R.C., Verma, R.S., Sah, A.N., Karki, N., Sundaresan, V., Sakia, D. (2011). “Leaf and rhizome oil composition of *Zingiber officinale* Roscoe and their antibacterial and antioxidant activities”. *Journal of Traditional Medicines*, 6 (2) : 4-5.
- Parhusip, A.. (2006). *Kajian mekanisme antibakteri ekstrak andaliman (Zanthoxylum acanthopodium DC) terhadap bakteri patogen pangan*. (Disertasi). Bogor : Program Pasca Sarjana, Institut Pertanian Bogor.
- Patel, S. J., Onkarappa, R., dan Gurumurthy, S. (2009). “Pretreatment studies on wheat straw and rice straw”. *Internet Journal of Microbiology*, 7 (1).
- Paul, N.C., Ji, S.H., Deng, J.X., Yu, S.H. (2013). “Assemblages of Endophytic Bacteria in Chili Pepper (*Capsicum annuum* L.) and Their Antifungal Activity Against Phytopathogens In Vitro”. *Plant Omics Journal*. 6, (6), : 441-448.
- Pelczar, M.J., Chan, E.C.S. (2005). *Dasar-dasar Mikrobiologi*. Jakarta: Universitas Indonesia Press.

- Permatasari, G. A. A. A., Besung I. N. K. dan Mahatmi H. (2013). “Daya Hambat Perasan Daun Sirsak Terhadap Pertumbuhan Bakteri *Escherichia coli*”. *Indonesia Medicus Veterinus* Vol. 2 No. 2 : 162 – 169.
- Petersen PJ, Bradford PA, Weiss WJ, *et al.* In vitro and in vivo activities of tigecycline (GAR-936), daptomycin, and comparative antimicrobial agents against glycopeptide-intermediate Staphylococcus aureus and other resistant gram-positive pathogens. *Antimicrob Agents Chemother*, 46: 2595–601
- Pratiwi, D. (2013). *Kandungan Metabolit Sekunder yang Berpotensi sebagai Antibakteri dari Bakteri Endofit Akar Vetiveria zizanioides*. (Skripsi). Bandung : UPI.
- Pratiwi, S. (2016). ‘Uji Efektivitas Ekstrak Daun Cincau Hijau Rambat (*Cyclea barbata* Miers.) Sebagai Anti bakteri Terhadap *Bacillus cereus* dan *Shigella dysenteriae* Secara In Vitro Dengan Metode Difusi”. (Skripsi). Jakarta: Universitas Pembangunan Nasional “Veteran”.
- Pontieri, P., Massardo, D.R., Senatore, F., Tredici, M., Vigliotta, G., Alifano, P., Giudice, L.Del. (2005). “Isolation and characterization of endophytic bacteria in *Vetiveria zizanioides* (L.) Nash Roots”. *Proceedings of the XLIX Italian Society of Agricultural Genetics Annual Congress*, 56 : 1-2.
- Prihatiningtias, W. dan Wahyuningsi, M. (2011). *Prospek mikroba endofit sebagai sumber senyawa bioaktif*. Yogyakarta : FK UGM.
- Prescott, L.M., Harley, J.P., dan Klein, D.A. (2002). *Microbiology, fourth edition*. USA : WCB / McGraw-Hill.
- Ratha, M., Subha, K., Senthilkumar, G., & Panneerselvam, A. (2012). “Screening of Phytochemical and Antibacterial Activity of *Hemidesmus indicus* (L.) and *Vetiveria zizanioides* (L)”. *European Journal of Experimental Biology*. 2, (2) : 363-368.
- Reiny, S, S. (2012). “Potensi *Lactobacillus acidophilus* ATCC 4796 sebagai Biopreservatif Pada Rebusan Daging Ikan Tongkol”. *Jurnal IJAS*, 2, (2) : 604–613.

- Sudiby, R. (2002). *Metabolit Sekunder: Manfaat dan Perkembangannya dalam Dunia Farmasi*. Jogjakarta : UGM.
- Rostinawati, T. (2009). Aktivitas Antibakteri Ekstrak Etanol Bunga Rosella (*Hibiscus sabdariffa* L.) terhadap *Escherichia Coli*, *Salmonella Typhi* dan *Staphylococcus aureus* dengan Metode Difusi Agar. Bandung : Fakultas Farmasi Universitas Padjajaran.
- Roy J, Banerjee N. (2002). “Rhizome and shoot development during in vitro propagation of *Geodorum densiflorum* (Lam.) Schltr”. *Scientia Horticulturae* 94 : 181–192.
- Qin, L., *et al.* (2010). “Recent Developments and Future Prospects of Antimicrobial Metabolites Produced by Endophytes”. *Sciencedirect Microbiological Research*. 165 : 437-449.
- Rachmawati, F., Nuria M. C. dan Sumantri. (2011). *Uji Aktivitas Antibakteri Fraksi Kloroform Ekstrak Etanol Pegagan (Centella asiatica (L) Urb) serta Identifikasi Senyawa Aktifnya*. Semarang : Fakultas Farmasi Universitas Wahid Hasyim
- Radji, M. (2005). “Peranan Bioteknologi dan Mikroba Endofit dalam Pengembangan Obat Herbal.” *Majalah Ilmu Kefarmasian*. 2, (3), 113-126.
- Rao, R.R. dan Suseela, M.R. (2000). “*Vetiveria zizanoides* (L.) Nash-A multipurpose eco-friendly grass of India”. *National Botanical Research Institut*, hlm. 439-442.
- Rastina, Sudarwanto M, Wientarsih I. (2015). “Aktivitas Anti bakteri Ekstrak Etanol Daun Kari (*Murraya koenigii*) terhadap *Staphylococcus aureus*, *Escherichia coli*, dan *Pseudomonas sp.*”. *Jurnal Kedokteran Hewan*, 9, (2) : 185-188.
- Ryan, K.J., J.J. Champoux, S. Falkow, J.J. Plonde, W.L. Drew, F.C. Neidhardt, and C.G. Roy. (1994). *Medical Microbiology An Introduction to Infectious Diseases*. Appleton&Lange

- Ryan, R.P., *et al.* (2007). "Bacterial endophytes: recent developments and applications". *FEMS Microbiol Lett*, 278 : 1-9.
- Sandra, E. dan S. Kemala. (1994). *Tinjauan Permintaan Tumbuhan Obat Hutan Tropika Indonesia*. Jurusan Konservasi Sumberdaya Hutan, Fakultas Kehutanan IPB dan LATIN. Bogor.
- Saleem, M., *et al.* (2009). "Antimicrobial Natural Products : An Update on Future Antibiotic Drug Candidates". *Natural Product Reports*.17, 238-254.
- Sari, W.E. *et al.* (2009) *Karya Ilmiah Antibiotik dari Mikroba Endofit Tanaman Jawer Kotok: Alternatif Solusi Permasalahan Resistensi Bakteri di Indonesia*. Bogor : Institut Pertanian Bogor.
- Sastroutomo, S. (1998). *Ekologi Gulma*. Jakarta : PT Gramedia Pustaka Utama.
- Schlegel, G.H. (1994). *Mikrobiologi Umum Edisi ke-enam*. Yogyakarta : Universitas Gadjah Mada.
- Schulz.B J.E., C.J.C. Boyle dan T. N. Sieber (Eds.). (2006). *What are Endophytes?. Microbial Roots Endophytes*. Germany : Springer- Verlag Berlin Heidelberg.
- Skoog, D.A., West D.M., and Holler, F.J., (1998). *Fundamental of Analytical Chemistry, Ed.6th*. Orlando : Saunders College Publishing.
- Sennang N., Kurniawan L.B., and Esa T. (2011). "Pola Balteri Aerob dan Kepekaan Antimikroba pada Ulkus Kaki Diabetik". *Indonesian Journal of Clinical Pathology and Medical Laboratory*. 18, (1), 1–3.
- Sezonov, G., Petit, D.J. dan D'Ari, R. (2007). "Escherichia coli Physiology in Luria Bertani Broth". *Journal of Bacteriology*. 189, (23) : 8746-8749.
- Simanjuntak P., dkk. (2002). "Produksi Alkaloid Kuinina oleh Beberapa Mikroba Endofit dengan Penambahan Zat Induser (Studi Mikroba Endofit Tanaman Cinchona Sp." *Majalah Farmasi Indonesia*. 13, (1) : 1-6.
- Simarmata, R., Lekatompessy, S., dan Sukiman, H. (2007). "Isolasi mikroba endofitik dari tanaman obat sambung nyawa (*Gymura procumbens*) dan analisis potensinya sebagai antimikroba". *Berk Penel Hayati*, 13 : 85-90.

- Snigdha, M., *et al.* (2013). "An overview on *Vetiveria zizanioides*. Pharmaceutical, Biological and Chemical", 4 (3), hlm. 777-783.
- Srikesavan, S dan Selvan, M.(92012). "Actinomycetes from Marine Sediment : Screening for Cytotoxicity, Identification and Analysis of Bioactive Constituents by Gas Chromatography-Mass Spectrometry". *International Conference on Bioscience, Biotechnology and Healthcare Sciences*. 68-71.
- Stevanovic *et al.* (2012). "Antibacterial Activity of Naturally Occurring Compounds from Selected Plants". *Antimicrobial Agents* : 1-24
- Strobel, G.A., dan Daisy, B., (2003). "Bioprospecting for Microbial Endophytes and Their Natural Products". *Microbiol. and Mol. Biology*, 67, (4) : 491-502.
- Sukanto. (2007). "Tanaman Multi Fungsi yang Menjadi Inang Potensial Virus Tanaman". *Warta Puslitbangbun* Vol.13 No.3. Bogor.
- Suharni, T.T., S.J. Nastiti, A.E.S. Soetarto. (2008). *Mikrobiologi Umum*. Yogyakarta : Universitas Atma Jaya Yogyakarta press.
- Sumaryono, W. (1999). "Produksi Metabolit Sekunder Tanaman Secara Bioteknologi". *Prosiding : Seminar Nasional Kimia Bahan Alam*. Universitas Indonesia-unesco.
- Suwandi, U. (1992). "Mekanisme Kerja Antibiotik. Cermin Dunia Kedokteran". Jakarta.
- Syamsuhidayat dan Hutapea, J.R. (1991). *Inventaris Tanaman Obat Indonesia, Babandotan (Ageratum conyzoides)*. Jakarta : Departemen Kesehatan Republik Indonesia, Badan Penelitian dan Pengembangan Kesehatan.
- Tan, H.T. dan Rahardja, K. (2008). *Obat-Obat Penting Kasiat, Penggunaan Dan Efek Sampingnya*. Jakarta : Kompas-Gramedia.
- Tan, R.X., dan W.X. Zou. (2001). "Endophytes : a Rich Source of Functional Metabolites". *Nat. Prod. Rep*, 18 : 448-459.

- Tanaka, J.C., *et al.* (2006). "Antibacterial Activity of Indole Alkaloids from *Aspidosperma ramiflorum*". *Brazilian Journal of Medical and Biological Research*. 39, (3) : 387-391.
- Tanuwijaya, V. (2015). *Produksi Penisilin oleh Penicillium chrysogenum dengan Penambahan Fenilalanin*. (Skripsi). Yogyakarta : Universitas Atma Jaya.
- Tariq, M., *et al.* (2014). "Molecular Characterization and Identification of Plant Growth Promoting Endophytic Bacteria Isolated from The Root Nodules of Pea (*Pisum sativum* L.)". *Microbial Biotechnol* 30 : 719-725.
- Tjay, T.H., Rahardja, K. (2007). *Obat-obat Penting : Khasiat, Penggunaan, dan Efek-Efek Sampingnya*. Edisi VI. Jakarta : Elex Media Komputindo.
- Todar, K. (2002). *Staphylococcus*. Bacteriology at UW-Bakteriology.
- Togatorop, D.A. 2009. "Studi Alelopati *Wedelia tribobata*, *Ageratum conyzoides*, *Chromolaena odorata*, dan *Mikania micrantha* Terhadap Pertumbuhan dan Hasil Sawi". *J. Floratek*, 18-24
- Tomita, F. (2003). "Endophytes in Southeast Asia and Japan: their taxonomic diversity and potential applications". *Fungal Diversity*, 14, 187-204.
- Ukwe, VC., Epuke, EA., Ekwunife, OI., Okoye, TC., Akudordan, GC., Ubaka, CM. (2010). "Antimalaria Activity of Aqueous Extract and Fraction of Leaves of *Ageratum conyzoides* in Mice Infected with *Plasmodium berghei*". *International Journal of Pharmaceutical sciences*, 2, (1) : 33-38.
- Utami, U. (2011). "Isolation, Identification and Antimicrobial Activities Selection of Endophytic Bacterial from Mangrove *Bruguiera Gymnorrhiz*". *Journal of Academic Research*. (3) : 187- 194.
- Vincent *et al.* (2006). *Microbiology and Antibiotic Sensitivities of Head and Neck Space Infections of Odontogenic Origin*. Canada: Department of Oral and Maxillofacial Surgery University of Medicine and Dentistry of New Jersey.
- Widowati, T. (2013). *Identifikasi Senyawa Kimia Antifungal Dari Bakteri Endofit Asal *Taxus sumatrana**. Bogor : IPB.
- Widyarto. (2009). *Uji Aktivitas Antibakteri Minyak Atsiri Daun Jeruk Keprok (*Citrus nobilis* Lour) terhadap *Staphylococcus aureus* dan *Escherichia coli**.  
Giri Endah Anggraeni, 2017
- POTENSI ANTIBAKTERI ISOLAT BAKTERI ENDOFIT AKAR TANAMAN OBAT TERHADAP BAKTERI *Escherichia coli* DAN *Staphylococcus aureus***

- (Skripsi). Surakarta : Fakultas Farmasi Universitas Muhammadiyah Surakarta.
- Win, S.L., *et al.* (2014). “Bacteria Identification from Microscopic Morphology Using Naïve Bayes”. *International Journal of Computer Science, Engineering and Information Technology (IJCEIT)*, 4, (2) :1-9.
- Wink, M. (1998). “*Alkaloids : Biochemistry, Ecology and Medical Application.*” New York : Plenum press.
- Yanling, J., Xin, L., dan Zhiyuan, L. (2013). *The Antibacterial Drug Discovery.* China : INTECH.
- Yuliar., Suciati, M., Supriyati, D., Rahmansyah, M. (2013). “Biodiversity of Endophytic Bacteria and Their Antagonistic Activity to *Rhizoctonia solani* and *Fusarium oxysporium*”. *Global Journal of Biology, Agriculture dan Health Science*, 2, (4) : 111-118.
- Zinniel DK, Lambrecht P, Harris NB, Feng Z, Kuczmarski D, Higley P, Ishimaru CA, Arunakumari A, Barletta RG, Vidaver AK. (2002). “Isolation and characterization of endophytic colonizing bacteria from agronomic crops and prairie plants”. *Applied and Environmental Microbiology*. 68,(5) : 2198– 2208.
- Zuhud, E. A. M. (2008). *Potensi Hutan Tropika Indonesia Sebagai Penyangga Bahan Obat Alam Untuk Kesehatan Bangsa.* Bogor : Laboratorium Konservasi Tumbuhan, Fakultas Kehutanan Institute Pertanian Bogor.