

DAFTAR PUSTAKA

- Agilent Technologies. (2001). Basics of LC/MS. United State of America: Agilent Technologies.
- Aisyah, S., Gruppen, H., Madzora, B., & Vincken, J.P. (2013). Modulation of Isoflavonoid Composition of *Rhizopus oryzae* Elicited Soybean (*Glycine max*) Seedlings by Light and Wounding. *Journal of Agricultural and Food Chemistry*, 61, 8657-8667.
- Badan Pusat Statistik. (2017). Rata-Rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting, 2007-2015.
- Balai Besar Penelitian Tanaman Padi. (2009). Perkecambahan Beras.
- Balai Besar Penelitian Tanaman Padi. (2015). Antioksidan pada Beras Merah.
- Banchuen, J., Thammarutwasik, P., Ooraikul, B., & Wuttijumnong, P. (2010). Increasing The Bio-active Compounds Contents by Optimizing The Germination Conditions of Southern Thai Brown Rice. *Journal of Science and Technology*, 32(3), 219–230.
- Bendicho, C., & Lavilla, I. (1996). Ultrasound Extractions, (1994), 1448–1454.
- Bula, R. J., Morrow, R. C., Tibbitts, T. W., & Barta, D. J. (1991). Light-emitting Diodes as a Radiation Source for Plants, 26(2), 203–205.
- Capanzana, M.V., & Buckle, K. A. (1997). Optimisation of Germination Conditions by Response Surface Methodology of a High Amylose Rice (*Oryza sativa*) Cultivar, 30, 155-163.
- Chalermchaiwat, P., Jangchud, K., Jangchud, A., Charunuch, C., & Prinyawiwatkul, W. (2015). Antioxidant Activity, Free gamma-aminobutyric acid Content, Selected Physical Properties and Consumer Acceptance of Germinated Brown Rice Extrudates as Affected by Extrusion Process. *LWT - Food Science and Technology*.
- Ekowati, N. Y. (2015). Analisis Kandungan Gamma Aminobutyric Acid (GABA),

Fenol Total, dan Aktivitas Antioksidan Germinated Rice Tiga Kultivar Padi lokal (*Oryza sativa L.*) Yogyakarta, 99–100.

Goldschmidt, S., Renn, K., Poirier, R. H., Kahler, E. ., Benington, F. ., Barude, E., ... Blois, M. (1958). Antioxidant Determinations by the Use of a Stable Free Radical. *Nature*.

Goufo, P., & Trindade, H. (2014). Rice Antioxidants: Phenolic Acids, Flavonoids, Anthocyanins, Proanthocyanidins, Tocopherols, Tocotrienols, c-oryzanol, and Phytic acid, (2000), 75–104.

Hewlett Packard Company. (1998). Basics of LC/MS. In *A Primer*.

Indrasari, S. D. (2006). Kandungan Mineral Padi Varietas Unggul dan Kaitannya dengan Kesehatan, (1), 88–99.

Jung, E. S., Lee, S., Lim, S., Ha, S., Liu, K., & Hwan, C. (2013). Metabolite Profiling of The Short-term Responses of Rice Leaves (*Oryza sativa* cv . Ilmi) Cultivated under Different LED Lights and Its Correlations with Antioxidant Activities. *Plant Science*, 210, 61–69.

Kim, H. H., & Wheeler, R. M. (2010). Plant Productivity in Respone to LED Lighting. 43(7), 1951-1956.

Kim, H. Y., Hwang, I. G., Kim, T. M., Woo, K. S., Park, D. S., Kim, J. H., ... Jeong, H. S. (2012). Chemical and Functional Components in Different Parts of Rough Rice (*Oryza sativa L.*) Before and After Germination. *Journal of Food Chemistry*, 134, 288-293.

Komatsuzaki, N., Tsukahara, K., & Toyoshima, H. (2007). Effect of Soaking and Gaseous Treatment on GABA Content in Germinated Brown Rice, 78, 556–560.

Lamberts, L., Bie, E. De, Vandepitte, G. E., & Veraverbeke, W. S. (2007). Effect of Milling on Colour and Nutritional Properties of Rice, 100, 1496–1503.

Technologies, A. (2001). *Basics of LC/MS*. U.S.A: Agilent Technologies.

Lee, S.-J., Ahn, J.-K., Khanh, T.-D., Chun, S.-C., Kim, S.-L., Ro, H.-M., ... Chung,

- I.-M. (2007). Comparison of Isoflavone Concentrations in Soybean (Glycine max (L .) Merrill) Sprouts Grown under Two Different Light Conditions, 9415–9421.
- Makarim, A. K., & Suhartatik, E. (2009). *Morfologi dan Fisiologi Tanaman Padi*. Balai Besar Penelitian Tanaman Padi.
- Manyam, B. V, Katz, L., Hare, T. A., Kaniefski, K., & Tremblay, R. D. (1981). Isoniazid-Induced Elevation of CSF GABA levels and Effects on Chorea in Huntington's Disease, 35–37.
- Massa, G. D., Drive, A. M., Lafayette, W., Kim, H., Wheeler, R. M., & Mitchell, C. A. (2010). Plant Productivity in Response to LED Lighting, 43(7), 1951–1956.
- Milberg, P. (1997). Weed Seed Germination After Short-term Light Exposure: Germination Rate, Photon Fluence Response and Interaction with Nitrate, 37, 157-164.
- Miller, A., & Engel, K.-H. (2006). Content of γ -Oryzanol and Composition of Steryl Ferulates in Brown Rice (*Oryza sativa* L .) of European Origin, 8127–8133.
- Moongngarm, A., & Saetung, N. (2010). Comparison of Chemical Compositions and Bioactive Compounds of Germinated Rough Rice and Brown Rice. *Food Chemistry*, 122(3), 782–788.
- Palmiano, E. P., & Juliano, B. O. (1972). Biochemical Changes in the Rice Grain during Germination1. *Plant Physiology and Biochemistry*, 49, 751–756.
- Prakash, A., Rigelhof, F., & Miller, E. (2001). Antioxidant activity. *Med Lab Anal Prog* 19(2): 1-6.
- Pramai, P., Ashikin, N., Hamid, A., & Median, A. (2017). Metabolite Profiling, Antioxidant, and α -glucosidase Inhibitory Activities of Germinated Rice: Nuclear-magnetic-resonance-based Metabolomics Study. *Journal of Food and Drug Analysis*, (February), 1–11.
- Scientific, C. (2013). Mass Spectrometry Fundamental LC-MS Introduction. In *CHROMacademy*.

- Shen, S., Wang, Y., Li, M., Xu, F., & Chai, L. (2015). The Effect of Anaerobic Treatment on Polyphenols, Antioxidant Properties, Tocols and Free Amino Acids in White, Red, and Black Germinated Rice (*Oryza sativa L.*). *Journal of Functional Foods*, 19, 641–648.
- Strohschein, S., Rentel, C., Lacker, T., Bayer, E., & Albert, K. (1999). Separation and Identification of Tocotrienol Isomers by HPLC-MS and HPLC-NMR Coupling, 71(9), 1780–1785.
- Suprihatno, B., Daradjat, A. A., Satoto, SE., B., Suprihanto, Setyono, A., ... Sembiring, H. (2010). *Deskripsi varietas padi*. Subang: Balai Besar Penelitian Tanaman Padi.
- Ti, H., Zhang, R., Zhang, M., Li, Q., Wei, Z., Zhang, Y., ... Ma, Y. (2014). Dynamic Changes in The Free and Bound Phenolic Compounds and Antioxidant Activity of Brown Rice at Different Germination Stages. *Food Chemistry*, 161, 337–344.
- Tian, S., Nakamura, K., Cui, T., & Kayahara, H. (2005). High-performance Liquid Chromatographic Determination of Phenolic Compounds in Rice, 1063, 121–128.
- Tian, S., Nakamura, K., & Kayahara, H. (2004). Analysis of Phenolic Compounds in White Rice, Brown Rice, and Germinated Brown Rice. *Agricultural and Food Chemistry*, 4808–4813.
- Tristantini, D., Ismawati, A., Pradana, B. T., & Gabriel, J. (2016). Pengujian Aktivitas Antioksidan Menggunakan Metode DPPH pada Daun Tanjung (*Mimusops elengi L.*), 1–7.
- USDA. (2017). *Oryza sativa L.* rice. [Online]. Diakses dari <https://plants.usda.gov/core/profile?symbol=ORSA>. [24 Juni 2017].
- Winarsi, H. (2007). Antioksidan Alami dan Radikal Bebas. Yogyakarta: Kanisius.
- Young, H., Guk, I., Myoung, T., Sik, K., Sik, D., Hyun, J., ... Sang, H. (2012). Chemical and Functional Components in Different Parts of Rough Rice (*Oryza sativa L.*) before and after germination. *Food Chemistry*, 134(1), 288–293.

Zaks, A., & Klibanov, A. M. (1988). The Effect of Water on Enzyme Action in Organic Media *, 263(17), 8017–8021.