

## DAFTAR PUSTAKA

- Abdel-Aal, E.-S. M., Young, J. C., & Rabalski, I. (2006). Anthocyanin Composition in Black , Blue , Pink , Purple , and Red Cereal Grains, 4696–4704.
- Adom, K. K., & Liu, R. H. (2002). Antioxidant activity of grains. *Journal of Agricultural and Food Chemistry*, 50 (21), 6182–6187.
- Ahuja, U., Ahuja, S., Chaudhary, N., & Thakra, R. (2016). Red Rices - Past , Present , and Future, (April).
- Aisyah, S., Gruppen, H., Madzora, B., & Vincken, J. P. (2013). Modulation of isoflavonoid composition of *Rhizopus oryzae* elicited soybean (*Glycine max*) seedlings by light and wounding. *Journal of Agricultural and Food Chemistry*, 61 (36), 8657–8667.
- Anita, S. (2009). *Studi Sifat Fisiko-Kimia, Sifat Fungsional Karbohidrat, dan Aktivitas Antioksidan Tepung Kecambah Kacang Komak (Lablab purpureus (L.) sweet)*. Institut Pertanian Bogor.
- Ardianingsih, R. (2009). Penggunaan High Performance Liquid Chromatography (Hplc) Dalam Proses Analisa Deteksi Ion. *Penggunaan High Performance Liquid Chromatography (Rertno Ardianingsih)*, 10 (4), 101–104.
- Banchuen, J., Thammarutwasik, P., Oraikul, B., Wuttijumnong, P., & Sirivongpaisal, P. (2009). Effect of Germinating Processes on Bioactive Component of Sangyod Muang Phatthalung Rice. *Thai Journal of Agricultural Science*, 42 (4), 191–199.
- Bewley, J. (1997). Seed Germination and Dormancy. *The Plant Cell*, 9 (7), 1055–1066.
- Champagne, E. . (2004). *Rice: Chemistry and Technology*. (E. . Champagne, Ed.) (3rd ed.). New Orleans, Louisiana: American Association of Cereal Chemists.
- Cho, D. H., & Lim, S. T. (2016). Germinated brown rice and its bio-functional compounds. *Food Chemistry*, 196 (September), 259–271.
- Eichhorn, P., & Knepper, T. . (2001). Electrospray Ionization Mass Spectrometric Studies on the Amphoteric Surfactant Cocamidopropylbetaine. In *Mass Spectroscopy* (pp. 677–684).
- Ekowati, N. Y., & Purwestri, Y. A. (2016). Analisis Kandungan Gamma Aminobutyric Acid (Gaba), Fenol Total dan Aktivitas Antioksidan “Beras Kecambah” Kultivar Lokal (*Oryza Sativa L.*) Di Yogyakarta, 6 (September), 117–127.

- Hewlett, P. (2001). Basics of LC/MS. *Agilent Technologies*, 1–36.
- Houston, D. ., & Kohler, G. . (1970). *Nutritional Properties of Rice*. Washington: National Academy of Sciences.
- Hu, C., Zawistowski, J., Ling, W., & Kitts, D. D. (2003). Black Rice ( *Oryza sativa* L . indica ) Pigmented Fraction Suppresses both Reactive Oxygen Species and Nitric Oxide in Chemical and Biological Model Systems Black Rice ( *Oryza sativa* L . indica ) Pigmented Fraction Suppresses both Reactive Oxygen Species a. *Society*, 5271–5277.
- Huang, S. H., & Ng, L. T. (2012). Quantification of polyphenolic content and bioactive constituents of some commercial rice varieties in Taiwan. *Journal of Food Composition and Analysis*, 26 (1–2), 122–127.
- Ikisan. (1999). Rice. Retrieved July 8, 2017, from <http://ikisan.in/ap-rice-morphology.html>
- Jakobs, C., Jaeken, J., & Bson, K. M. G. (1993). Inherited Disorders of GABA Metabolism Btl ATanSamssA GA n se. *Enzyme*, 16, 704–715.
- Kharismayani, I. (2010). *Ines Kharismayani Departemen Agronomi Dan Hortikultura*. Institut Pertanian Bogor.
- Kikuzaki, H., Hisamoto, M., Hirose, K., Akiyama, K., & Taniguchi, H. (2002). Antioxidant properties of ferulic acid and its related compounds. *Journal of Agricultural and Food Chemistry*, 50 (7), 2161–2168.
- Kim, H. Y., Hwang, I. G., Kim, T. M., Woo, K. S., Park, D. S., Kim, J. H., ... Jeong, H. S. (2012). Chemical and functional components in different parts of rough rice (*Oryza sativa* L.) before and after germination. *Food Chemistry*, 134 (1), 288–293.
- Komatsuzaki, N., Tsukahara, K., Toyoshima, H., Suzuki, T., Shimizu, N., & Kimura, T. (2007). Effect of soaking and gaseous treatment on GABA content in germinated brown rice. *Journal of Food Engineering*, 78 (2), 556–560.
- Lee, S. C., Kim, J. H., Jeong, S. M., Kim, D. R., Ha, J. U., Nam, K. C., & Ahn, D. U. (2003). Effect of far-infrared radiation on the antioxidant activity of rice hulls. *Journal of Agricultural and Food Chemistry*, 51 (15), 4400–4403.
- Liu, R. H. (2004). Potential synergy of phytochemicals in cancer prevention: mechanism of action. *The Journal of Nutrition*, 134 (12 Suppl), 3479S–3485S.
- Liu, R. H. (2007). Whole grain phytochemicals and health. *Journal of Cereal Science*, 46 (3), 207–219.
- Maisont, S., & Narkrugsa, W. (2010). The effect of germination on GABA

content, chemical composition, total phenolics content and antioxidant capacity of Thai waxy paddy rice. *Kasetsart Journal - Natural Science*, 44 (5), 912–923.

- McMurry, J. (2010). *Organic Chemistry* (7th Editio). United State of America: Cengage Learning.
- Miller, H. E., Rigelhof, F., Marquart, L., Prakash, A., & Kanter, M. (2000). Antioxidant content of whole grain breakfast cereals, fruits and vegetables. *Journal of the American College of Nutrition*, 19 (3 Suppl), 312S–319S.
- Muntana, N., & Prasong, S. (2010). Study on total phenolic contents and their antioxidant activities of Thai white, red and black rice bran extracts. *Pakistan Journal of Biological Sciences*.
- Murniasih, T. (2003). Metabolit Sekunder dari Spons Sebagai Bahan Obat-Obatan. *Oseana*, XXVIII (3), 27–33.
- Newmark, H. L. (1996). Plant Phenolics as Potential Cancer Prevention Agents. In *Dietary Phytochemicals in Cancer Prevention and Treatment* (p. 25). New York: Plenum Press.
- Nurmaida. (2016). *Pemrofilan Metabolit Tabat Barito ( Ficus Deltoidea ) Menggunakan Uplc-Qtof-Ms/Ms*. Institut Pertanian Bogor.
- Oki, T., Masuda, M., Kobayashi, M., Nishiba, Y., Furuta, S., Suda, I., & Sato, T. (2002). Polymeric procyanidins as radical-scavenging components in red-hulled rice. *Journal of Agricultural and Food Chemistry*, 50 (26), 7524–7529.
- Panlasigui, L. N., & Thompson, L. U. (2006). Blood glucose lowering effects of brown rice in normal and diabetic subjects. *International Journal of Food Sciences and Nutrition*, 57 (3–4), 151–158.
- Permadi, A. (2014). Cara Menanam Padi : Pelajari 8 Metode Tanam Ini. Retrieved July 8, 2017, from <http://www.infoagribisnis.com/2014/12/cara-menanam-padi/>
- Pramai, P., Ashikin, N., Hamid, A., Mediani, A., Maulidiani, M., Abas, F., & Jiamyangyuen, S. (2016). Metabolite profiling, antioxidant, and a-glucosidase inhibitory activities of germinated rice: nuclear-magnetic-resonance-based metabolomics study ScienceDirect. *Journal of Food and Drug Analysis*, (February), 1–11.
- Pranoto, H. ., Mugnisjah, W. ., & Murniati, E. (1990). *Biologi Benih*. Bogor: Pusat Antar Universitas.
- Pranoto, H. ., & Mugnisjah W.Q, M. E. (1990). *Biologi Benih*. Bogor: Pusat Antar Universitas.

- Putra, T. A. (2012). *Penentuan Aktivitas Antioksidan Ekstrak Beras Merah, Beras Hitam dan Beras Putih dengan Perbedaan Waktu Sosoh*. Universitas Pendidikan Indonesia.
- Qureshi, A. A., Sami, S. A., & Khan, F. A. (2002). Effects of stabilized rice bran, its soluble and fiber fractions on blood glucose levels and serum lipid parameters in humans with diabetes mellitus Types I and II. *Journal of Nutritional Biochemistry*, 13 (3), 175–187.
- Robert M. Silverstein, Francis X. Webster, D. J. K. (2005). Spectrometric identification of organic compounds. *Journal of Molecular Structure*.
- Sa'adah, I. R., Supriyanta, & Subejo. (2013). Keragaman Warna Gabah dan Warna Beras Varietas Lokal Padi Beras Hitam (*Oryza sativa* L.) yang Dibudidayakan oleh Petani Kabupaten Sleman, Bantul dan Magelang, 532 (3), 104–105.
- Saikusa, T., Horino, T., & Mori, Y. (1994). Accumulation of  $\gamma$ -Aminobutyric Acid (Gaba) in the Rice Germ during Water Soaking. *Bioscience, Biotechnology, and Biochemistry*, 58 (12), 2291–2292.
- Sherri, T. (2008). *Determination of Melamine and Cyanuric Acid Residues in Infant Formula using LC-MS/MS* (No. 4421).
- Siregar, H. (1981). *Budidaya Tanaman Padi di Indonesia*. Bogor: Sastra Hudaya.
- Soemartono, Bahrinsamad, & Hardjono. (1981). *Bercocok Tanam Padi*. Jakarta: C.V Yasaguna.
- Sompong, R., Siebenhandl-Ehn, S., Linsberger-Martin, G., & Berghofer, E. (2011). Physicochemical and antioxidative properties of red and black rice varieties from Thailand, China and Sri Lanka. *Food Chemistry*, 124 (1), 132–140.
- Sutharut, J., & Sudarat, J. (2012). Total anthocyanin content and antioxidant activity of germinated colored rice. *International Food Research Journal*, 19 (1), 215–221.
- Ti, H., Zhang, R., Zhang, M., Li, Q., Wei, Z., Zhang, Y., ... Ma, Y. (2014). Dynamic changes in the free and bound phenolic compounds and antioxidant activity of brown rice at different germination stages. *Food Chemistry*, 161, 337–344.
- Tian, S., Nakamura, K., Cui, T., & Kayahara, H. (2005). High-performance liquid chromatographic determination of phenolic compounds in rice. *Journal of Chromatography A*, 1063 (1–2), 121–128.
- Tulus. (2006). *Teknik Pengolahan Beras (Teori dan Praktek)*. eBookPangan.com.
- Weiss, J. (1995). *Ion Chromatography* (2nd editio). Weinheim: VCH.

- Winarno, F. ., Endang, S. ., & Ahza, A. (1980). *Mempelajari Pengaruh Proses Perkecambahan Biji-bijian terhadap Sifat Fisik dan Kimia Rendemen Tepung*. Bogor: FTDC.
- Winarno, F. G. (1981). *Dari Nilai Gizi Tauge sampai Noda Bitot*. Bogor: Pusbangtepa.
- Winarno, F. G. (1984). *Padi dan Beras*. Bogor.
- Wu, F., Yang, N., Touré, A., Jin, Z., & Xu, X. (2013). Germinated Brown Rice and Its Role in Human Health. *Critical Reviews in Food Science and Nutrition*, 53 (5), 451–463.
- Yawadio, R., Tanimori, S., & Morita, N. (2007). Identification of phenolic compounds isolated from pigmented rices and their aldose reductase inhibitory activities. *Food Chemistry*, 101 (4), 1616–1625.
- Yulia, O. (2007). *Pengujian Kapasitas Antioksidan Ekstrak Polar, Nonpolar, Fraksi Protein dan Nonprotein Kacang Komak (Lablab purpureus (L.)sweet)*. *Antioksidan*. Institut Pertanian Bogor.