

DAFTAR PUSTAKA

- Adaramola, Muyiwa S. et al. (2014). Energy for Sustainable Development Assessment of decentralized hybrid PV solar-diesel power system for applications in Northern part of Nigeria. *Energy for Sustainable Development*. <https://doi.org/10.1016/j.esd.2013.12.007>
- Alajmi, Bader N. et al. (2013). Single-phase single-stage transformer less grid-connected PV system. *IEEE Transactions on Power Electronics*, 28(6), 2664–2676. <https://doi.org/10.1109/TPEL.2012.2228280>
- Ali, R. et al. (2016). System (Photovoltaic-WIND), 461–467.
- Andalib-bin-karim, C., Liang, X., Member, S., & Chowdhury, H. A. (n.d.). Generation Reliability Assessment of Stand-alone Hybrid Power System - A Case Study.
- Ashok, S., & Balamurugan, P. (2007). Biomass Gasifier Based Hybrid Energy System for Rural Areas. *2007 IEEE Canada Electrical Power Conference*, 371–375. <https://doi.org/10.1109/EPC.2007.4520360>
- Bafandeh, A., & Vermillion, C. (2016). Altitude Optimization of Airborne Wind Energy Systems via Switched Extremum Seeking — Design , Analysis , and Economic Assessment, 1–12.
- Bekele, G., & Boneya, G. (2012). Design of a photovoltaic-wind hybrid power generation system for Ethiopian remote area. *Energy Procedia*, 14(0), 1760–1765. <https://doi.org/10.1016/j.egypro.2011.12.1164>
- Bhattarai, P. R., & Thompson, S. (2016). Optimizing an off-grid electrical system in Brochet, Manitoba, Canada. *Renewable and Sustainable Energy Reviews*, 53, 709–719. <https://doi.org/10.1016/j.rser.2015.09.001>
- Billinton, R. (2005). Evaluation of Different Operating Strategies in Small Stand-Alone Power Systems, 20(3), 654–660.
- Boutoubat, M. et al. (2013). Control of a wind energy conversion system equipped by a DFIG for active power generation and power quality improvement. *Renewable Energy*, 50, 378–386. <https://doi.org/10.1016/j.renene.2012.06.058>
- Breeze, P. (2014). Wind Power. *Power Generation Technologies*, 1(5), 223–242. <https://doi.org/10.1016/B978-0-08-098330-1.00011-9>
- Calais, M. et al. (2002). Inverters for single-phase grid connected photovoltaic systems-an overview. *Power Electronics Specialists Conference, 2002. Pesc 02. 2002 IEEE 33rd Annual*, 4, 1995–2000. <https://doi.org/10.1109/PSEC.2002.1023107>
- Chakravartula, Anandababu. et al. (2016). Neutral Point Clamped MOSFET Inverter with Full-Bridge Configuration for Non-Isolated Grid-Tied Photovoltaic System. *IEEE Journal of Emerging and Selected Topics in Power Electronics*, 6777(c), 1–1.

<https://doi.org/10.1109/JESTPE.2016.2622711>

Chang-Chien, Le Ren. et al. (2011). Enhancing frequency response control by DFIGs in the high wind penetrated power systems. *IEEE Transactions on Power Systems*, 26(2), 710–718. <https://doi.org/10.1109/TPWRS.2010.2052402>

Chen, L., & Liu, Y. (n.d.). Scheduling Strategy of Hybrid Wind-Photovoltaic-Hydro Power Generation System.

Dalton, G. J. et al. (2008). Feasibility analysis of stand-alone renewable energy supply options for a large hotel. *Renewable Energy*, 33(7), 1475–1490. <https://doi.org/10.1016/j.renene.2007.09.014>

Dalton, G. J. et al. (2009). Feasibility analysis of renewable energy supply options for a grid-connected large hotel. *Renewable Energy*, 34(4), 955–964. <https://doi.org/10.1016/j.renene.2008.08.012>

Darvell, L I. et al. (2016). Comparative Study of the Thermal Conductivity of Solid Biomass Fuels. *Energy Fuels*, 30(3), 2158–2163. <https://doi.org/10.1021/acs.energyfuels.5b02261>

EIA. (2015). Electric Power Monthly: with data for January 2015. *U.S. Energy Information Administration*, (August).

Farmad, H. S., & Biglar, S. (2012). Integration of demand side management, distributed generation, renewable energy sources and energy storages. *CIRED 2012 Workshop- Lisbon 29-30 May 2012*, (May), 1–4. <https://doi.org/10.1049/cp.2012.0784>

Hafez, O., & Bhattacharya, K. (2012). Optimal planning and design of a renewable energy based supply system for microgrids. *Renewable Energy*, 45, 7–15. <https://doi.org/10.1016/j.renene.2012.01.087>

Herrin, J. M., & Deming, D. (1996). Thermal conductivity of U.S. coals. *Journal of Geophysical Research: Solid Earth* (1978–2012), 101(B11), 25381–25386. <https://doi.org/10.1029/96JB01884>

Himri. et al. (2008). Techno-economical study of hybrid power system for a remote village in Algeria. *Energy*, 33(7), 1128–1136. <https://doi.org/10.1016/j.energy.2008.01.016>

Homer Energy. (2016). HOMER Pro Version 3.6 User Manual, (August), 416.

Hurtado. et al. (2015). Optimization of a hybrid renewable system for high feasibility application in non-connected zones. *Applied Energy*, 155, 308–314. <https://doi.org/10.1016/j.apenergy.2015.05.097>

Iqbal, M. T. (2004). A feasibility study of a zero energy home in Newfoundland, 29, 277–289. [https://doi.org/10.1016/S0960-1481\(03\)00192-7](https://doi.org/10.1016/S0960-1481(03)00192-7)

Kansara, B. U., & Parekh, B. R. (2011). Modelling and simulation of distributed generation

- system using HOMER software. *2011 International Conference on Recent Advancements in Electrical, Electronics and Control Engineering, IConRAEeCE'11 - Proceedings*, 328–332. <https://doi.org/10.1109/ICONRAEeCE.2011.6129804>
- Kerem, A. (2017). Smart Grid Integration of Micro Hybrid Power System Using 6-Switched 3-Level Inverter, 3–7.
- Khan, A A. et al. (2016). UPB Scientific Bulletin, (December).
- Khan, M. J., & Iqbal, M. T. (2005). Pre-feasibility study of stand-alone hybrid energy systems for applications in Newfoundland, 30, 835–854. <https://doi.org/10.1016/j.renene.2004.09.001>
- Kim, S. et al, Jeon, J., Cho, C., Ahn, J., & Kwon, S. (2008). Dynamic Modeling and Control of a Grid-Connected Hybrid Generation System With Versatile Power Transfer, 55(4), 1677–1688.
- Kumar, Amar. et al. (2013). In search of an optimization tool for renewable energy resources: Homer vs. in-house model. *2013 IEEE Electrical Power and Energy Conference, EPEC 2013*, 1–7. <https://doi.org/10.1109/EPEC.2013.6802955>
- Lalor, G. et al. (2005). Frequency control and wind turbine technologies. *IEEE Transactions on Power Systems*, 20(4), 1905–1913. <https://doi.org/10.1109/TPWRS.2005.857393>
- Lambert, T., Gilman, P., & Lilienthal, P. (n.d.). Micropower System Modeling With Homer, 379–418.
- Li, D., & Ma, J. (2009). Wood biomass gasification process modeling and optimization of the parameters of control. *2009 Chinese Control and Decision Conference*, 5152–5157. <https://doi.org/10.1109/CCDC.2009.5194994>
- Liu, G. et al. (2010). Economic and Environmental Modeling of a Photovoltaic-Wind-Grid Hybrid Power System in Hot Arid Australia. 01-902-664-9706, 1(1), 15–22. <https://doi.org/10.5383/ijtee.01.01.003>
- Luo, C., Banakar, H., Shen, B., & Ooi, B.-T. (2007). Strategies to Smooth Wind Power Fluctuations of Wind Turbine Generator. *IEEE Transactions on Energy Conversion*, 22(2), 341–349. <https://doi.org/10.1109/TEC.2007.895401>
- Mahanty, Rn. et al. (2004). Application of RBF neural network to fault classification and location in transmission lines. *IEE Proceedings-Generation, Transmission and ...*, 151(3), 201–212. <https://doi.org/10.1049/ip-gtd>
- Mahmud, Nasif. et al. (2013). Modelling and cost analysis of hybrid energy system for St. Martin Island using HOMER. *2013 International Conference on Informatics, Electronics and Vision, ICIEV 2013*. <https://doi.org/10.1109/ICIEV.2013.6572678>
- Markovic, M. (2016). Comparison of Microgrid Solutions for Remote Areas, 1–5.

- Mason, P E. et al. (2014). Biomass fuel flexibility in future conventional power generation, 1–5.
- Molino, Antonio. et al. (2016). Biomass gasification technology: The state of the art overview. *Journal of Energy Chemistry*, 25(1), 10–25. <https://doi.org/10.1016/j.jechem.2015.11.005>
- Natsheh. et al. (n.d.). Modeling and Control for Smart Grid Integration of Solar / Wind Energy Conversion System, 1–8.
- Nayar, Chemmangot V. et al. (2000). A grid-interactive photovoltaic uninterruptible power supply system using battery storage and a back up diesel generator. *IEEE Transactions on Energy Conversion*, 15(3), 348–353. <https://doi.org/10.1109/60.875502>
- Phyllis. (1997). ECN database of biomass and waste.
- Puig-Arnavat, M., Bruno, J. C., & Coronas, A. (2010). Review and analysis of biomass gasification models. *Renewable and Sustainable Energy Reviews*, 14(9), 2841–2851. <https://doi.org/10.1016/j.rser.2010.07.030>
- Rajanna. (2014). Optimal Modeling of Solar / Biogas / Biomass based IRE System for a Remote Area Electrification. *6th IEEE Power India International Conference (PIICON), 2014*.
- Rauch, R. ., & Mulyana, R. (2014). Renewable Energy Guidelines on Biomass and Biogas Power Project Development in Indonesia, (May).
- Razak. et al. (2010). Optimal sizing and operational strategy of hybrid renewable energy system using HOMER. *PEOCO 2010 - 4th International Power Engineering and Optimization Conference, Program and Abstracts*, (June), 495–501. <https://doi.org/10.1109/PEOCO.2010.5559240>
- Reddy, S. S., & Momoh, J. A. (2015). Realistic and Transparent Optimum Scheduling Strategy for Hybrid Power System, 1–12.
- Ronad, B. F., & Jangamshetti, S. H. (2016). Optimal cost analysis of wind-solar hybrid system powered AC and DC irrigation pumps using HOMER. *2015 International Conference on Renewable Energy Research and Applications, ICRERA 2015*, 5, 1038–1042. <https://doi.org/10.1109/ICRERA.2015.7418568>
- Saidi, A., & Chellali, B. (2017). Simulation and Control of Solar Wind Hybrid Renewable Power System, 51–56.
- Silva, Dina. et al. (2013). Evaluation of various technologies for wave energy conversion in the portuguese nearshore. *Energies*, 6(3), 1344–1364. <https://doi.org/10.3390/en6031344>
- Singh, S. Sanajaoba. et al. (2015). Reliable PV/Wind renewable energy mix for a remote area. *2015 Annual IEEE India Conference (INDICON)*, (November 2015), 1–5. <https://doi.org/10.1109/INDICON.2015.7443419>
- Singh, S. S., & Fernandez, E. (n.d.). Method for Evaluating Battery Size Based on Loss of Load

Probability Concept for a Remote PV System, (1).

Speight, J. (2005). *Handbook of Coal Analysis. Chemical Analysis.* <https://doi.org/10.1002/0471718513>

Szargut, J. (1988). Exergy Analysis of Thermal Processes and Systems Sa Ne M Sc Pl O E – C Eo Ap Ls Te S M Sc Pl O E – C Eo.

Thresher, R., Robinson, M., & Veers, P. (2008). The status and future of wind energy technology. *AIP Conference Proceedings*, 1044(december), 340–359. Retrieved from <http://www.scopus.com/inward/record.url?eid=2-s2.0-54049086591&partnerID=40&md5=a874208969ce9ae50f3b2256c54a4f02>

Valenciaga, F., & Puleston, P. F. (2005). Supervisor Control for a Stand-Alone Hybrid Generation System Using Wind and Photovoltaic Energy, 20(2), 398–405.

Venkateswra, Ch. et al. (2013). Stand-Alone PV Hybrid System for Residential, 422–430.

Wang, A., Zhang, X., & Huang, M. (2013). Exergy Analysis of Biomass Gasification Process, 1–4.

Xiao, Huafeng. et al. (2010). Leakage current analytical model and application in single-phase transformerless photovoltaic grid-connected inverter. *IEEE Transactions on Electromagnetic Compatibility*, 52(4), 902–913. <https://doi.org/10.1109/TEMC.2010.2064169>

Xue, Yaosuo. et al. (2004). Topologies of single-phase inverters for small distributed power generators: An overview. *IEEE Transactions on Power Electronics*, 19(5), 1305–1314. <https://doi.org/10.1109/TPEL.2004.833460>

Yang, Lihui. et al. (2012). Advanced control strategy of DFIG wind turbines for power system fault ride through. *IEEE Transactions on Power Systems*, 27(2), 713–722. <https://doi.org/10.1109/TPWRS.2011.2174387>