

DAFTAR PUSTAKA

- Chi, P.J.C.T. Russel, G. Lee, W.J. Hughes, Singer, H.J. (1996). Asynoptic Study of Pc 3, 4 Waves using The Air Force Geophysics Laboratory Magnetometer Array. *Journal of Geophysics Research: Space Physics (1978-2012)*, 101, 13215-13224. doi: 10.1029/96JA00139
- Fenoglio, M.A. Johnston, M.J.S. Byerlee, J.D. (1995): Magnetic and Electric Field Associate with Change in High Pore Pressure in Fault Zones: Application to the Prieta ULF emission. *Geophy. Res*, 100(B7), 12951-12958
- Fraser-Smith, A.C. Benardi, A. McGill P.R. Ladd M.E. Helliwell, R.A. Villard, O.G.Jr. (1990). Low Frequency Magnetic Field Measurements Near The Epicenters of The Ms 7.1 Loma Prieta Earthquake. *Geophysics Research Letter*, 17, 1465-1468. doi :10.1029/GL017i009p01465
- Fitri, N. (2013). "Studi Anomali Geomagnet terkait Gempa Bumi". (Tesis) da Fakultas Ilmu Teknologi, Institut Teknologi, Bandung
- Hattori, K. Takahashi, I. Yushino, C. Isezaki, N. Iwasaki, H. Harada, M. Kawabata, K. Kopytenko, E. Kopytenko, Y. Maltsev, P. Korepanov, V. Molchanov, O. Hayakawa, M. Noda, Y. Nagao, T. Uyeda, S. (2004). ULF geomagnetic field measurement in Japan and Some Recent Results Associated with Iwateken Nairiku Hokubu Earthquake in 1998. *Physics and Chemistry of the Earth*, 29, 81-494. doi: 10.1016/j.pce.2003.09.019
- Hattori, K. Serita, C. Yushino. Hayakawa, M. Isezaki, N. (2006). Singular Spectral Analysis and Principal Component analysis for Signal and principal component analysis for signal discrimination of ULF geomagnetik associated with 2000 Izu Island Earthquake Swarm. *Phys. Chem. Earth*, 31, 281-291.
- Hashimoto, H. Enomoto, Y. Tsunami, Y. Kasahara, M. (2002). Anomalous Geoelectric Signal Associated with Recent Seismic Activity in Tsukuba and Volcanic Activity at Mt. Usu Hokaido, *Seismo-Electromagnetic (Litosphere-Atmosphere-Ionosphere Coupling) Edited by: Hayakawa, M. Molchanov, O. Terrapub*, 77-80.
- Hayakawa, M. Kawate, R. Molchanov, O.A. Yumoto, K. (1996). Result of Ultra-Low Frequency Magnetic Field Measurements during the Guam Earthquake of

- 8 Agustus 1993. *Geophysical Research Letter*, 23, 241-244. doi: 10.29/95GL02863
- Hayakawa, M. Itoh, T. Hattori, K. Yumoto, K. (2000). ULF Electromagnetic Precursor for an Earthquake at Biak Indonesia on February 17, 1996. *Geophysics Research Letter*, 27, 1531-1534.
- Hayakawa, M. Hattori, K. Otha, K. (2007). Monitoring of ULF (Ultra Low Frequency) Geomagnetik Variation Associated with Earthquakes. *Sensor*, 7, 1108-1122.
- Ibrahim, G. Suaidi, A. Saroso, S. (2012). Karakteristik Sinyal Emisis ULF yang Berhubungan dengan Prekursor Gempa BUMI di Sumatera Studi Kasus: Gempa Bumi Padang 209 dan Gempa Bumi Mentawai 2010. *Jurnal Meteorologi dan Geofisika*, 13, 81-89.
- Jacobs, J. A. Kato, Y. Matsushita, S. Troitskaya, V. A. (1964). Classification of Geomagnetic Micropulsations, *J. Geophys*, 180-181.
- Jankowski, J & Sucksdorsff, C. (1996). IAGA Guide for Magnetic Measurements and Observatory Practice. ISBN 0-9650686-2-5
- Kagan, Y.Y. & Jackson, D.D. (1994). Long-term Probabilistic Forecasting of Earthquake. *Journal of Geophysical Research: Solid Earth* (1978-2021), 99, 13685-13700. doi: 10.1029/94JB00500
- Karakelian, D. Klemperer, S.L. raser-smith, A.C. Beroza, G.C. (2000). A Transportable system for Monitoring Ultra Low Frequency electromagnetic signal associated with earthquakes. *Seismologica Researchetter*. 71. 432-436.
- Kovtun, A. (1980): Using of Natural Electromagnetic Field of The Earth under Studying of Earth's Electroconductivity. St.-Petersburg. Leningrad Univercity. 195
- McPheron, R.L. (2005): Magnetic Pulsations: Their sources and relation to solar wind and geomagnetik activity. *Surveys in Geophysics* ,26, 545-592
- Molchanov, O. (2008), Social tension as precursor of large damaging earthquake, *Nat. Hazard Earth. Syst. Sci*, 8, 1259-1265. doi:<http://www.nat-hazards-earth-syst-sci.net/8/1259/2008/>

- Molchanov, O. & Hayakawa, M. (1995): Generation of ULF Geomagnetik emission by microfracturing. *Geophys*, 22, 3091-3094
- Nurdiyanto, B. (2011). Integration of Geophysical Parameter Observation in the Earthquake Predictability. *JCM2011- Nopember, Proceedings of the 36th HAGI and 40th IAGI Anual Convention and Exhibition, Makasar*
- Prattes, G. Schwingenschuh, K. Eichelberger, H. Magne, W. Boudjada, M. Stachel, M. Vellante, M. Villante, M. Wesztergom, V. Nenovski, P. (2011). Ultra Low Frequency (ULF) European Multi Stasion Mmagnetic Field Analysis before and during The 2009 Earthquake at L'Aquila Regarding Regional Geotechnical Information. *Natural Hazards Earth System Sciences*, 11, 1959-1968. doi:10.5194/nhess-11-1959-2011
- Rahim, P. (2016). Analisis Data Geomagnet Menggunakan Metode Polarisasi Magnetik Kaitannya dengan Gempa Bumi Di Regional Lombok. *Dielektrika*, 3, 75-84.
- Suaidi, A. (2013). "Analisis Pola Prekursor Gempa Bumi Kuat Sumatera Periode 2007-20012 Berdasarkan Emisi ULF menggunakan Data Geomagnet". (Disertasi). Program Studi Sains Kebumihan. Intitut Teknologi, Bandung.
- Suaidi, A. Puspito, N.T. Saroso, S. Ibrahim, G. Siswoyo, Suhariyadi. (2013). Prekursor Gempa Bumi Pdang 2009 Berbasis Hasil Analisis Polariasasi Power Rasio dan Fungsi Transfer Stasiun Tunggal. *Jurnal Ilmial Geomatika*. 19, 49-56
- Tributsch, H. (1983). *When The Snake Awake*. Camridge: MIT Press.
- Uyeda, S., dan Meguro, K. (2004). Earthquake prediction, seismic Hazard, and Vulnerability, 349-35.
- Yumoto, K. (1986). Generation and Propagation Mechanisms of Low-latitude Magnetic Pulsation-A review. *Journal of Geophysics*, 60, 79-105.
- Yumoto, K. Ikemoto, S. Cardinal, M.G, Hayakawa, H. Hattori, K. Liu, J.Y. Saroso, S. Ruhimat, M. Husni, M. Widarto, D.S. Ramos, E. McNamara, D. Otasoy, R.E. Yumul, G. Ebor, R.. Sevdano, N. (2008): A new ULF Wave Analysis For Seismo-Electromagnetic using CPMN/MADGAS Data *J.Phys. Chem. Earth*, doi: 10.1016/j.pce.2008.04.2005

Yumoto, K. & The MAGDAS Group. (2009). MAGDAS Project and Its Application for Earthquake Prediction, *Proceedings of the International Workshop on Integration of Geophysical Parameter as a Set of Large Earthquake Precursors*, Research and Development Center BMG, Jakarta.