

## DAFTAR PUSTAKA

- Ahdanisa, Aghnia (2016). Kajian Release Behavior Hidrogel CRF Poli (Vinil Alkohol) dengan *Crosslinker* Glutaraldehida. FPMIPA UPI.
- Ahmed, E. M. (2015). Hydrogel: Preparation , characterization , and applications : A review. *Journal of Advanced Research*, 6(2), 105–121. <https://doi.org/10.1016/j.jare.2013.07.006>
- Akhtar, M. F., Hanif, M., & Ranjha, N. M. (2016). Methods of synthesis of hydrogels . . . A review. *Saudi Pharmaceutical Journal*, 24(5), 554–559. <https://doi.org/10.1016/j.jsps.2015.03.022>
- Azeem, B., Kushaari, K., Man, Z. B., Basit, A., & Thanh, T. H. (2014). Review on materials & methods to produce controlled release coated urea fertilizer. *Journal of Controlled Release*, 181(1), 11–21. <https://doi.org/10.1016/j.jconrel.2014.02.020>
- Baker, M. I., Walsh, S. P., Schwartz, Z., & Boyan, B. D. (2012). A review of polyvinyl alcohol and its uses in cartilage and orthopedic applications. *Journal of Biomedical Materials Research - Part B Applied Biomaterials*, 100 B(5), 1451–1457. <https://doi.org/10.1002/jbm.b.32694>
- Chen, J., Shi, X., Ren, L., & Wang, Y. (2017). Graphene oxide/PVA inorganic/organic interpenetrating hydrogels with excellent mechanical properties and biocompatibility. *Carbon*, 111, 18–27. <https://doi.org/10.1016/j.carbon.2016.07.038>
- Distantina, S., Rochmadi, Fahrurrozi, M., & Wiratni. (2013). Preparation and characterization of glutaraldehyde-crosslinked kappa carrageenan hydrogel. *Engineering Journal*, 17(3), 57–66. <https://doi.org/10.4186/ej.2013.17.3.57>
- Eagland, D., Crowther, N. J., & Butler, C. J. (1994). Complexation between polyoxyethylene and polymethacrylic acid-the importance of the molar mass

- of polyoxyethylene. *European Polymer Journal*, 30(7), 767–773. [https://doi.org/10.1016/0014-3057\(94\)90003-5](https://doi.org/10.1016/0014-3057(94)90003-5)
- Förster, B. S., & Antonietti, M. (1998). Amphiphilic Block Copolymers in Structure- Controlled Nanomaterial Hybrids. *Advanced Materials*, 10(3), 195–217. [https://doi.org/10.1002/\(SICI\)1521-4095\(199802\)10:3<195::AID-ADMA195>3.0.CO;2-V](https://doi.org/10.1002/(SICI)1521-4095(199802)10:3<195::AID-ADMA195>3.0.CO;2-V)
- Ganji, F., Vasheghani-farahani, S., & Vasheghani-farahani, E. (2010). Theoretical Description of Hydrogel Swelling: A Review, 19(5), 375–398.
- Gupta, P., Vermani, K., & Garg, S. (2002). Hydrogels : from controlled release to pH-responsive drug delivery, 7(10), 569–579.
- Haglund, B. O., Joshi, R., & Himmelstein, K. J. (1996). An in situ gelling system for parenteral delivery. *Journal of Controlled Release*, 41(3), 229–235. [https://doi.org/10.1016/0168-3659\(96\)01333-8](https://doi.org/10.1016/0168-3659(96)01333-8)
- Hassan, C. M., & Peppas, N. A. (2000). Structure and Applications of Poly(vinyl alcohol) Hydrogels Produced by Conventional Crosslinking or by Freezing/Thawing Methods. *Biopolymers · PVA Hydrogels, Anionic Polymerisation Nanocomposites*, 153, 37–65. [https://doi.org/10.1007/3-540-46414-X\\_2](https://doi.org/10.1007/3-540-46414-X_2)
- Hendrawan., Austina, D. P., & Sonjaya, Y. (2014). Optimasi Komposisi Biohidrogel Berbahan Dasar DYT-PVA dengan Crosslinker Glutaraldehida melalui Uji Swelling Ratio dan Water Retention. *Jurnal Sains dan Teknologi Kimia*. ISSN 2087-7412
- Hendrawan, Khoerunnisa, F., Sonjaya, Y., & Chotimah, N. (2016). Physical and chemical characteristics of alginate-poly (vinyl alcohol) based controlled release hydrogel. *Journal of Environmental Chemical Engineering*, 4(4), 4863–4869. <https://doi.org/10.1016/j.jece.2016.03.043>
- Hennink, W. E., & van Nostrum, C. F. (2012). Novel crosslinking methods to design hydrogels. *Advanced Drug Delivery Reviews*, 64(SUPPL.), 223–236.

<https://doi.org/10.1016/j.addr.2012.09.009>

Hu, J., Chen, Y., Li, Y., Zhou, Z., & Cheng, Y. (2017). Biomaterials A thermo-degradable hydrogel with light-tunable degradation and drug release. *Biomaterials*, 112, 133–140. <https://doi.org/10.1016/j.biomaterials.2016.10.015>

Ichi, T., Watanabe, J., Ooya, T., & Yui, N. (2001). Controllable erosion time and profile in poly(ethylene glycol) hydrogels by supramolecular structure of hydrolyzable polyrotaxane. *Biomacromolecules*, 2(1), 204–210. <https://doi.org/10.1021/bm005617n>

Jabeen, S., Islam, A., Ghaffar, A., Gull, N., Hameed, A., Bashir, A., ... Hussain, T. (2017). Development of a novel pH sensitive silane crosslinked injectable hydrogel for controlled release of neomycin sulfate. *International Journal of Biological Macromolecules* (Vol. 97). <https://doi.org/10.1016/j.ijbiomac.2017.01.014>

Kiernan, J. A. (2000). Formaldehyde, formalin, paraformaldehyde and glutaraldehyde: What they are and what they do. *Microscopy Today*, 00–1(c), 8–12.

Kravelen, D.W.V., & Nijenhuis, K.te. (2009). Properties of Polymer, Their Correlation with Chemical Struktur; Their Numerical Estimation and Prediction from Additive Group Contribution 4<sup>th</sup> Edition. Amsterdam: Elsevier B.V All rights reserved

Lin, C. C., & Metters, A. T. (2006). Hydrogels in controlled release formulations: Network design and mathematical modeling. *Advanced Drug Delivery Reviews*, 58(12–13), 1379–1408. <https://doi.org/10.1016/j.addr.2006.09.004>

Manas, C., (2006). Introduction to Polymer Science and Chemistry, A Problem Solving Approach. USA: CRC Press.

Mathur, A. M., Moorjani, S. K., & Scranton, A. B. (1996). Methods for Synthesis of Hydrogel Networks: A Review. *Journal of Macromolecular Science, Part*

- C: *Polymer Reviews*, 36(2), 405–430.  
<https://doi.org/10.1080/15321799608015226>
- Migneault, I., Dartiguenave, C., Bertrand, M. J., & Waldron, K. C. (2004). Glutaraldehyde: Behavior in aqueous solution, reaction with proteins, and application to enzyme crosslinking. *BioTechniques*, 37(5), 790–802.  
<https://doi.org/10.2144/3705A0790>
- Mansur, H. S., Sadahira, C. M., Souza, A. N., & Mansur, A.A.P. (2008). FTIR spectroscopy characterization of poly (vinyl alcohol) hydrogel with different hydrolysis degree and chemically crosslinked with glutaraldehyde. *Materials Science and Engineering* 539 – 548.  
<https://doi.org/10.1016/j.msec.2007.10.088>
- Mohd Amin, M. C. I., Ahmad, N., Halib, N., & Ahmad, I. (2012). Synthesis and characterization of thermo- and pH-responsive bacterial cellulose/acrylic acid hydrogels for drug delivery. *Carbohydrate Polymers*, 88(2), 465–473.  
<https://doi.org/10.1016/j.carbpol.2011.12.022>
- Olad, A., Gharekhani, H., Mirmohseni, A., & Bybordi, A. (2017). Synthesis, characterization, and fertilizer release study of the salt and pH-sensitive NaAlg-g-poly(AA-co-AAm)/RHA superabsorbent nanocomposite. *Polymer Bulletin*. <https://doi.org/10.1007/s00289-016-1899-5>
- Otsuka, E., & Suzuki, A. (2009). A Simple Method to Obtain a Swollen PVA Gel Crosslinked by Hydrogen Bonds. *Journal of Applied Polymer Science*, Vol. 114, 10–16. <https://doi.org/10.1002/app.30546>.
- Paradossi, G., Cavalieri, F., Chiessi, E., Spagnoli, C., & Cowman, M. K. (2003). Poly(vinyl alcohol) as versatile biomaterial for potential biomedical applications. *Journal of Materials Science: Materials in Medicine*, 14(8), 687–691. <https://doi.org/10.1023/A:1024907615244>
- Pavia, Lampman, dan Kriz (2001). *Introduction to Spectroscopy*; Third Ed. Departement of Chemistry Western Washington University.

- Rimadina, (2016). Pengaruh pH, Temperatur dan Konsentrasi Elektrolit Pendukung Terhadap *Swelling Behavior* Hidrogel Komposit Berbasis Pva/Aam/Grafit Oksida. FPMIPA UPI.
- Ray, D., Gils P. S., Mohanta, G. P., Manavalan, R., & Sahoo, P. K. (2009). Comparative Delivery of Diltiazem Hydrochloride Through Synthesized Polymer: Hydrogel and Hydrogel Microspheres. *Journal of Applied Polymer Science*, Vol. 116, 959–968. <https://doi.org/10.1002/app.31661>.
- Saeed, R., & Abdeen, Z. U. (2015). Kinetics of desorption of KCL from polyvinyl alcohol-borate hydrogel in aqueous-alcoholic solvents at different temperatures. *Russian Journal of Physical Chemistry A*, 89(11), 2126–2131. <https://doi.org/10.1134/S0036024415110163>
- Sen, C., & Das, M. (2017). Self-supporting-film from starch , poly ( vinyl alcohol ), and glutaraldehyde: Optimization of composition using response surface methodology, *44436*, 1–11. <https://doi.org/10.1002/app.44436>
- Subbarao, G. V., Ito, O., Berry, W. L., & Wheeler, R. M. (2003). Sodium - A Functional Plant Nutrient. *Critical Reviews in Plant Sciences*, 22(5), 391–416. <https://doi.org/10.1080/748638747>
- Trinh, T. H., & KuShaari, K. (2016). Dynamic of Water Absorption in Controlled Release Fertilizer and its Relationship with the Release of Nutrient. *Procedia Engineering*, 148, 319–326. <https://doi.org/10.1016/j.proeng.2016.06.444>
- Xiaodi, L., Qian, L., Xiang, X., Yuan, S., Qinyan, Y., & Baoyu, G. (2015). Characterization, swelling and slow-release properties of a new controlled release fertilizer based on wheat straw cellulose hydrogel. *Journal of the Taiwan Institute of Chemical Engineers* 000 (2015) 1-9. <https://dx.doi.org/10.1016/j.jtice.2015.10.027>
- Yang, T. (2012). Mechanical and Swelling properties of Hydrogels. (Tesis). KTH Royal Institute of Technology, Sweden.
- Yaswir, R., & Ferawati, I. (2012). Fisiologi dan Gangguan Keseimbangan

Natrium , Kalium dan Klorida serta Pemeriksaan Laboratorium. *Jurnal Kesehatan Andalas*, 1(2), 80–85.

Yokoyama, F., Masada, I., Shimamura, K., Ikawa, T., & Monobe, K. (1986). Morphology and structure of highly elastic poly (vinyl alcohol) hydrogel prepared by repeated freezing-and-melting. *Colloid and Polymer Science*, 264(7), 595–601.

Zhao, W., Jin, X., Cong, Y., & Fu, J. (2012). Degradable natural polymer hydrogels for articular cartilage tissue engineering, (November). <https://doi.org/10.1002/jctb.3970>

Zu, Y., Zhang, Y., Zhao, X., Shan, C., Zu, S., Wang, K., ... Ge, Y. (2012). Preparation and characterization of chitosan-polyvinyl alcohol blend hydrogels for the controlled release of nano-insulin. *International Journal of Biological Macromolecules*, 50(1), 82–87. <https://doi.org/10.1016/j.ijbiomac.2011.10.006>.