

DAFTAR PUSTAKA

- Achmad, S.A. (1986). Kimia Organik Bahan Alam. Departemen Pendidikan dan Kebudayaan Universitas Terbuka.
- Agnes, M., Rimando, Byung H, H., Jeong, H, P., Magdalena C. 1986. Studies on the Constituen of Philippine *Piper betle*. *Arch. Pha. Res* 9(2). Hal: 93-97.
- Anonim. 2017. Pusat Info Pertanian. [online]. Tersedia di <http://agroteknologi.web.id/cara-budidaya-tanaman-cabai-jawa/>. [diakses tanggal 31 Juli 2017].
- Azmir, J., I.S. M. Zaidul, M.M.Rahman., K.M. Sharif., A. Mohamed.,F. Sahena.,M.H.A. Jahurul.,K.Ghafoor., N.A.N. Norulaini & A.K.M. Omar.2007. Techniques for Extraction of Bioactive compounds from Plant Material: A Review. *Journal Food Engineering*.117:426-436.
- Backer, C.A. & Bakhuizen van den B., Jr. R.C. 1963. Flora of Java, N.V.P. Noordhoff-Gromingen, Netherland.pp.3-56.
- Ballard, T. S. (2008). *Optimizing the Extraction of Phenolic Antioxidant Compounds from Peanut Skins*. Dissertation, the Faculty of Virginia Polytechnic Institute and State University, Blacksburg, VA.
- Banerji, A., M. Sarkar, R. Datta, P. Sengupta and K. Abraham, 2002, Amides From *Piper brachystachyum* and *Piper retrofractum*, *Phytochemistry*, 59, pp. 897-901.
- Bangun, Abednego. (2012). *Ensiklopedia Tanaman Obat Indonesia*. Bandung. Indonesia Publising House. 2012. Jakarta.
- Bell, C. & Kyriakides,A.(2002).Foodborne pathogens.dalam Clive de W. Blackburn & Peter J.McClure (penyunting), pathogenic *Escherichia coli* (hlm.279-306).England:Woodhead Publishing Ltd.
- Bintang, Maria.(2010). Biokimia Teknik Penelitian. Erlangga: Jakarta.
- Biswas, S. M., Chakraborty, N., Chakraborty P. & Sarkar, S. 2012. Antioxidan and antimicrobial of the Hot Pungent Chabbarin are Responsible for the Medicinal Properties of *Piper chaba hunter*. *Journal of Medicinal Plants*, 6: 574-586.
- Black, J.G. (2002).M Microbiology Principles and Exploration 5th edition. New York: Jhon Wiley& Sons.Inc.
- Brand-William, W., M.E.CU volier and C.Berset,1995.Use of free radical method to evaluate antioxidant activity.*LWT-Food Sci.Technol*,28:25-30.

- Brooks, G.F., S.J. Butel & A.S. Morse.2001. Medical Microbiology.New York: McGraw-Hill Co.
- Cabanillas, B.J., A.C. Le Lamer, D. Castillo, J. Arevalo, R. Rojas, G. Odonne, G. Bourdy, B. Moukarzel, M. SaUvain, and N. Fabre, 2010, Caffeic Acid Esters and Lignans from *Piper sanguineispicum*, *J. Nat. Prod.*, 73, pp.1884-1890.
- Centers for Disease Control Prevention. 2011. *Staphylococcus aureus*. [online]. Tersedia di <https://www.cdc.gov/HAI/organisms/staph.html>. [diakses tanggal 31 Juli 2017].
- Chanwitheesuk, A., Teerawutgulrag, A., & Rakariyatham, N. (2005). Food Chemistry Screening of antioxidant activity and antioxidant compounds of some edible plants of Thailand, 92, 491–497.
- Darwis D. 2000. Teknik Dasar Laboratorium Dalam Penelitian Senyawa Bahan Alam Hayati, *Workshop Pengembangan Sumber Daya Manusia Dalam Bidang Kimia Organik Bahan Alam Hayati*, FMIPA Universitas Andalas Padang.
- Davis, W. W., & Stout, T. R. (1971). Disc plate method of microbiological antibiotic assay. I. Factors influencing variability and error. *Applied Microbiology*, 22(4), 659–65.
- Departemen Kesehatan RI, 1985. Daftar Tanaman Indonesia. Jilid I. Pusat Penelitian Farmasi Badan Penelitian dan Pengembangan Kesehatan.: Jakarta.
- Departemen Kesehatan R1, 2000. *Parameter Standar Umum Ekstrak Tanaman Obat*. Direktorat Jenderal Pengawasan Obat Tradisional. Jakarta.
- Dewi, A.A. 2016. “Isolasi dan Karakterisasi Senyawa Piperi dari Buah Cabe Jawa (*Piper retrofractum*) asal Jawa Barat”. *Skripsi*. FPMIPA UPI.
- Dewick, P.M. 2002. Medicinal Natural Product A *Biosynthetic Approach* (Vol. 5). School of Pharmaceutical Sciences: University of Nottingham, UK.
- Djamil, Ratna., dan Anelia, 2009, *Penapisan Fitokimia, Uji BSLT, dan Uji Antioksidan Ekstrak Metanol Beberapa Spesies Papilionaceae*, *Jurnal Ilmu Kefarmasian Indonesia*, 7(2), Hlm.65-71.
- Djauhariya, D., Emmyzar, dan F.M. Rachmat. 1992. Pengaruh macam setek dan jumlah ruas terhadap pertumbuhan bibit cabe jawa. *Bul. Littro VII(2)*: 58-63.
- Evizal, R. 2013. Tanaman Rempah dan Fitofarmaka. Fakultas Pertanian Unila. Bandar Lampung.
- Giorgio, P., (2000). *Flavonoid an Antioxidant*. *Journal National Product*. 63. 1035-1045.

- Gordon. (1990). The mechanism of antioxidant in vitro. Dalam: Hudson, B.J.F. Food Antioxidants. Elsevier Applied Science, London and New York.
- Gwinnet, G. 2014. *Streptococcus mutans*. [online]. Tersedia di http://wiki.ggc.edu/wiki/Streptococcus_mutans_Spring_%2714. [diakses tanggal 31 Juli 2017].
- Halliwell B. & Gutteridge JMC. 1989. *Free Radical In Biology and Medicine*. 2nd Ed. New York: Oxford University-Press.
- Hamda S, Slade H. H. 1980. Biology, Immunology and Cariogenicity of *Streptococcus mutans*. *Microbiological Review* 44(2):331-384.
- Handa, S.S., S.P.S. Khanuja, G. L. & D.D. Rakesh. 2008. Extraction Technology for Medicinal and Aromatic Plants. Italy: Trieste.22-32.
- Hendayana, S., Asep K., Sumarna A. & Supriatna A. 1994. *Kimia Analitik Instrumen*. Semarang: IKIP Semarang Press.
- Hernawan, U. E. K. O. & Setyawan, A. D. W. I. (2003). REVIEW : Senyawa Organosulfur Bawang Putih (*Allium sativum* L .) dan Aktivitas Biologinya
REVIEW : Organosulphure compound of garlic (*Allium sativum* L .) and its biological activities, 1(2), 65–76.
- Heyne K. 1987. *Tanaman Berguna Indonesia*. Jilid II Cetakan ke-1, 619-641. Badan Penelitian dan Pengembangan Kehutanan/Yayasan Sarana Warna Jaya, Jakarta.
- Hostettmann K., Hostettmann M., Marston. 1995. *Cara Kromatografi Preparatif*, ITB: Bandung.
- Hutapea J.R., Widyastuti Y, Sugiarto S. *Usaha Pengadaan Tanaman Piper retrofractum Vahl di lahan BPTO pada ketinggian 1200 M DPL*.
- Jamal, Y., Irawati, P., Fathoni, A.& Agusta, A. (2013). Chemical Constituents and Antibacterial Effect of Essential Oil of Javaneese Pepper Leaves (*Piper retrofractum vahl* .), 65–72.
- Jawetz, E., J. Melnick & E.A. Aldenberg. 2005. Mikrobiologi kedokteran. Edisi 20. Diterjemahkan oleh Edi Nugroho dan R.F. Maulany. Jakarta: Buku Kedokteran EHC. Hal 609-631.
- Ketchum, P.A. 1988. *Microbiology. Concepts and application*. New York : John Willey AND Sons. P. 24-31.
- Khan, M., Siddiqui, M., Vahl, P., Linn, P., Antimicrobial, K., Pepper, B., Linn, P. (2007). Antimicrobial activity of Piper fruits as herbal ingredients of Asian medicines, 6(2), 111–113.
- Kristanti, A.N., Aminah, N.S., Tanjung, M.,Kurniadi, B. (2008). *Buku Ajar Fitokimia*. Surabaya: Laboratorium Kimia Organik Jurusan Kimia FPMIPA Universitas Airlangga.

- Kubo, M., Ishii, R., Ishino, Y., Harada, K., Matsui, N., Akagi, M., Fukuyama, Y. (2013). Evaluation of constituents of *Piper retrofractum* fruits on neurotrophic activity. *Journal of Natural Products*, 76(4), 769–773.
- Lay, B.W. 1994. *Analisa Mikroba di Laboratorium*. Raja Grafindo Persada, Jakarta.
- Luyen, B. T. T., Tai, B. H., Thao, N. P., Yang, S. Y., Cuong, N. M., Kwon, Y. I., Kim, Y. H. (2014). A new phenylpropanoid and an alkylglycoside from *Piper retrofractum* leaves with their antioxidant and α -glucosidase inhibitory activity. *Bioorganic and Medicinal Chemistry Letters*, 24(17), 4120–4124. <https://doi.org/10.1016/j.bmcl.2014.07.057>
- Madigan, M.T., J.M. Martinko & J. Parker. 1997. *Brock biology of Microorganism*. 10th Ed. New Jersey: Prentice Hall International. p.633-637, 406-407.
- Molyneux, P. 200. The Use of The Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity, *Songklanakarinn J. Sci. Technol.* 26(2), 211-21.
- Mun'im, A. Hanan E. 2011. *Fitoterapi Dasar*. Jakarta : Dian Rakyat.
- Musthapa, I., & Gumilar, G. G. (2016). Isolation of Piperin From the Fruit of *Piper Retrofractum*, 6–9. <https://doi.org/10.24845/ijfac.v2.i1.06>
- Nakatani, N., R. Inatani, H. Ohta and A. Nishioka. 1986. Chemical constituents of pepper (*Piper* spp.) and application to food preservation: Naturally occurring antioxidative compounds. *Environ. Health Prescriptives*, 67, 135-142.
- Naval Kulkarni *et al.*, 2011. *Asian Journal Of Pharmacy And Life Science, Centrifugal Thin Layer Chromatography*. [diakses Pada Tanggal 30 Mei 2017].
- Nuraini A. Mengenal etnobotani beberapa tanaman yang berkhasiat sebagai apodisiaka. *InfoPOM*, Badan Pengawas Obat dan Makanan Republik Indonesia 2003;IV(10):1-4.
- Okwute, S. K., Egharevba, H. O., Hunter, P., Piper, L., Linn, P., Forst, P., & Asia, S. E. (2013). Piperine-Type Amides: Review of the Chemical and Biological Characteristics, 5(3), 99–122.
- Paju, N., Paulina, V., Yamlean, & Novel, K. (2013). *Uji efektifitas Salep Ekstrak Daun Binahong pada Kelinci yang terinfeksi Bakteri Staphylococcus aureus*. *PHARMACON Jurnal Ilmiah Farmasi*, 2(1), hlm.51-61.
- Park, B.S., D.J. Son, Y. H. Park, T.W. Kim, and S.E. Lee, 2007, Antiplatelet effects of acidamides isolated from the fruits of *Piper longum* L. *Phytomedicine*, 14, pp. 853-855.

- Packer, L., Rimbach, G. & Virgili, F. 1999. Antioxidant activity and biologic properties of a procyanidin-rich extract from pine (*pinus maritima*) bark, pycnogenol. *Free Radical Biology and Medicine*, 27(5-6), 704–724. [https://doi.org/10.1016/S0891-5849\(99\)00090-8](https://doi.org/10.1016/S0891-5849(99)00090-8)
- Parmar, V. S.; Jain, S. C.; Bisht, K. S.; Jain, R.; Taneja, P.; Jha, A.; Tyagi, O. D.; Prasad, A. K.; Wengel, J.; Olsen, C. E.; Boll, P. M. 1997. *Phytochemistry*. 46, 597–673.
- Pavia, D. L., Gary, M.L. & George S.K., 2001. *Introduction to Spectroscopy*. Washington: Brooks Cole Thomson Learning.
- Percival M, 1998. Antioxidants. Advanced Nutrition Publications, Inc
- Pelezar, M.J., & Chan,E. 1998. *Dasar-dasar Mikrobiologi Jilid 2*. Jakarta: Universitas Indonesia Press.
- Phatthalung, P. N. , S. Chusri & S.P. Voravuthikunchai. 2012. Thai ethnomedicinal plants as resistant modifying agents for combating *Acinetobacter baumannii* infections. *BMC Complementary and Alternative Medicine* 12(56): 1-8.
- Plotnikova,J.M., Rahme,L.G. & Ausubel,F.M. 2000. *Pathogenesis of the human opportunistic Pathogen Pseudomonas aeruginosa PA14 in Arabidopsis*.*Plant Physiology*,124(1).hal.1766-1774.
- Rahman, A., S.M. Al-Reza, and S.C. Kang. 2011. Antifungal Activity of Essential Oil and Extracts of *Piper chaba* Hunter Against Phytopathogenic Fungi, *J. Am. Oil Chem Soc*, 88, pp. 573-579.
- Rachmat M, MS Hartati dan S Wahyuono. 2000. Aktivitas antibakteri dan sediaan obat kumur berisi minyak atsiri daun sirih (*Piper betle* Linn.) dan analisis komposisi minyak atsirinya. *Majalah Farmasi Indonesia* II (4), 235-240.
- Ruhnayat, A., R.S. Muljati dan W. Haryudin. 2011. Respon tanaman cabe jawa produktif terhadap pemupukan di Sumenep Madura. *Bul. Littro* 22(2): 136-146.
- Santosa,C.M. & Triana Hertiani. 2005. Kandungan senyawa kimia dan efek ekstrak air Daun Bangun-bangun (*Coleus amboinicus* L.) pada aktivitas fagositosis netrofil tikus putih (*Rattus norvegicus*). *Majalah Farmasi Indonesia*, 16 (3), 141 – 148.
- Science learning, 2007.*Pseudomonas aeruginosa & Escherichia coli*. Tersedia di <https://www.sciencelearn.org.nz/resources/588-bacteria-good-bad-and-ugly>. [Diakses tanggal 31 Juli 2017].
- Scott, I.M., H. R. Jensen, BJ..R. Philogene, J. T. Arnason. 2008. A review of *Piper* spp. (Piperaceae) phytochemistry, insecticidal activity and mode of action, *Phytochem Review*, 7, pp. 65-75.

- Shutherland, J. & Vamam,A. 2002. Foodborne pathogens.dalam Clive de W. Blackburn & Peter J.McClure (penyunting), *Enterotoxin-producing staphylococcus, shigella, yersinia, vibrio,aeromonas and plesiomonas* (hlm.385-415).England:Woodhead Publishing Ltd.
- Silverstein *et al.*, 2005. *Spectrometric Identification Of Organic Compounds*, 7th Edition.
- Soebagio. (2005). *Kimia Analitik II*. Malang: UM Press.
- Sumarni & Priyono,H. 2008. Potensi Antibakteria Ekstrak dan Fraksi Libo (*Piper miniatum* BL)[*Antibacterial Potential of Extract and Fraction of Libo (Piper miniatum* Bl.)]. Bidang Botani Pusat Penelitian Biologi-LIPI.
- Sunila, E. S., & Kuttan, G. 2004. Immunomodulatory and antitumor activity of Piper longum Linn. and piperine. *Journal of Ethnopharmacology*, 90(2-3), 339–346. <https://doi.org/10.1016/j.jep.2003.10.016>
- Syahrurachman, A. 1994. *Buku Ajar mikrobiologi Kedokteran*, ed revisi, Staf Pengajar Fakultas kedokteran universitas Indonesia, Jakarta, hlm. 103, 177.
- Takashi. Miyake and Takayumi Shibamoto. 1997. *Antioxidant Activities of Natural Compound Found in Plants*. J. Agric. Food. Chem. 45. 1819-1822.
- Todar, K. 2008. Pathogenic Escherichia coli. Tersedia online di <http://www.textbookofbacteriology.net/e.coli.html>. [diakses tanggal 24 Juni 2017]
- Valgas,C., de Souza, S.M., Smania,E.F.A.,Smania Jr. A. 2007. *Screening Methods to determine Antibacterial Activity Of Natural Products*. Brazilian Journal of Microbiology.38.269-380.
- Wattimena, J. R. 1981. *Farmakodinami dan Terapi Antibiotik*. UGM, Yogyakarta, hlm : 1-2, 19-30, 60-62, 308-313
- Winarsi H. 2007. *Antioksidan Alami dan Radikal Bebas*, Kanesus, Yogyakarta, Hlm.12, 14-21, 26-29, 32-36, 77-81, 87, 97, 100-101, 122, 146-151, 155-177, 191, 264-266, 280.
- Yen G., Chen, H. 1995. *Antioxidant Activity of Various Tea Extract in Relation To Their Antimutagenicity*. J. Agric. Food Chem. 43. pp. 27-32.