

DAFTAR PUSTAKA

- Aboubakar, Njintang, Y. N., Scher, J., & Mbofung, C. M. F. (2008). Physicochemical, thermal properties and microstructure of six varieties of taro (*Colocasia esculenta* L. Schott) flours and starches. *Journal of Food Engineering*, 86(2), 294–305. <http://doi.org/10.1016/j.jfoodeng.2007.10.006>.
- Agama-Acevedo, E., Garcia-Suarez, F. J., Gutierrez-Meraz, F., Sanchez-Rivera, M. M., San Martin, E., & Bello-Pérez, L. A. (2011). Isolation and partial characterization of Mexican taro (*Colocasia esculenta* L.) starch. *Starch - Journal*, 63(3), 139–146. <http://doi.org/10.1002/star.201000113>.
- Anderson, R.A. et al., (1969). Roll and Extrusion · Cooling of Grain Sorghum Grits. *Cereal Science Today*, 14(11), pp.372–375.
- Bozzola, J. J., & Russell, L.D., (1999). *Electron microscopy: principles and techniques for biologists*. London: Jones & Bartlett Publishers.
- Cahyo, A., Dewi, R., Putri, A., Sri, C., & Susetyo, D. (2014). Kinetics of Calcium Oxalate Reduction in Taro (*Colocasia esculenta*) Corm Chips during Treatments Using Baking Soda Solution. *Procedia Chemistry*, 9, 102–112. <http://doi.org/10.1016/j.proche.2014.05.013>.
- Chotimah, S & Fajarini, D.T. (2013). Pengurangan Kalsium Oksalat Dengan Perebusan Menggunakan Larutan NaCl dan Penepungan Untuk Meningkatkan Kualitas Senthe (*Alocasia macrorrhiza*) Sebagai Bahan Pangan. *Jurnal Teknologi Kimia dan Industri*, Vol. 2, No. 2 : 76-83.
- Eleazu, C. O. (2016). Characterization of the natural products in cocoyam (*Colocasia esculenta*) using GC – MS. *Pharmaceutical biology*, 54(12), 2880–2885. <http://doi.org/10.1080/13880209.2016.1190383>.
- Halib, N., Iqbal, C., Amin, M., & Ahmad, I. (2012). Physicochemical Properties and Characterization of Nata de Coco from Local Food Industries as a Source of Cellulose. *Sains Malaysiana*, 41(2), 205–211.
- Harris, P. J., Ferguson, L. R., Roberton, A. M., McKenzie, R. J., & White, J. B. (1991). Cell-wall histochemistry and anatomy of taro (*Colocasia esculenta*). *Australian Journal of Botany*, 39(3), 207–222.
- Herlina, & Novijanto, N. (2008). *Laporan hasil. laporan hasil penelitian hibah bersaing*.
- Hu, Q., Gerhard, H., Upadhyaya, I., Venkitanarayanan, K., & Yangchao, L. (2016). Antimicrobial eugenol nanoemulsion prepared by gum arabic and lecithin and evaluation of drying technologies. *International Journal of Biological Macromolecules*, 87(February), 130–140.

- Jane, J., Shen, L., Chen, J., Lim, S., Kasemsuwan, T., & Nip, W. K. (1992). Physical and Chemical Studies of Taro Starches and Flours. *Cereal Chem*, 69(5), 528-535.
- Kapoor, M., Khandal, D., Seshadri, G., Aggarwal, S., Khandal, R. K., & Road, S. (2013). Novel hydrocolloids: preparation & applications a review. *IJRAS*, 16(September), 432–482.
- Kaur, M., & Kaushal, P. (2013). Studies on physicochemical and pasting properties of Taro (*Colocasia esculenta* L.) flour in comparison with a cereal , tuber and legume flour, 50(February), 94–100. <http://doi.org/10.1007/s13197-010-0227-6>.
- Kaushal, P., Kumar, V., & Sharma, H. K. (2012). LWT - Food Science and Technology Comparative study of physicochemical , functional , antinutritional and pasting properties of taro (*Colocasia esculenta*), rice (*Oryza sativa*) flour , pigeonpea (*Cajanus cajan*) flour and their blends. *LWT - Food Science and Technology*, 48(1), 59–68.
- Kaushal, P., Kumar, V., & Sharma, H. K. (2015). Utilization of taro (*Colocasia esculenta*): a review, 52(January), 27–40. <http://doi.org/10.1007/s13197-013-0933-y>.
- Kheir, M. E. M. (2005). *Physicochemical, functional and microbial properties of crude and processed gum arabic (Acacia senegal)*.Department of Food Science and Technology Faculty.
- KONSTANCE, C. I. O. and R. P. (2002). Viscous properties of taro flour extruded with whey proteins to simulate weaning foods. *Journal of Food Processing Preservation*, 26, 179–194.
- Koswara, S. (2013). *Teknologi pengolahan umbi-umbian*. Bogor: Bogor Agricultural University.
- Kristianingrum, S. (2010). “Handout Spektroskopi Infra Merah (*Infrared Spectroscopy, IR*)”. [online] Diakses dari <http://staff.uny.ac.id/dosen/susila-kristianingrum-dra-msi>.
- Kumoro, A. C., Budiyati, C. S. and Retnowati, D. S. (2014). Calcium oxalate reduction during soaking of giant taro (*Alocasia macrorrhiza* (L .) Schott) corm chips in sodium bicarbonate solution. *International Food Research Journal*, 21(4), 1583–1588.
- Li, C., Zhao, L., Han, J., Wang, R., Xiong, C., & Xie, X. (2011). Synthesis of citrate-stabilized hydrocolloids of hydroxyapatite through a novel two-stage method: A possible aggregates – breakdown mechanism of colloid formation. *Journal of Colloid And Interface Science*, 360(2), 341–349.
- Liszka-skoczylas, M., Ptaszek, A., & Zmudzin, D. (2014). The effect of hydrocolloids on producing stable foams based on the whey protein concentrate (WPC). *Food Engineering*, 129, 1–11.

- Ludwig, A. (2005). The use of mucoadhesive polymers in ocular drug delivery. *Advanced Drug Delivery Reviews*, 57(11), 1595–1639.
- Lukitaningsih, Endang. (2012). Analysis of Macronutrien Content, Glycemic Index and Calcium Oxalate Elimination in Amorphophallus campanulatus (Roxb). *Jurnal Natural* Vol. 12, No. 2.
- Mcgrance, S. J., Cornell, H. J., & Rix, C. J. (1998). A Simple and Rapid Colorimetric Method for the Determination of Amylose in Starch Products, 158–163.
- Mergedus, A., Kristl, J., Ivancic, A., Sober, A., Sustar, V., Krizan, T., & Lebot, V. (2015). Variation of mineral composition in different parts of taro (*Colocasia esculenta*) corms. *FOOD CHEMISTRY*, 170, 37–46.
- Nand, A. V, Charan, R. P., Rohindra, D., & Khurma, J. R. (2004). Isolation and properties of starch from some local cultivars of cassava and taro in Fiji 1 Introduction 2 Materials And Methods 3 Results And Discussion. *The South Pacific Journal of Natural Science*, 26(Dm), 45–48.
- Nip, W. K., Whitaker, C. S., & Vargo, D. (1994). Application of taro flour in cookie formulations. *International Journal of Food Science and Technology*, 29, 463–468.
- Njintang, N. Y., Mbofung, C. M. F., Balaam, F., Kitissou, P., & Scher, J. (2008). Effect of taro (*Colocasia esculenta*) flour addition on the functional and alveographic properties of wheat flour and dough, 279(July 2007).
- Njintang, N. Y., Mbofung, C. M. F., & Waldron, K. W. (2001). In Vitro Protein Digestibility and Physicochemical Properties of Dry Red Bean (*Phaseolus vulgaris*) Flour: Effect of Processing and Incorporation of Soybean and Cowpea Flour.
- Njintang, Y. N., & Mbofung, C. M. F. (2003). Development of taro (*Colocasia esculenta* (L.) Schott) flour as an ingredient for food processing: effect of gelatinisation and drying temperature on the dehydration kinetics and colour of flour, 58, 259–265. [http://doi.org/10.1016/S0260-8774\(02\)00384-9](http://doi.org/10.1016/S0260-8774(02)00384-9).
- Nussinovitch, A., & Hirashima, M. (2014). *Cooking Innovations: Using Hydrocolloids for Thickening, Gelling, and Emulsification*. Boca Raton: Taylor & Francis/ CRC Press.
- Obiegbuna, J. E., Ishiwu, C. N., Akubor, P. I., & Igwe, E. C. (2014). Effect of Processing and Storage Relative Humidity on Selected Functional Properties of Cocoyam (*Colocasia Esculenta*) Corm Flour, 28(1975), 19–29.
- Onwueme, I. (1999). *Taro cultivation in asia and the pacific*. Bangkok, thailand: food and agriculture organization of the united nations.

- Pudiastuti, L., & Tika, P. (2013). Pembuatan dekstrin dari tepung tapioka secara enzimatik dengan pemanas microwave. *Teknologi Kimia Dan Industri*, 2(2), 169–176.
- Purwaningsih, I., & Kuswiyanto. (2014). Perbandingan perendaman asam sitrat dan jeruk nipis terhadap penurunan kadar kalsium oksalat pada talas. *Jurnal vokasi kesehatan*, II, 293–297.
- Richana, N., & Sunarti, T. (2004). Karakterisasi sifat fisikokimiatepung umbi dan tepung pati dari umbi ganyong, suweg, ubikelapa dan gembili. *Jurnal Pascapanen*, 1(1), 29–37.
- Saha, D., & Bhattacharya, S. (2010). Hydrocolloids as thickening and gelling agents in food: A critical review. *Journal of Food Science and Technology*, 47(6), 587–597. <http://doi.org/10.1007/s13197-010-0162-6>.
- Santoso, B., Pitayati, P. A., & Pambayun, R. (2013). The use of Carrageenan and Gum Arabic for Hidrocolloid Based Edible Film. *AGRITECH*, 33(2), 140–145.
- Sciarini, L. S., Maldonado, F., Ribotta, P. D., Perez, G. T., & A.E., L. (2009). Chemical composition and functional properties of *Gleditsia triacanthos* gum. *Food Hydrocolloids*, 23, 306–313.
- Sefa-dedeh, S., & Agyir-sackey, E. K. (2004). Chemical composition and the effect of processing on oxalate content of cocoyam *Xanthosoma sagittifolium* and *Colocasia esculenta* cormels. *Food Chemistry*, 85, 479–487.
- Stokes, D. (2008). *Principles and practice of variable pressure: environmental scanning electron microscopy (VP-ESEM)*. John Wiley & Sons.
- Stuart, B. (2000). Infrared Spectroscopy. *Kirk-Othmer Encyclopedia of Chemical Technology*, (1), 1–20.
- Sunarya, Y. (2010). *Kimia Dasar II*. Bandung: Yrama Widya.
- Susiana, E., Tesri, M., & Mansyurdin. (2013). Analisis Morfologi Granula Pati dan Kristal Pada Beberapa Jenis Talas. *Jurnal Biologi Universitas Andalas*, 2(September), 249–255.
- Tattiyakul, J., Asavasaksakul, S., & Pradipasena, P. (2006). Chemical and Physical Properties of Flour Extracted from Taro *Colocasia esculenta* (L .) Schott Grown in Different Regions of Thailand, 32, 279–284. <http://doi.org/10.2306/scienceasia1513-1874.2006.32.279>.
- Tulyathan, V., Tananuwong, K., Songjinda, P., & Jaiboon, N. (2002). Some Physicochemical Properties of Jackfruit (*Artocarpus heterophyllus* Lam) Seed Flour and Starch, 28, 37–41.
- Viebke, C., Al-Assaf, S., & Phillips, G. O. (2014). Food hydrocolloids and health claims. *Bioactive Carbohydrates and Dietary Fibre*, 4(2), 101–114.

- [http://doi.org/10.1016/j.bcdf.2014.06.006.](http://doi.org/10.1016/j.bcdf.2014.06.006)
- Vol, S., & Alginate, S. (2010). Modifikasi alginat dan pemanfaatan produknya. *Squalen*, 5(1), 1–7.
- Widowati, S., Waha, M. G., dan Santosa, B. A. S. 1997. Ekstraksi dan Karakterisasi Sifat Fisikokimia dan Fungsional Pati Beberapa Varietas Talas (*Colocasia esculenta* (L.) Schott). *Prosiding Seminar Teknologi Pangan*, 181-195.
- Winarno, F.G. (1992). *Kimia Pangan dan Gizi*. Jakarta: PT. Gramedia Pustaka Utama