

Hasil Analisis Regresi Linier Sederhana dengan Program Software SPSS V.23 for Windows

DATASET NAME DataSet1 WINDOW=FRONT.
 REGRESSION
 /MISSING LISTWISE
 /STATISTICS COEFF OUTS R ANOVA
 /CRITERIA=PIN(.05) POUT(.10)
 /NOORIGIN
 /DEPENDENT Y
 /METHOD=ENTER X.

Regression

**Tabel 2.1
 Variables Entered/Removed^a**

Model	Variables Entered	Variables Removed	Method
1	Kreativitas Guru Mengajar ^b		Enter

- a. Dependent Variable: Hasil Belajar Siswa
- b. All requested variables entered.

**Tabel 2.2
 Model Summary^b**

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.413 ^a	.170	.166	9.42942

- a. Predictors: (Constant), Kreativitas Guru Mengajar
- b. Dependent Variable: Hasil Belajar Siswa

**Tabel 2.3
 ANOVA^a**

Model		Sum of Squares	Df	Mean Square	F	Sig.
1	Regression	3611.508	1	3611.508	40.618	.000 ^b
	Residual	17604.964	198	88.914		
	Total	21216.472	199			

- a. Dependent Variable: Hasil Belajar Siswa
- b. Predictors: (Constant), Kreativitas Guru Mengajar

Tabel 2.4
Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	61.610	3.579		17.213	.000
	Kreativitas Guru Mengajar	.234	.037	.413	6.373	.000

a. Dependent Variable: Hasil Belajar Siswa

Tabel 2.5
Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	69.1001	94.8484	84.0212	4.26008	200
Std. Predicted Value	-3.503	2.542	.000	1.000	200
Standard Error of Predicted Value	.667	2.434	.898	.288	200
Adjusted Predicted Value	68.5003	95.1344	84.0191	4.27472	200
Residual	-35.56022	16.93019	.00000	9.40570	200
Std. Residual	-3.771	1.795	.000	.997	200
Stud. Residual	-3.789	1.803	.000	1.002	200
Deleted Residual	-35.90190	17.07186	.00214	9.48870	200
Stud. Deleted Residual	-3.925	1.813	-.002	1.010	200
Mahal. Distance	.000	12.268	.995	1.548	200
Cook's Distance	.000	.069	.004	.008	200
Centered Leverage Value	.000	.062	.005	.008	200

a. Dependent Variable: Hasil Belajar Siswa