

DAFTAR PUSTAKA

- Adams *et al.* (1999). Proteasome inhibitors: a novel class of potent and effective antitumor agents. *Cancer Research*, 59(11), 2615–2622. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10363983>
- Addie *et al.* (2013). Discovery of 4-Amino- N -[(1 S)-1-(4-chlorophenyl)-3-hydroxypropyl]-1-(7 H -pyrrolo[2,3- d]pyrimidin-4-yl)piperidine-4-carboxamide (AZD5363), an Orally Bioavailable, Potent Inhibitor of Akt Kinases. *Journal of Medicinal Chemistry*, 56(5), 2059–2073. <https://doi.org/10.1021/jm301762v>
- Adhi *et al.* (2011). Induksi Apoptosis Ekstrak Etanol Ciplukan (*Physalis angulata* L.) Pada Sel Kanker Leher Rahim Hela Melalui Penekanan Ekspresi Bel-2. *Jurnal Bahan Alam Indonesia*, (Vol 7, No 7 (2011)). Retrieved from <http://jbai.iregway.com/index.php/jurnal/article/view/209>
- Afendi *et al.* (2012). KNApSAcK Family Databases: Integrated Metabolite–Plant Species Databases for Multifaceted Plant Research. *Plant and Cell Physiology*, 53(2), e1–e1. <https://doi.org/10.1093/pcp/pcr165>
- Aisyah *et al.* (tidak dipublikasi). Phytochemical analysis of leaves extract of Ciplukan (*Physalis angulata* L.; Solanaceae) using mass spectrometry.
- Armandari *et al.* (2011). Ekstrak Etanolik Herba Ciplukan (*Physalis Angulata* L.) Berefek Sitotoksik Dan Menginduksi Apoptosis Pada Sel Kanker Payudara Mcf-7. *Bionatura*, (Vol 13, No 1 (2011): Bionatura Maret 2011). Retrieved from <http://jurnal.unpad.ac.id/bionatura/article/view/7639>
- Ashley *et al.* (2012). Inflammation: Mechanisms, Costs, and Natural Variation. *Annual Review of Ecology, Evolution, and Systematics*, 43(1), 385–406. <https://doi.org/10.1146/annurev-ecolsys-040212-092530>
- Awad *et al.* (2001). Phytosterols Reduce In Vitro Metastatic Ability of MDA-MB-231 Human Breast Cancer Cells. *Nutrition and Cancer*, 40(2), 157–164. https://doi.org/10.1207/S15327914NC402_12
- Bai *et al.* (2009). Akt-mediated regulation of NFκB and the essentialness of NFκB for the oncogenicity of PI3K and Akt. *International Journal of Cancer*, 125(12), 2863–2870. <https://doi.org/10.1002/ijc.24748>
- Berman *et al.* (2000). The Protein Data Bank. *Nucleic Acids Research*, 28(1), 235–242. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC102472/>
- Billeter *et al.* (2008). Solution NMR structure determination of proteins revisited. *Journal of Biomolecular NMR*, 42(3), 155–158.

Satrio Haryo Benowo, 2018

ANALISIS BIOINFORMATIK SENYAWA ANTIKANKER PHYSALIN DARI EKSTRAK CIPLUKAN (*Physalis angulata*)

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

<https://doi.org/10.1007/s10858-008-9277-8>

- Brady *et al.* (2017). Combating subclonal evolution of resistant cancer phenotypes. *Nature Communications*, 8(1), 1231. <https://doi.org/10.1038/s41467-017-01174-3>
- Cao *et al.* (2017). Benchmarking life expectancy and cancer mortality: global comparison with cardiovascular disease 1981-2010. *BMJ*, j2765. <https://doi.org/10.1136/bmj.j2765>
- Chen, & Madura. (2005). Increased Proteasome Activity, Ubiquitin-Conjugating Enzymes, and eEF1A Translation Factor Detected in Breast Cancer Tissue. *Cancer Research*, 65(13), 5599–5606. <https://doi.org/10.1158/0008-5472.CAN-05-0201>
- Chiang, Jaw, Chen, *et al.* (1992a). Antitumor agent, physalin F from *Physalis angulata* L. *Anticancer Research*, 12, 837–843.
- Chiang, Jaw, Chen, *et al.* (1992b). Antitumor agent, physalin F from *Physalis angulata* L. *Anticancer Research*, 12(3), 837–843. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/1622143>
- Chiang, Jaw, & Chen. (1992). Inhibitory effects of physalin B and physalin F on various human leukemia cells in vitro. *Anticancer Research*, 12(4), 1155–1162. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/1503404>
- Cosconati *et al.* (2010). Virtual screening with AutoDock: theory and practice. *Expert Opinion on Drug Discovery*, 5(6), 597–607. <https://doi.org/10.1517/17460441.2010.484460>
- Dias *et al.* (2012). A Historical Overview of Natural Products in Drug Discovery. *Metabolites*, 2(4), 303–336. <https://doi.org/10.3390/metabo2020303>
- Elmore. (2007). Apoptosis: A Review of Programmed Cell Death. *Toxicologic Pathology*, 35(4), 495–516. <https://doi.org/10.1080/01926230701320337>
- Elokely, & Doerksen. (2013). Docking Challenge: Protein Sampling and Molecular Docking Performance. *Journal of Chemical Information and Modeling*, 53(8), 1934–1945. <https://doi.org/10.1021/ci400040d>
- Endicott *et al.* (2012). The Structural Basis for Control of Eukaryotic Protein Kinases. *Annual Review of Biochemistry*, 81(1), 587–613. <https://doi.org/10.1146/annurev-biochem-052410-090317>
- Ferlay *et al.* (2013). Cancer Incidence and Mortality Worldwide: IARC CancerBase No. 11. Retrieved from <http://globocan.iarc.fr>
- Gay *et al.* (2016). Tumour Cell Heterogeneity. *F1000Research*, 5, 238.

Satrio Haryo Benowo, 2018

ANALISIS BIOINFORMATIK SENYAWA ANTIKANKER PHYSALIN DARI EKSTRAK CIPLUKAN (*Physalis angulata*)

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

<https://doi.org/10.12688/f1000research.7210.1>

- Guedes *et al.* (2014). Receptor–ligand molecular docking. *Biophysical Reviews*, 6(1), 75–87. <https://doi.org/10.1007/s12551-013-0130-2>
- Hanahan, & Weinberg. (2011). Hallmarks of Cancer: The Next Generation. *Cell*, 144(5), 646–674. <https://doi.org/10.1016/j.cell.2011.02.013>
- He *et al.* (2007). Cytotoxic Withanolides from *Physalis angulata* L. *Chemistry & Biodiversity*, 4(3), 443–449. <https://doi.org/10.1002/cbdv.200790036>
- Hidayat *et al.* (2016). Molecular Phylogenetic Screening of *Withania somnifera* Relative From Indonesia Based on Internal Transcribed Spacer Region. *HAYATI Journal of Biosciences*, 23(2), 92–95. <https://doi.org/10.1016/j.hjb.2016.02.002>
- Hilger *et al.* (2002). The Ras-Raf-MEK-ERK Pathway in the Treatment of Cancer. *Oncology Research and Treatment*, 25(6), 511–518. <https://doi.org/10.1159/000068621>
- Hussain *et al.* (2015). BRAF gene: From human cancers to developmental syndromes. *Saudi Journal of Biological Sciences*, 22(4), 359–373. <https://doi.org/10.1016/j.sjbs.2014.10.002>
- Hyndman. (2016). Review: the Contribution of both Nature and Nurture to Carcinogenesis and Progression in Solid Tumours. *Cancer Microenvironment*, 9(1), 63–69. <https://doi.org/10.1007/s12307-016-0183-4>
- Integrated Taxonomic Information System. (2017). *Physalis angulata* L. Retrieved from <http://www.itis.gov>
- Jacobo-Herrera *et al.* (2006). Physalins from *Witheringia solanacea* as Modulators of the NF- κ B Cascade \perp . *Journal of Natural Products*, 69(3), 328–331. <https://doi.org/10.1021/np050225t>
- Kawatsuki *et al.* (2016). HTLV-1 bZIP factor protein targets the Rb/E2F-1 pathway to promote proliferation and apoptosis of primary CD4+ T cells. *Oncogene*, 35(34), 4509–4517. <https://doi.org/10.1038/onc.2015.510>
- Kim *et al.* (2016). PubChem Substance and Compound databases. *Nucleic Acids Research*, 44(D1), D1202–D1213. <https://doi.org/10.1093/nar/gkv951>
- Lesk. (2013). Bioinformatics. Retrieved October 9, 2017, from <https://www.britannica.com/science/bioinformatics>
- Manning. (2002). The Protein Kinase Complement of the Human Genome. *Science*, 298(5600), 1912–1934. <https://doi.org/10.1126/science.1075762>

Satrio Haryo Benowo, 2018

ANALISIS BIOINFORMATIK SENYAWA ANTIKANKER PHYSALIN DARI EKSTRAK CIPLUKAN (*Physalis angulata*)

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Meiyanto. (2011). Aktivitas Sitotoksik Ekstrak Etanolik Herba Ciplukan (*Physalis Angulata L.*) Pada Sel Kanker Leher Rahim Hela Melalui Modulasi Ekspresi Protein p53. *Jurnal Farmasains*, (Vol 1, No 2 (2011): Oktober 2010-Maret 2011). Retrieved from <http://ejournal.umm.ac.id/index.php/farmasains/article/view/1163>
- Meng, L. *et al.* (1999). Epoxomicin, a potent and selective proteasome inhibitor, exhibits in vivo antiinflammatory activity. *Proceedings of the National Academy of Sciences of the United States of America*, 96(18), 10403–10408. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10468620>
- Meng, X.-Y. *et al.* (2011). Molecular Docking: A powerful approach for structure-based drug discovery. *Current Computer-Aided Drug Design*, 7(2), 146–157. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3151162/>
- Morris *et al.* (2009). AutoDock4 and AutoDockTools4: Automated docking with selective receptor flexibility. *Journal of Computational Chemistry*, 30(16), 2785–2791. <https://doi.org/10.1002/jcc.21256>
- Newman, & Cragg. (2012). Natural Products As Sources of New Drugs over the 30 Years from 1981 to 2010. *Journal of Natural Products*, 75(3), 311–335. <https://doi.org/10.1021/np200906s>
- O’Boyle *et al.* (2011). Open Babel: An open chemical toolbox. *Journal of Cheminformatics*, 3(1), 33. <https://doi.org/10.1186/1758-2946-3-33>
- Pinto *et al.* (2016). Physalin F, a seco-steroid from *Physalis angulata L.*, has immunosuppressive activity in peripheral blood mononuclear cells from patients with HTLV1-associated myelopathy. *Biomedicine & Pharmacotherapy*, 79, 129–134. <https://doi.org/10.1016/j.biopha.2016.01.041>
- Pravda *et al.* (2014). Anatomy of enzyme channels. *BMC Bioinformatics*, 15(1), 379. <https://doi.org/10.1186/s12859-014-0379-x>
- Ren, L. *et al.* (2015). Discovery of Highly Potent, Selective, and Efficacious Small Molecule Inhibitors of ERK1/2. *Journal of Medicinal Chemistry*, 58(4), 1976–1991. <https://doi.org/10.1021/jm501921k>
- Ren, S. *et al.* (2000). The p44S10 locus, encoding a subunit of the proteasome regulatory particle, is amplified during progression of cutaneous malignant melanoma. *Oncogene*, 19(11), 1419–1427. <https://doi.org/10.1038/sj.onc.1203462>
- Rengifo, & Vargas-Arana. (2013). *Physalis angulata L. (Bolsa Mullaca): A Review of its Traditional Uses, Chemistry and Pharmacology*. *Boletín de estudios latinoamericanos y del Caribe* (Vol. 12).
- Roosita *et al.* (2008). Medicinal plants used by the villagers of a Sundanese

Satrio Haryo Benowo, 2018

ANALISIS BIOINFORMATIK SENYAWA ANTIKANKER PHYSALIN DARI EKSTRAK CIPLUKAN (*Physalis angulata*)

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- community in West Java, Indonesia. *Journal of Ethnopharmacology*, 115(1), 72–81. <https://doi.org/10.1016/j.jep.2007.09.010>
- Salentin *et al.* (2015). PLIP: fully automated protein–ligand interaction profiler. *Nucleic Acids Research*, 43(W1), W443–W447. <https://doi.org/10.1093/nar/gkv315>
- Samuels, & Ericson. (2006). Oncogenic PI3K and its role in cancer. *Current Opinion in Oncology*, 18(1), 77–82. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/16357568>
- Schrodinger LLC. (2015). The PyMOL Molecular Graphics System, Version 1.8.
- Smyth, & Martin. (2000). x Ray crystallography. *Molecular Pathology*, 53(1), 8–14. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1186895/>
- Soares *et al.* (2003). Inhibition of macrophage activation and lipopolysaccharide-induced death by seco-steroids purified from *Physalis angulata* L. *European Journal of Pharmacology*, 459(1), 107–112. [https://doi.org/10.1016/S0014-2999\(02\)02829-7](https://doi.org/10.1016/S0014-2999(02)02829-7)
- Soares, *et al.* (2006). Physalins B, F and G, seco-steroids purified from *Physalis angulata* L., inhibit lymphocyte function and allogeneic transplant rejection. *International Immunopharmacology*, 6(3), 408–414. <https://doi.org/10.1016/j.intimp.2005.09.007>
- Soares, *et al.* (2003). Inhibition of macrophage activation and lipopolysaccharide-induced death by seco-steroids purified from *Physalis angulata* L. *European Journal of Pharmacology*, 459(1), 107–112. [https://doi.org/10.1016/S0014-2999\(02\)02829-7](https://doi.org/10.1016/S0014-2999(02)02829-7)
- Sun *et al.* (2001). AKT1/PKBalpha kinase is frequently elevated in human cancers and its constitutive activation is required for oncogenic transformation in NIH3T3 cells. *The American Journal of Pathology*, 159(2), 431–437. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11485901>
- Sussman *et al.* (2014). Resolution.
- Tamborero *et al.* (2013). Comprehensive identification of mutational cancer driver genes across 12 tumor types. *Scientific Reports*, 3(1), 2650. <https://doi.org/10.1038/srep02650>
- Tanaka. (2009). The proteasome: Overview of structure and functions. *Proceedings of the Japan Academy, Series B*, 85(1), 12–36. <https://doi.org/10.2183/pjab.85.12>
- Trott, & Olson. (2009). AutoDock Vina: Improving the speed and accuracy of docking with a new scoring function, efficient optimization, and

Satrio Haryo Benowo, 2018

ANALISIS BIOINFORMATIK SENYAWA ANTIKANKER PHYSALIN DARI EKSTRAK CIPLUKAN (*Physalis angulata*)

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

multithreading. *Journal of Computational Chemistry*, NA-NA.
<https://doi.org/10.1002/jcc.21334>

Vandenberghe *et al.* (2008). Physalin B, a novel inhibitor of the ubiquitin-proteasome pathway, triggers NOXA-associated apoptosis. *Biochemical Pharmacology*, 76(4), 453–462. <https://doi.org/10.1016/j.bcp.2008.05.031>

Widodo *et al.* (2010). Selective Killing of Cancer Cells by Ashwagandha Leaf Extract and Its Component Withanone Involves ROS Signaling. *PLoS ONE*, 5(10), e13536. <https://doi.org/10.1371/journal.pone.0013536>

Wu *et al.* (2012). Physalin F Induces Cell Apoptosis in Human Renal Carcinoma Cells by Targeting NF-kappaB and Generating Reactive Oxygen Species. *PLoS ONE*, 7(7), e40727. <https://doi.org/10.1371/journal.pone.0040727>