

## DAFTAR PUSTAKA

- Abu-Mostafa, Y. S., Magdon-Ismail, M., & Lin, H.-T. (2012). *Learning from data: A Short Course*. AMLbook.com.
- Aldabe, I., Lacalle, M. L., Maritxalar, M., Martinez, E., & Uria, L. (2006). *ArikIturri: An Automatic Question Generator Based on Corpora and NLP Techniques*. Springer-Verlag Berlin Heidelberg, 584-594.
- Alderson, J. C., & Hamp-Lyons, L. (1996). TOEFL preparation courses: A study of washback. *Language Testing*, 13(3), 280-297.
- Ali, H., Chali, Y., & Hasan, S. (2010). *Automation of Question Generation From Sentences*. In *Proceedings of QG2010: The Third Workshop on Question Generation*, 58-67.
- Allen, J. (1995). *Natural Language Understanding* (2nd ed.). Redwood City, CA: The Benjamin/Cummings Publishing Company, Inc.
- Araki, J., Rajagopal, D., Sankaranarayanan, S., Holm, S., Yamakawa, Y., & Mitamura, T. (2016). Generating questions and multiple-choice answers using semantic analysis of texts. In *Proceedings of COLING 2016, the 26th International Conference on Computational Linguistics: Technical Papers*(pp. 1125-1136).
- Arifin, Z. (2012). *Evaluasi Pembelajaran*. Bandung: PT Remaja Rosdakarya.
- Aquino, J. F., Chua, D. D., Kabling, R. K., Pingco, J. N., & Sagum, R. (2011). *Text2Test: Question Generator Utilizing Information Abstraction Techniques and Question Generation Methods for Narrative and Declarative Text*. *Proceedings of the 8th National Natural Language Processing Research Symposium*, 29-34.
- Becker, L., Basu, S., & Vanderwende, L. (2012, June). Mind the gap: learning to choose gaps for question generation. In *Proceedings of the 2012 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies* (pp. 742-751). Association for Computational Linguistics.
- Bloom, B. S. (1971). *Handbook on formative and summative evaluation of student learning*.
- Blšták, M., & Rozinajová, V. (2016, September). Automatic question generation based on analysis of sentence structure. In *International Conference on Text, Speech, and Dialogue*(pp. 223-230). Springer, Cham.

**Anita Dyah Pertiwi, 2018**

**SISTEM PENGHASIL SOAL SENTENCE COMPLETION DALAM TOEFL MENGGUNAKAN ALGORITMA K-NEAREST NEIGHBOR DAN NATURAL LANGUAGE PROCESSING**

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Catalina, Tiberiu, Vlad Iordache, and Bogdan Caracaleanu. "Multiple regression model for fast prediction of the heating energy demand." *Energy and Buildings* 57 (2013): 302-312.
- Chen, C. Y., Liou, H. C., & Chang, J. S. (2006, July). Fast: an automatic generation system for grammar tests. In *Proceedings of the COLING/ACL on Interactive presentation sessions* (pp. 1-4). Association for Computational Linguistics.
- Chesla, E. L. LearningExpress's TOEFL exam success in only 6 steps!. (2002). Learning Express.
- Chowdhury, G. G. (2003). Natural language processing. *Annual review of information science and technology*, 37(1), 51-89.
- Davy, Elizabeth and Davy, Karen. (2006). Peterson's Master TOEFL Vocabulary. USA : Petersons Company.
- Erman, J., Mahanti, A., Arlitt, M., Cohen, I., & Williamson, C. (2007). Offline/realtime traffic classification using semi-supervised learning. *Performance Evaluation*, 64(9-12), 1194-1213.
- ETS, TOEFL Practice TESTS volume 1, Princeton, 2003.
- Franky & Manurung, R. (2014). Machine Learning-based Sentiment Analysis of Automatic Indonesian Translations of English Movie Reviews. *University of Indonesia*.
- Fulcher, G. (2010). *Practical Language Testing*. USA: Oxford University Press.
- Garg, P., & Bedi, E. C. S. (2014). A Review on Question Generation System From Punjabi Text. *International Journal of Emerging Trends & Technology in Computer Science (IJETTCS)*, 3(4), 285-87.
- Goto, T., Kojiri, T., Watanabe, T., Iwata, T., & Yamada, T. (2010). Automatic generation system of multiple-choice cloze questions and its evaluation. *Knowledge Management & E-Learning*, 2(3), 210.
- Gronlund, N.E., & Linn, R.L. (1990). *Measurement and Evaluation in Teaching*. New York: Mcmillan Publishing Company.
- Han, J., Kamber, M., & Pei, J. (2012). *Data Mining: Concepts and Techniques 3rd Edition*. Waltham: Elsevier Inc.
- Hardie, C. D. (2014). *Truth and fallacy in educational theory*. Cambridge University Press.
- Hermaduanty, N., & Kusumadewi, S. (2008). Sistem Pendukung Keputusan Berbasis SMS untuk Menentukan Status Gizi dengan Metode K-Nearest

- Neighbor. In *Seminar Nasional Aplikasi Teknologi Informasi (SNATI)* (Vol. 1, No. 1).
- Hill, J., & Simha, R. (2016). Automatic Generation of Context-Based Fill-in-the-Blank Exercises Using Co-occurrence Likelihoods and Google n-grams. In *Proceedings of the 11th Workshop on Innovative Use of NLP for Building Educational Applications* (pp. 23-30).
- Huang, Y., & He, L. (2016). Automatic generation of short answer questions for reading comprehension assessment. *Natural Language Engineering*, 22(3), 457-489.
- Hoshino, A & Nakagawa, H. (2005). "A real-time multiple-choice question generation for language testing – a preliminary study–," *Proceedings of the 2nd Workshop on Building Educational Applications Using NLP*, pp. 17-20.
- Kimble, G. A. (1961). Hilgard and Marquis'" Conditioning and learning."
- Kober, Jens, Andreas Wilhelm, Erhan Oztop, and Jan Peters. "Reinforcement learning to adjust parametrized motor primitives to new situations." *Autonomous Robots* 33, no. 4 (2012): 361-379.
- Kumar, V., & Khan, I., & Choudhary, V. (2013). *A Question Generator System Using Stanford Parsing. International Journal of Engineering Research and Development*.
- Lapoliwa, H., & Lapoliwa, H. (1988). *PENGANTAR FONOLOGI I-FONETIK*. Pusat Pembinaan dan Pengembangan Bahasa.
- M. Agarwal, R. Shah and P. Mannem. (2011). "Automatic Question Generation using Discourse Cues," *Proceedings of the Sixth Workshop on Innovative Use of NLP for Building Educational Applications*, pp. 1-9.
- Manning, C., Surdeanu, M., Bauer, J., Finkel, J., Bethard, S., & McClosky, D. (2014). The Stanford CoreNLP natural language processing toolkit. In *Proceedings of 52nd annual meeting of the association for computational linguistics: system demonstrations* (pp. 55-60).
- Martiana, E. *Pengolahan Bahasa Alami*.
- Martin, J. H., & Jurafsky, D. (2009). *Speech and language processing: An introduction to natural language processing, computational linguistics, and speech recognition*. Pearson/Prentice Hall.
- Marcus, M. P., Marcinkiewicz, M. A., & Santorini, B. (1993). Building a large annotated corpus of English: The Penn Treebank. *Computational linguistics*, 19(2), 313-330.

- Majumder, M., & Saha, S. K. (2015). A system for generating multiple choice questions: With a novel approach for sentence selection. In *Proceedings of the 2nd Workshop on Natural Language Processing Techniques for Educational Applications* (pp. 64-72).
- Nadeau, D., & Sekine, S. (2007). A survey of named entity recognition and classification. *Linguisticae Investigationes* 30.1, 3-26.
- Narendra, A., & Agarwal, M. (2013). Automatic cloze-questions generation. In *Proceedings of the International Conference Recent Advances in Natural Language Processing RANLP 2013* (pp. 511-515).
- Nilsson, N. J. (1998). *Introduction to Machine Learning*. California, Amerika.
- Pardiyono. (2005). *TOEFL Practical Strategy for The Best Scores*. Yogyakarta: ANDI.
- Pannu, S., Krishna, A., Kumari, S., Patra, R., & Saha, S. K. (2018). Automatic Generation of Fill-in-the-Blank Questions From History Books for School-Level Evaluation. In *Progress in Computing, Analytics and Networking* (pp. 461-469). Springer, Singapore.
- Papasalouros, A., Kanaris, K., & Kotis, K. (2008, July). Automatic Generation Of Multiple Choice Questions From Domain Ontologies. In *e-Learning* (pp. 427-434).
- Peng, Fuchun., & McCallum, Andrew. (2005). *Information Extraction from Research Papers Using Conditional Random Fields*. United States.
- Phillips, D. Longman complete course for the TOEFL test: Preparation for the computer and paper tests. London: Longman, 2001.
- Ratnawulan, E., & Rusdiana, A. (2014). *Evaluasi Pembelajaran*. Bandung: Pustaka Setia.
- Riloff, E. (1999). *Information Extraction as a Stepping Stone Toward Story Understanding*. MIT Press.
- Zanero, S., & Savaresi, S. M. (2004, March). Unsupervised learning techniques for an intrusion detection system. In *Proceedings of the 2004 ACM symposium on Applied computing* (pp. 412-419). ACM.
- Ramlan, M. 1985. *Morfologi Suatu Tinjauan Deskriptif*. Yogyakarta : CV. KARYONO.
- Riyanto, Slamet. *Easy TOEFL*. Yogyakarta: Pustaka Pelajar, 2011.
- Riyanto, Slamet. *Easy TOEIC: Test of English for International Communication*. Yogyakarta: Pustaka Pelajar, 2011
- Rus, V., Wyse, B., Piwek, P., Lintean, M., Stoyanchev, S., & Moldovan, C. (2010, June). Overview of the first question generation shared task evaluation

- challenge. In *Proceedings of the Third Workshop on Question Generation* (pp. 45-57).
- Sebastiani, F. (2002). Machine learning in automated text categorization. *ACM computing surveys (CSUR)*, 34(1), 1-47.
- Settles, Burr. (2004). *Biomedical Named Entity Recognition Using Conditional Random Fields and Rich Feature Sets*. USA: University of Wisconsin-Madison.
- Sommerville, I. (2011). *Software Engineering*. Addison-Wesley.
- SOONKLANG, T., & MUANGON, W. Automatic Question Generation System for English Exercise for Secondary Students.
- Sugiyono. (2012). *Metode Penelitian Kuantitatif Kualitatif dan R&D*. Bandung: Alfabeta.
- Susanti, Y., Iida, R., & Tokunaga, T. (2015, May). Automatic generation of english vocabulary tests. In *CSEdu (1)* (pp. 77-87).
- Kennedi Tampubolon, D. (2013). Implementasi Data Mining Algoritma Apriori Pada Sistem Persediaan Alat-Alat Kesehatan. *Majalah Ilmiah, Informasi dan Teknologi Ilmiah (INTI)*, STMIK Budi Dharma Medan.
- Pannu, S., Krishna, A., Kumari, S., Patra, R., & Saha, S. K. (2018). Automatic Generation of Fill-in-the-Blank Questions From History Books for School-Level Evaluation. In *Progress in Computing, Analytics and Networking* (pp. 461-469). Springer, Singapore.
- Pal, S., Mondal, T., Pakray, P., Das, D., & Bandyopadhyay, S. (2010). Qgstec system description—juqgg: A rule based approach. *Boyer & Piwek (2010)*, 76-79.
- Shao, Y. (2017). Tokenization and Sentence Segmentation.
- Stufflebeam, D. L. (1971). The use of experimental design in educational evaluation. *Journal of Educational Measurement*, 8(4), 267-274.
- Trim, C. (2013). The Art of Tokenization. *IBM Developer Works*.
- Viola, P., & Jones, M. J. (2004). Robust real-time face detection. *International journal of computer vision*, 57(2), 137-154.
- Wallach, H., M. (2004). *Conditional Random Fields: An Introduction*. University of Pennsylvania.
- Y. Skalban, L. A. Ha, L. Specia and R. Mitkov. (2012). "Automatic question generation in multimedia-based learning," *Proceedings of COLING 2012*, pp. 1151-1160.

Yao, X., & Zhang, Y. (2010, June). Question generation with minimal recursion semantics. In *Proceedings of QG2010: The Third Workshop on Question Generation* (pp. 68-75).