

DAFTAR PUSTAKA

- Abu-Ain, W., Abdullah, S. N. H. S., Bataineh, B., Abu-Ain, T., & Omar, K. (2013). Skeletonization Algorithm for Binary Images. *Procedia Technology*, 11(Iceei), 704–709. <https://doi.org/10.1016/j.protcy.2013.12.248>
- Ahmed, P. (1995). A neural network based dedicated thinning method. *Pattern Recognition Letters*, 16(6), 585–590. [https://doi.org/10.1016/0167-8655\(95\)80004-D](https://doi.org/10.1016/0167-8655(95)80004-D)
- Almohri, H., Gray, J. S., & Alnajjar, H. (2007). *A real-time DSP-based optical character recognition system for isolated arabic characters using the TI TMS320C6416T*. University of Hartford.
- Arica, N., & Fatos, T. Y.-V. (2001). An overview of character recognition focused on offline handwriting. *IEEE Transactions on Systems, Man, and Cybernetics, Part C (Applications and Reviews)*, 31(2), 216–233. <https://doi.org/10.1109/5326.941845>
- Bag, S., & Harit, G. (2011). An improved contour-based thinning method for character images. *Pattern Recognition Letters*, 32(14), 1836–1842. <https://doi.org/10.1016/j.patrec.2011.07.001>
- Baidillah, I., Darsa, U. a., Abdurrahman, O., Permadi, T., Gunardi, G., Suherman, A., ... Sutisna, D. (2008). *Direktori Aksara Sunda untuk Unicode*. Dinas Pendidikan Provinsi Jawa Barat.
- Bajaj, R., Dey, L., & Chaudhury, S. (2002). Devnagari numeral recognition by combining decision of multiple connectionist classifiers. *Sadhana*, 27(1), 59–72.
- Bernard, S., Heutte, L., & Adam, S. (2007). Using Random Forests for Handwritten Digit Recognition. *Proceedings of the 9th IAPR/IEEE International Conference on Document Analysis and Recognition ICDAR'07*, pp.1043-1047.
- Breiman, L. (2001). Random forests. *Machine Learning*, 45(1), 5–32. <https://doi.org/10.1023/A:1010933404324>
- Ciptohartono, C. C. (2013). Algoritma Klasifikasi Naive Bayes untuk Menilai Kelayakan Kredit. *Jurnal Universitas Dian Nuswantoro*, 1–6.
- Cover, T., & Hart, P. (1967). Nearest neighbor pattern classification. *IEEE*

Alifia Chinka Rizal Muhammad, 2018

RANCANGAN DAN IMPLEMENTASI FITUR DENGAN METODE ZONING, HISTOGRAM DAN PENDEKATAN STRUKTURAL UNTUK KLASIFIKASI KARAKTER TULISAN TANGAN AKSARA SUNDA
Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Transactions on Information Theory*, 13(1), 21–27.
<https://doi.org/10.1109/TIT.1967.1053964>
- Devijver, P. A., & Kittler, J. (1982). *Pattern Recognition: A Statistical Approach*. Englewood Cliffs NJ: Prentice-Hall. Retrieved from http://books.google.co.in/books/about/Pattern_Recognition.html?id=Em9QAAAMAAJ&pgis=1
- Due Trier, Ø., Jain, A. K., & Taxt, T. (1996). Feature extraction methods for character recognition-A survey. *Pattern Recognition*, 29(4), 641–662.
[https://doi.org/10.1016/0031-3203\(95\)00118-2](https://doi.org/10.1016/0031-3203(95)00118-2)
- Farhan, A., Atmaja, R., & Aulia, S. (2017). Perancangan Dan Analisis Sistem Pengenalan Kata Aksara Sunda Menggunakan Metode Learning Vector Quantization Berbasis Pengolahan Citra. *E-Proceeding of Engineering*, 4(1), 500–507.
- Gagné, C., & Parizeau, M. (2006). Genetic engineering of hierarchical fuzzy regional representations for handwritten character recognition. *International Journal on Document Analysis and Recognition*, 8(4), 223–231.
<https://doi.org/10.1007/s10032-005-0005-6>
- Gerven, M. Van, & Bohte, S. (2018). *Artificial Neural Networks as Models of Neural Information Processing*. Frontiers in Computational Neuroscience.
<https://doi.org/10.3389/978-2-88945-401-3>
- Gonzalez, R. C. ., & Woods, R. E. (2008). Digital image processing. *Nueva Jersey*.
<https://doi.org/10.1049/ep.1978.0474>
- Han, J., & Kamber, M. (2006). Data Mining Concepts and Techniques, 1–18.
- Han, J., Kamber, M., & Pei, J. (2012). *Data Mining: Concepts and Techniques*. San Francisco, CA, itd: Morgan Kaufmann. <https://doi.org/10.1016/B978-0-12-381479-1.00001-0>
- Hanmandlu, M., Murali Mohan, K. R., Chakraborty, S., Goyal, S., & Choudhury, D. R. (2003). Unconstrained handwritten character recognition based on fuzzy logic. *Pattern Recognition*, 36(3), 603–623. [https://doi.org/10.1016/S0031-3203\(02\)00069-9](https://doi.org/10.1016/S0031-3203(02)00069-9)
- Ho, T. K. (1995). Random decision forests. *Proceedings of 3rd International*

- Conference on Document Analysis and Recognition, 1*, 278–282.
<https://doi.org/10.1109/ICDAR.1995.598994>
- Hussain, E., Hannan, A., & Kashyap, K. (2015). A Zoning based Feature Extraction method for Recognition of Handwritten Assamese Characters. *International Journal of Computer Science and Technology*, 8491, 226–228.
- Imaduddin, A., & Wirayuda, T. A. B. (2014). Pengenalan Karakter Huruf Hangul Korea Menggunakan Random Forest. *E-Proceeding of Engineering*, 1(1), 755–763.
- Impedovo, D., & Pirlo, G. (2014). Zoning methods for handwritten character recognition: A survey. *Pattern Recognition*, 47(3), 969–981.
<https://doi.org/10.1016/j.patcog.2013.05.021>
- Impedovo, S., Modugno, R., & Pirlo, G. (2010). Membership functions for zoning-based recognition of handwritten digits. *Proceedings - International Conference on Pattern Recognition*, 1876–1879.
<https://doi.org/10.1109/ICPR.2010.462>
- Ingale, N., & Borkar, A. (2013). Digital Image Processing. *International Journal of Scientific & Engineering Research*, 4(6).
- Kavianifar, M., & Amin, A. (1999). Preprocessing and structural feature extraction for a multi-fonts Arabic/Persian OCR. *Proceedings of the Fifth International Conference on Document Analysis and Recognition. ICDAR '99 (Cat. No.PR00318)*. <https://doi.org/10.1109/ICDAR.1999.791762>
- Kohavi, R., & Provost, F. (1998). Navigating wall-sized displays with the gaze: A proposal for cultural heritage. *Machine Learning*, 36–43.
<https://doi.org/10.1023/A>
- Kumalasari, N. A. (2010). *Tinjauan Visual Aksara Pada Prasasti Batu Tulis Bogor*. UNIKOM. Retrieved from <http://elib.unikom.ac.id/files/disk1/459/jbptunikompp-gdl-nevyastuti-22936-4-babiii.pdf>
- Kumar, G., & Bhatia, P. K. (2014). A detailed review of feature extraction in image processing systems. *International Conference on Advanced Computing and Communication Technologies, ACCT*, 5–12.

<https://doi.org/10.1109/ACCT.2014.74>

- Lam, L., & Lee, S. W. (1992). Thinning methodologies—a comprehensive survey. *IEEE Transactions on Pattern Analysis and Machine Intelligence*. <https://doi.org/10.1109/34.161346>
- Lee, W.-L., & Fan, K.-C. (2000). Document image preprocessing based on optimal Boolean filter. *Signal Processing*, 80(1), 45–55.
- Legault, R., & Suen, C. Y. (1997). in Contour Smoothing. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 19(8), 801–817.
- Leu, J. G. (2000). Edge sharpening through ramp width reduction. *Image and Vision Computing*, 18(6), 501–514. [https://doi.org/10.1016/S0262-8856\(99\)00041-4](https://doi.org/10.1016/S0262-8856(99)00041-4)
- Mady, A. M. M., & Omar, K. (2011). A comparative study of Voronoi algorithm construction in thinning. *Proceedings of the 2011 International Conference on Electrical Engineering and Informatics, ICEEI 2011*, (July). <https://doi.org/10.1109/ICEEI.2011.6021658>
- Mahto, M. K., Bhatia, K., & Sharma, R. K. (2015). Combined horizontal and vertical projection feature extraction technique for Gurmukhi handwritten character recognition. *Conference Proceeding - 2015 International Conference on Advances in Computer Engineering and Applications, ICACEA 2015*, 59–65. <https://doi.org/10.1109/ICACEA.2015.7164646>
- McConnell, S. (2011). Code Complete.
- Mo, S., & Mathews, V. J. (1998). Adaptive, quadratic preprocessing of document images for binarization. *IEEE Transactions on Image Processing*, 7(7), 992–999. <https://doi.org/10.1109/83.701155>
- Naz, S., Umar, A. I., Ahmad, R., Ahmed, S. B., Shirazi, S. H., Razzak, M. I., ... Shirazi, H. (2015). Urdu Nasta'liq text recognition system based on multi-dimensional recurrent neural network and statistical features Urdu Nasta'liq text recognition system based on multi- dimensional recurrent neural network and statistical features. *Neural Computing and Applications*, 26(8), 1–13. <https://doi.org/10.1007/s00521-015-2051-4>
- Nilsson, N. J. (1998). *Introduction to Machine Learning*. Machine Learning. California. <https://doi.org/10.1145/242224.242229>

Alifia Chinka Rizal Muhammad, 2018

RANCANGAN DAN IMPLEMENTASI FITUR DENGAN METODE ZONING, HISTOGRAM DAN PENDEKATAN STRUKTURAL UNTUK KLASIFIKASI KARAKTER TULISAN TANGAN AKSARA SUNDA
Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Nugroho, A. S., Witarto, A. B., & Handoko, D. (2003). Support vector machine – Teori dan Aplikasinya dalam Bioinformatika. *Kuliah Umum IlmuKomputer.Com*, 1303–1308. https://doi.org/10.1007/978-0-387-73003-5_299
- Nurwansyah, I. (n.d.). Aksara Sunda Kuno – Kairaga.com. Retrieved July 16, 2018, from <https://www.kairaga.com/naskah-sunda/aksara/aksara-sunda-kuno>
- Oh, I.-S., Lee, J.-S., & Suen, C. Y. (1999). Analysis of class separation and combination of class-dependent features for handwriting recognition. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 21(10), 1089–1094. <https://doi.org/10.1109/34.799913>
- Pedregosa, F., Varoquaux, G., Gramfort, A., Michel, V., Thirion, B., Grisel, O., ... Duchesnay, É. (2012). Scikit-learn: Machine Learning in Python. *Journal of Machine Learning Research*, 12, 2825–2830. <https://doi.org/10.1007/s13398-014-0173-7.2>
- Petrou, M., & Petrou, C. (2010). *Image Processing: The Fundamentals, Second Edition*. <https://doi.org/10.1002/9781119994398>
- Polesel, a., Ramponi, G., & Mathews, V. J. (1997). Adaptive unsharp masking for contrast enhancement. *Proceedings of International Conference on Image Processing, 1*, 267–270. <https://doi.org/10.1109/ICIP.1997.647756>
- Putra, A. G., & Wirayuda, T. A. B. (2014). Klasifikasi Tulisan Tangan Berupa Angka Menggunakan Random Forest dan Histogram of Oriented Gradient. *E-Proceeding of Engineering*, 1(1), 738–744.
- Radtke, P. V. W., Wong, T., & Sabourin, R. (2005). A Multi-objective Memetic Algorithm for Intelligent Feature Extraction. *Evolutionary Multi-Criterion Optimization. Third International Conference, EMO 2005*, 767–781.
- Rajashekararadhya, S., & Ranjan, P. (2009). Handwritten Numeral/Mixed Numerals Recognition of South-Indian Scripts: the Zone-Based Feature Extraction Method. *Journal of Theoretical & Applied Information ...*, 7(1), 63–79. Retrieved from <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:HANDWRITTEN+NUMERAL++MIXED+NUMERALS+RECOGNITION+OF+SO>

UTH-INDIAN+SCRIPTS+:+THE+ZONE-
+BASED+FEATURE+EXTRACTION+METHOD#0

- Rashad, M., & Semary, N. A. (2014). Isolated Printed Arabic Character Recognition Using KNN and Random Forest Tree Classifiers.pdf. *Communications in Computer and Information Science*, 488, 11–17.
- Samuel, A. L. (1959). Some studies in machine learning using the game of checkers. *Ibm Journal*, 3(3), 210. [https://doi.org/10.1016/0066-4138\(69\)90004-4](https://doi.org/10.1016/0066-4138(69)90004-4)
- Senthilkumaran, N., & Vaithegi, S. (2016). Image Segmentation By Using Thresholding Techniques For Medical Images. *Computer Science & Engineering: An International Journal*, 6(1), 1–13. <https://doi.org/10.5121/cseij.2016.6101>
- Shahidul, H., Toussaint, G. T., & Donaldson, R. W. (1972). Results obtained using a simple character recognition procedure on Munson's handprinted data. *IEEE Trans. On Computers*, 201–205. Retrieved from http://www.ieice-hbkb.org/files/S3/S3gun_07hen_05.pdf
- Shapiro, L., & Stockman, G. (2000). *Computer Vision*. <https://doi.org/10.1007/978-0-387-31439-6>
- Sharma, D., & Gupta, D. (2010). Isolated Handwritten Digit Recognition using Adaptive Unsupervised Incremental Learning Technique, 7(4), 27–33.
- Solomon, C., & Breckon, T. (2011). *Fundamentals of Digital Image Processing* (First). Blackwell. <https://doi.org/10.1002/9780470689776>
- Sommerville, I. (2010). *Software Engineering 9th Edition*. (M. Hirsch, Ed.), *Software Engineering* (9th ed.). <https://doi.org/10.1111/j.1365-2362.2005.01463.x>
- Suastika, I. M. P. D. S. U. (2008). Bahasa dan Aksara Sebagai Identitas Budaya - WACANA. Retrieved March 21, 2018, from <http://www.wacana.co/2009/10/bahasa-dan-aksara-sebagai-identitas-budaya/>
- Supriadi, W. (2009). Mengenal Aksara Ngalagena oleh Wawan Supriadi - Kompasiana.com. Retrieved April 27, 2018, from https://www.kompasiana.com/wawan_supriadi/mengenal-aksara-ngalagena_54ff4733a333119e4c50f9ce

Alifia Chinka Rizal Muhammad, 2018

RANCANGAN DAN IMPLEMENTASI FITUR DENGAN METODE ZONING, HISTOGRAM DAN PENDEKATAN STRUKTURAL UNTUK KLASIFIKASI KARAKTER TULISAN TANGAN AKSARA SUNDA
Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Sutoyo, T., Mulyanto, E., Suhartono, V., & Nurhayati, O. (2009). *Teori Pengolahan Citra Digital*. Yogyakarta: Andi.
- Syam, R. M. (2013). Pengenalan Aksara Jawa Tulisan Tangan dengan Menggunakan Ekstraksi Fitur Zoning dan Klasifikasi K-Nearest Neighbour.
- Vinciarelli, A. (2003). Offline Cursive Handwriting From Word to Text Recognition. *Pattern Recognition*.
- Weaver, J. (1993). Optical Character Recognition. *Physics Bulletin*, 25(5), 5–7.
Retrieved from <http://www.nr.no/~eikvil/OCR.pdf>
- Yampolskiy, R. V. (2004). *Feature Extraction Methods for Character Recognition*. Rochester Institute of Technology.
<https://doi.org/10.1080/02564602.1986.11437879>
- You, X., & Tang, Y. Y. (2007). Wavelet-based approach to character skeleton. *IEEE Transactions on Image Processing*, 16(5), 1220–1231.
<https://doi.org/10.1109/TIP.2007.891800>
- Zahedi, M., & Eslami, S. (2012). Improvement of Random Forest Classifier through Localization of Persian Handwritten OCR. *ACEEE International Journal on Information Technology*, 2(1).
- Zhou, Y., & Toga, A. W. (1999). Efficient skeletonization of volumetric objects. *IEEE Transactions on Visualization and Computer Graphics*, 5(3), 196–209.
<https://doi.org/10.1109/2945.795212>