

DAFTAR PUSTAKA

- Affandi, R & Riani. (1995). Pengaruh Salinitas Terhadap Derajat Kelangsungan Hidup Pertumbuhan Benih Ikan Sidat (Elver), *Anguilla bicolor bicolor*. *Jurnal Ilmu-ilmu Perairan dan Perikanan*, 3(1), 39–48.
- Affandi, R. & Suhenda N. (2003). *Teknik Budidaya Ikan Sidat (Anguilla bicolor bicolor)*. *Prosiding Sumberdaya Perikanan Sidat Tropik*. Jakarta: UPT Baruna Jaya dan BPPT – DKP.
- Afriyanto, E. & Evi L. (1992). *Pengendalian Hama dan Penyakit Ikan*. Yogyakarta: Kanisius.
- Ain, Y. K. (2011). *Isolasi dan Kloning Gen P5cs (Pirolin-5-Karboksilat Sintetase) Dari Tanaman Karet*. (Skripsi). Departemen Biokimia, Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Pertanian Bogor, Bogor.
- Amman, R. I., Ludwig W., & Schleifer K. H. (1995). Phylogenetic Identification and In Situ Detection of Individual Microbial Cells without Cultivation. *Microbiol Rev*, 59(1), 143–69.
- Ansorge, W. J. (2009). Next-Generation DNA Sequencing Techniques. *New Biotechnology*, 25(4), 195–203. Doi: 10.1016/j.nbt.2008.12.009.
- Arai, T., Chino N., Zulkifli S. Z., & Ismail A. (2012). Notes on the Occurrence of the Tropical Eel *Anguilla bicolor bicolor* in Peninsular Malaysia, Malaysia. *Journal of Fish Biology*, 80(3), 692–697. Doi: 10.1111/j.1095-8649.2011.03154.x.
- Balcazar, J. L., De B. L., Ruiz-Zarzuela I., Cunningham D., Vendrell D., & Muzquiz J. L. (2006). The Role of Prebiotics in

Leni Silfan8, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Aquaculture. *Vet. Microbiol*, 114(1), 173–186. Doi: 10.1016/j.vetmic.2006.01.009.
- Baldauf, S. L. (2003). Phylogeny for the Faint of Heart: a Tutorial. *Trends in Genetics*, 19(6), 345–351. Doi: 10.1016/S0168-9525(03)00112-4.
- Bartlett, J. M. S. & Stirling, D. (2003). A Short History of the Polymerase Chain Reaction. PCR Protocols. *Methods in Molecular Biology*. 226(1), 3–6. Doi: 10.1385/1-59259-384-4:3
- Behera, B. K., Das P., Maharana J., Meena D. K., Sahu T. K., Rao A. R., Chatterjee S., Mohanty B. P., & Sharma A. P. (2014). Functional Screening and Molecular Characterization of Halophilic and Halotolerant Bacteria by 16s rRNA Gene Sequence analysis. *Proc. Natl. Acad. Sci. India. Sect. B Biol.*, 85(4), 957–956. 10.1007/s40011-014-0440-6.
- Brahmadathan, K. N., & Jose J. J. (2006). Evaluation of Simplified DNA Extraction Methods for Emm Typing of Group a Streptococci. *Indian J. Med. Microbiol*, 24(2), 127–130. Doi: 10.4103/0255-0857.25200.
- Braun, G. (2008). *Virulence Mechanisms of Acinetobacter*. In: Bergogne-Bérézin E., Friedman H., Bendinelli M. (eds) *Infectious Agents and Pathogenesis*. New York: Springer.
- Brown, T. A. (2003). *Pengantar Kloning Gen*. Alih Bahasa: Muhammad, S. A. Terjemahan dari: Gene Cloning an Introduction. Yogyakarta: Yayasan Essentia Medika.
- Cai, H., Archambault M., & Prescott J. F. (2003). 16S Ribosomal RNA Sequence-based Identification of Veterinary Clinical

Leni Silfan8, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia

| repository.upi.edu

perpustakaan.upi.edu

- Bacteria. *J Vet Diagn Invest*, 15(5), 465–469. Doi: 10.1177/104063870301500511.
- Campbell, N. A., Jane B. R., Lisa A. U., Michael L. C., Steven A. W., Peter V. M., & Robert B. J. (2012). *Biologi Jilid 2*. Alih bahasa: Damaring T. W. Jakarta: Penerbit Erlangga.
- Cantas L., Jan R. T. S., Peter A., Henning S. (2012). Culturable Gut Microbiota Diversity in Zebrafish. *Zebrafish*, 9(1), 26–37. Doi: 10.1089/zeb.2011.0712
- Cao, H., Linxue Y., Renjian O., Liqun L., Xianle Y., & Yibin Y. (2017). *Acinetobacter johnsonii*: An Emerging Pathogen for Cultured Blunt Snout Bream *Megalobrama amblycephala*. *The Israeli Journal of Aquaculture – Bamidjeh*, 69(1), 1368–1374. Doi: 10.1007/s00253-017-8392-4.
- Careles, N., Gumiel, M., da Mota, F. F., de Carvalho Moreira, C. J., & Azambuja, P. (2017). A Metagenomic Analysis of Bacterial Microbiota in the Digestive Tract of Triatomines. *Bioinformatics and biology insights*, 11(1), 1–9. Doi: 10.1177/1177932217733422.
- Casey, R. M. (2005). *BLAST Sequences Aid in Genomics and Proteomics*. [Online]. Diakses dari: <https://searchbusinessanalytics.techtarget.com/news/224011116/BLAST-Sequences-Aid-in-Genomics-and-Proteomics>.
- Chung, C. T., Suzanne L. N., & Roger H. M. (1988). One-step Preparation of Competent Escherichia coli: Transformation and Storage of Bacterial Cells in the Same Solution. *Proc. Natl. Acad. Sci. USA*. 86(1), 2172–2175. Doi: 10.1073/pnas.86.7.2172.
- Clark, D. P. (2005). *Molecular Biology: Understanding The Genetic Revolution*. California: Elsevier.

Leni Silfan⁸, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Clark, D. P., & Pazdemik N. J. (2012). *Biotechnology*. Academic Cell. California: Elsevier.
- Clark, W., & Christopher K. (2000). *An Introduction to DNA: Spectrophotometry, Degradation, and the Frankengel Experiment*. Edmonton, Canada: Assosiation for Biology Laboratory Education, University of Alberta.
- Clarke, G., Stilling R. M., Kennedy P. J., Stanton C., Cryan J. F., & Dinan T. G. (2014). Minireview: Gut Microbiota: The Neglected endocrine organ. *Mol. Endocrinol*, 28(8), 1221–1238. Doi: 10.1210/me.2014-1108.
- Clarridge, III. J. E. (2004). Impact of 16s rRNA Gene Sequence Analysis for Identification of Bacteria on Clinical Microbiology and Infectious Diseases. *Clin Microbiol Reviews*, 17(4), 840–862. Doi: 10.1128/CMR.17.4.840-862.2004.
- Clements, K. D., Pasch I. B. Y., Moran D., & Turner S. J. (2007). Clostridia Dominate 16s rRNA Gene Libraries Prepared From The Hindgut of Temperate Marine Herbivorous Fishes. *Marine Biology*, 150(6), 1431–1440. Doi: 10.1007/s00227-006-0443-9.
- Cowan, S. T. (1975). *Cowan and Steel's Manual for Identification of Medical Bacteria. Secon Edition*. Cambridge: Cambridge University Press.
- Čož-Rakovac, R., Strunjak-Perović I., Popović N. T., Hacmanjek M., Šimpraga B., & Teskeredžić E. (2002). Health Status of Wild and Cultured Sea Bass in The Northern Adriatic sea. *Vet Med-Czech*, 47(8), 222–226. Doi: 10.17221/5828-VETMED.

Leni Silfan8, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia

| repository.upi.edu

perpustakaan.upi.edu

- Daveandra, K. & Stylianos A. (2016). *Medical and Health Genomics*. Academic Press. ISBN 978-0-12-799922-7.
- Dharmayanti, N. L. P. I. (2011). Filogenetika Molekuler: Metode Taksonomi Organisme Berdasarkan Sejarah Evolusi. *Wartazoa*, 21(1), 1–10.
- Dietert, R. R. (2015). The Microbiome and Sustainable Healthcare. *Healthcare*, 3(1), 100–129. Doi: 10.3390/healthcare3010100.
- Diéguez, C. M., Rohit G., Fancisco R. V., & Carmen A. (2014). Metagenomics of the Mucosal Microbiota of European Eels. *Genome Announc.* 2(6), e01132-14. Doi: 10.1128/genomeA.01132-14.
- Dimitroglou, A., Merrifield D. L., Carnevali O., Picchiatti S., Avella M., Daniels C., Guroy D., & Davies S. J. (2011). Microbial Manipulation to Improve Fish Health and Production – A Mediterranean Perspective. *Fish & Shellfish Immunology*, 30(1), 1–6. Doi: 10.1016/j.fsi.2010.08.009.
- Doughari, H. J., Ndakidemi P. A., Human I. S., & Benade S. (2011). The Ecology, Biology, and Pathogenesis of *Acinetobacter* spp. *Microb Environ*, 26(2), 101–112. Doi: 10.1264/jsme2.ME10179.
- Egerton, S., Sarah C., Jason W., Catherine S., & Paul R. R. (2018). The Gut Microbiota of Marine Fish. *Front Microbiol*, 4(9), 75–100. Doi: 10.3389/fmicb.2018.00873.
- Fahmi, M. R., Solihin D. D., Soewardi K., Pouyaud L., & Berrebi P. (2015). Molecular Phylogeny and Genetic Diversity of Freshwater *Anguilla* Eels in Indonesian Water Based on Mitochondrial Sequence. *Vie Milieu – Life and Environment*, 65(3), 139–150.

Leni Silfan8, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla* sp.) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Food and Agriculture Organization of The United Nations. (2001). *Joint FAO/WHO Expert Consultations report on Evaluation of Health and Nutritional Properties of Probiotic in Food Including Power Milk With Live Lactic Acid Bacteria*. Córdoba, Argentina: America Córdoba Park Hotel.
- Franchini, P., Carmelo F., Tancred F., Julia C. J., & Axel M. (2014). The Gut Microbial Community of Midas Cchlid Fish Repeatedly Evolved Limnetic-Benthic Species Pairs. *Plos One*, 4(9): 1–7. Doi: 10.1371/journal.pone.0095027.
- Froese, R. & Pauly D. (2018). *FishBase*. *Anguilla bicolor McClelland, 1844*. [Online]. Diakses dari: <http://www.marinespecies.org/aphia.php?p=taxdetails&id=217455> on 2018-11-11.
- Gatesoupe, F. J. (2005). Probiotics And Prebiotics For Fish Culture, At The Parting Of The Ways. *Aqua Feeds: Formulation & Beyond*, 2(3): 3–5.
- Genepool. (2009). *Sanger Sequencing Troubleshooting Guide*. [Online]. Diakses dari: http://genepool.bio.ed.ac.uk/sanger/Sanger_troubleshooting_guide_v1.pdf.
- Gibson & Glenn R. (2004). Fibre and Effect on Probiotics (The Prebiotic Concept). *Clinical Nutrition Supplements*, 1(2), 25–31. Doi: 10.1016/j.clnu.2004.09.005.
- Gismono, M.R., Drago L., & Lombardi A. (1999). Review of Probiotic Available to Modify Gastrointestinal Flora. *Int J Antimicrob Agents*, 12(4), 287–292. Doi: 10.1016/S0924-8579(99)00050-3.

Leni Silfan8, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia
perpustakaan.upi.edu

| repository.upi.edu |

- Glasel, J. (1995). Validity of Nucleic Acid Purities Monitored by 260/280 absorbance ratios. *BioTechniques*, 18(1), 62–63.
- González C. J., Santos J. A., García-López M. L., & Otero A. (2000). Psychrobacter and Related Bacteria in Freshwater Fish. *J Food Prot*, 63(3), 315–321. Doi: 10.4315/0362-028X-63.3.315.
- Guarner, F. & Malagelada J. (2003). Gut Flora in Health and Disease. *The Lancet*, 361(9356), 512–519. Doi: 10.1016/S0140-6736(03)12489-0.
- Handelsman, J. (2004). Metagenomics: Application of Genomics to Uncultured Microorganisms. *Microbiology and Molecular Biology Review*, 68(4), 669–685. Doi: 10.1128/MMBR.68.4.669-685.2004.
- Healy, F. G., Ray R. M., Aldrich H. C., Wilkie A. C., Ingram L. O., & Shanmugam K. T. (1995). Direct isolation Of Functional Genes Encoding Cellulases from the Microbial Consortia in a Thermophilic, Anaerobic Digester Maintained on Lignocellulose. *Appl. Microbiol. Biotechnol*, 43(4), 667–674. Doi: 10.1007/s002530050468.
- Hennersdorf, P., Grit M., Muslihudeen A. A., & Hans P. S. (2016). Metagenomic Analysis Between Free-living and Cultured *Epinephelus fuscoguttatus* Under Different Environmental Conditions in Indonesian Waters. *Marine Pollution Bulletin*, 110(2), 726–734. Doi: 10.1016/j.marpolbul.2016.05.009.
- Hidayat, T., Samat M. A. A., Atiq M. E., & Hadibarata T. (2012). Metagenomic Analysis of 16s rRNA Sequencing from Selected Rivers in Johor Malaysia. *Journal of Applied Sciences*, 12(4), 354–361. Doi: 10.3923/jas.2012.354.361.
- Hidayat, T. (2005) *Systematic Study of Subtribe Aeridinae (Orchidaceae)*. (Disertasi). Japan: The University of Tokyo.

Leni Silfan8, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Hidayat, T., & Adi Pancoro. (2008). Ulasan: Kajian Filogenetika Molekuler dan Perannya dalam Menyediakan Informasi Dasar untuk Meningkatkan Kualitas Sumber Genetik Anggrek. *Jurnal AgroBiogen*, 4(1), 35–40. Doi: 10.21082/jbio.v4n1.2008.p35-40.
- Hidayat, T. Tanpa Tahun. *Analisis Filogenetika Menggunakan Program PAUP Berbasis Windows*. Tidak dipublikasi.
- Holben, W., Williams P., Saarinen M., Sarkilahti L., & Apajalahti J. (2002). Phylogenetic Analysis of Intestinal Microflora Indicates a Novel Mycoplasma phylotype in Farmed and Wild Salmon. *Microb. Ecol*, 44(2), 175–185. Doi: 10.1007/s00248-002-1011-6.
- Irianto, A. (2005). *Patologi Ikan Teleostei*. Yogyakarta: GajahMada University press.
- Jacoby, D., Harrison, I.J., & Gollock, M. (2014). *Anguilla bicolor*. *The IUCN Red List of Threatened Species 2014*: e.T166894A67015710. Doi: 10.2305/IUCN.UK.2014-1.RLTS.T166894A67015710.en
- James, G. (2010). *Universal Bacterial Identification by PCR and DNA Sequencing of 16s rRNA Gene*. In Schuller M., Sloots T., James G., Halliday C., Carter I. (eds) *PCR for Clinical Microbiology*. Dordrecht: Springer.
- Janssen P. H., Yates P. S., Grinton B. E., Taylor P. M., & Sait M. (2002). Improved Culturability of Soil Bacteria and Isolated in Pure Culture of Novel Members of the Divisions *Acidobacteria*, *Actinobacteria*, *Proteobacteria*, and *Verrucomicrobia*. *Appl Environ Microbiol*, 68(5), 2391–2396. Doi: 10.1128/AEM.68.5.2391-2396.2002.

Leni Silfan8, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia
perpustakaan.upi.edu

| repository.upi.edu |

- Jiang, H., Haliang D., Gengxing Z., Bingsong Y., Leah R. C., Matthew W. F.(2006). Microbial Diversity in Water and Sediment of Lake Chaka, an Athalassohaline Lake in Northwestern China. *Applied and Environmental Microbiology*, 72(6), 3832–3845. Doi: 10.1128/AEM.02869-05.
- Johnsen, S. (2016). *Like Father, Not Like Spawn: The Beautiful and Bizarre “Disguises” of Baby Fish*. [Online]. Diakses dari: <http://oceana.org/blog/father-not-spawn-beautiful-and-bizarre-%E2%80%9Cdisguises%E2%80%9D-baby-fish>.
- Joshi, M., & Deshpande J. D. (2010). Polymerase Chain Reaction: Methods, Principles and Application. *International Journal of Biomedical Research*, 1(5), 81–97. Doi: 10.7439/ijbr.v2i1.83.
- Kaeberlein, T., Lewis K., & Epstein S. S. (2002). Isolating Uncultivable Microorganisms in Pure Culture in a Simulated Natural Environment. *Science*, 296(5570),1127–1129. Doi: 10.1126/science.1070633.
- Khedid. K &Faid, M. (2009). Characterization of Lactic Acid Bacteria Isolated from the One Humped Camel Milk Produced in Morocco. *Microbiology Reseach*, 164(1), 81–91. Doi: 10.1016/j.micres.2006.10.008
- Kim, D. H., Brunt J., & Austin B. (2007). Microbial Diversity of Intestine Contents and Mucus in Rainbow Trout (*Oncorhynchus mykiss*). *Journal of Applied Microbiology*, 102(6), 1654–1664. Doi: 10.1111/j.1365-2672.2006.03185.x.
- Knight, B. (2006). Agonistic Behaviour and Growth in The European Eel *Anguilla anguilla* L., in relation to warm Water Aquaculture. *Journal of Fish Biology*, 1(2), 265–276. Doi: 10.1111/j.1095-8649.1987.tb05230.x.

Leni Silfan⁸, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia | repository.upi.edu |
perpustakaan.upi.edu

- Kopke, B., Wilms R., Engelen B., Cypionka H., & Sass H. (2005). Microbial Diversity in Coastal Subsurface Sediments: a Cultivation Approach Using Various Electron Acceptors and Substrate Gradients. *App. Environ. Microbiol*, 71(12), 7819-7830. Doi: 10.1128/AEM.71.12.7819-7830.2005
- Kuroki, M., Aoyama J., Wouthuyzen S., Sumardiharga K. O., Miler M. J., Minagawa G., & Tsukamoto K. (2007). Age and Growth of *Anguilla bicolor bicolor* *Leptocephali* in the Eastern Indian Ocean. *Journal of Fish Biology*, 70(2), 538–550. Doi: 10.1111/j.1095-8649.2007.01324.x
- Kusharyoto, W. (2006). Metagenomik; Lebih dari Sekedar Pencarian Biokatalis dan Antibiotika Baru. *BioTrends*, 1(2), 16–18.
- Kusumo, D. P. (2012). Kolonisasi Mikrobiota Normal dan Pengaruhnya pada Sistem Perkembangan Sistem Imunitas Neonatal. *Jurnal Ilmiah Widya*, 1(320), 55–63.
- Lay B. W., & Hastowo. (1994). *Mikrobiologi*. Bogor: Institut Pertanian Bogor.
- Larsen, A. M., Mohammed H. H., & Covadonga R. A. (2015). Comparison of DNA Extraction Protocol for the Analysis of Gut Microbiota Fishes. *FEMS Microbiology Letters*, 362(5), 1–8. Doi: 10.1093/femsle/fnu031.
- Lehninger, A. L. (1993). *Dasar–Dasar Biokimia*. Jilid 1. Alih bahasa: Thenawidjaja. Terjemahan dari: Principles Biochemistry. Jakarta: Erlangga.
- Lau, S. K. P., Woo P. C. Y., Teng J. L. L., Leung K. W., & Yuen K. Y. (2002). Identification by 16S Ribosomal RNA Gene Sequencing of *Arcobacter butzleri* Bacteraemia in a Patient

Leni Silfan, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia

| repository.upi.edu |

perpustakaan.upi.edu

with Acute Gangrenous Appendicitis. *MolecularPathology*, 55(3), 182–185. Doi: 10.1136/mp.55.3.182.

- Lestari, N.W., Budiharjo A., &Pangastuti A. (2016). Aerobic HeterotrophicBacteria from the Digestive Tract of Eel (*Anguilla bicolorbicolor*) and its potensial as probiotics. *Bioteknologi*, 13(1), 9–17. Doi:10.13057/biotek/c130102.
- Lou, Y. K., Qin H., Molodysky E. & Morris B. J. (1993). Simple Microwave and Thermal Cyler Boiling Methods for Preparation of Cervicovaginal Lavage Cell Samples Prior to PCR for Human Papillomavirus Detection. *J Virol Methods*, 44(1), 77–81. Doi: 10.1016/0166-0934(93)90009-G
- Matsui, I. (1982). Theory and Practice of Eel Culture. AA. Rotterdam:Balkema.
- McCosker, J. F., Paxton, J.R.,Eschmeyer, W.N. (1998). *Encyclopedia of Fishes*. San Diego: Academic Press.
- Miller, G. A., Baeckwith R., Fellbaum C., Gross D., & Miller K. (1990). Introduction to WordNet: An On-line Lexical Database. *International Journal of Lexicography*, 3(4), 235–312. Doi: 10.1093/ijl/3.4.235.
- Mulyani, Y., Purwanto A., & Nurruhwati I. (2011). Perbandingan Beberapa Metode Isolasi DNA untuk Deteksi Dini Koi Herpes Virus (KHV) Pada Ikan Mas (*Cyprinus carpio L.*). *Jurnal Akuatika*, 2(1), 1–6.
- Narita, V., Arum A. L., Isaeni S., & Fawzya N. Y. (2012). Analisis Bioinformatika Berbasis WEB untuk Eksplorasi Enzim Kitosanase Berdasarkan Kemiripan Sekuens. *Jurnal Al-Azhar Indonesia Sains dan Teknologi*, 1(4), 197–203.

Leni Silfan⁸, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia | repository.upi.edu |
perpustakaan.upi.edu

- Nayak, S. K. (2010). Probiotics and Immunity: A Fish Perspective. *Fish & Selfish Immunologi*, 29(1), 2–14. Doi: 10.1016/j.fsi.2010.02.017.
- NCBI. (2017). *Polymerase Chain Reaction (PCR)*. [Online]. Diakses dari: <https://www.ncbi.nlm.nih.gov/probe/docs/techpcr/>.
- Ndobe, S. (2010). Struktur Ukuran *Glass eel* Ikan Sidat (*Anguilla marmorata*) Di Muara Sungai Palu, Kota Palu, Sulawesi Tengah. *Media Litbang Sulteng*, 3(2), 144–150.
- Noviani, A. (2013). *RealisasiProduksiIkanSidatBaru 4%*. [Online]. Diakses dari: <http://industri.bisnis.com/read/20131113/99/186294/realisasi-produksi-ikan-sidat-baru-4>.
- Old, R. W., & Primrose S. B. (1994). *Principles of Gene Manipulation: An Introduction of Genetic Engineering*. Oxford: Blackwell Scientific Publications.
- Olsvik, O., Wahlberg J., Petterson B., Uhlen M., Popovic T., Wachsmuth I. K., & Fields P. I. (1993). Use of Automated Sequencing of Polymerase Chain Reaction-generated Amplicons to Identify Three Types of Cholera Toxin Subunit B in *Vibrio cholerae* O1 strains. *J. Clin. Microbiol*, 31(1), 22–25.
- Pace, N. R., David A. S., David J. L., & Gary J. O. (1985). Analyzing natural microbial populations by rRNA sequences. *ASM News*, 51(1), 4–12. Doi: 10.1007/978-1-4757-0611-6_1.
- Pankhurst N. W. (1982). Relation of Visual Changes to the Onset of Sexual Maturation in the European Eel (*Anguilla Anguilla* L.). *Journal of Fish Biol*, 21(2), 1287–140. Doi: 10.1111/j.1095-8649.1982.tb03994.x.

Leni Silfan8, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla* sp.) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia

| repository.upi.edu

perpustakaan.upi.edu

- Parker, R.B. (1974). Probiotics, the Other Half of the Antibiotic Story. *AnimNutr Health*, 29(1), 4–8.
- Patterson, S. (2010). *Fewer Than Before, Eels Slither Into First Coast Rivers*. [Online]. Diakses dari: http://jacksonville.com/news/metro/2010-01-14/story/fewer_than_before_eels_slither_into_first_coast_rivers.
- Pettersson E, Lundeberg J, &Ahmadian A. (2009). Generations of SequencingTechnologies. *Genomics*, 93(2), 105–11. Doi: 10.1016/j.ygeno.2008.10.003.
- PetSoede, C., Machiels M. A. M., Stam M. A., & Van Densen W. L. T. (1999). Trends in an Indonesian CoastalFisheryBased on Catch and EffortStatistics and Implications for the Perception of the State of the Stocks by FisheriesOfficials. *Fisheries Research*, 42(1): 41–56. Doi: 10.1016/S0165-7836(99)00034-X.
- Pharmawati, M. (2009). Optimalisasi Ekstrak DNA dan PCR-RAPD pada *Grevillea* spp (Proteaceae). *Jurnal Biologi*, 13(1), 12–16.
- Prayitno, E., & Nuryani E. (2011). Optimization of DNA extraction of physic nut (*Jatropha curcas*) by selecting the appropriate leaf. *Nusantara Bioscience*,3(1), 1–6. Doi: 10.13057/nusbiossci/n030101.
- Protocol GoTaq Green Master Mix. (2016). *GoTaq Green Master Mix*. [Online]. Diakses dari: <https://www.promega.com/-/media/files/resources/protocols/product-information-sheets/g/gotaq-green-master-mix-protocol.pdf>.
- Protocol pGEM-T and pGEM-T Easy Vector System. (2015). *Technical Manual pGEM-T and pGEM-T Easy Vector System: Instruction For Use Products A1360, A1380, A3600, and*
- Leni Silfan8, 2013**
ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER
 Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

A3610. [Online]. Diakses dari: <https://www.promega.com/-/media/files/resources/protocols/technical-manuals/0/pgem-t-and-pgem-t-easy-vector-systems-protocol.pdf>.

- Punaji, S. (2010). *Metode Penelitian Pendidikan dan Pengembangan*. Jakarta: Kencana.
- Reitan, K. L., Natvik C. M., & Vadstein O. (1998). Drinking Rate, Uptake of Bacteria and Microalgae in Turbot Larvae. *Journal of Fish Biology*, 53(6), 1145–1154. Doi: 10.1111/j.1095-8649.1998.tb00238.x.
- Restu. (2006). *Mengenal Sidat di Negeri Sakura*. Majalah Akuakultur Indonesia, Rujukan Budidaya Ikan. Edisi IV.
- Ringø, E., Zhou Z., Vecino J. L. G., Wadsworth S., Romero R., Krogdahl A., Olsen R. E., Dimitroglou A., Foey A., Davies S., Owen M., Lauzon H. L., Martinsen L. L., Schryver P. D., Bossier R., Sperstad S., & Merrifield D. L. (2016). Effect of Dietary Components on the Gut Microbiota of Aquatic Animals. A Never-ending Story?. *Aquaculture Nutrition*, 22(1), 219–282. Doi: 10.1111/anu.12346.
- Rolfe, R. D. (2000). The Role of Probiotic Cultures in the Control of Gastrointestinal Health. *Journal of Nutr.* Vol. 130(1): 396–402. Doi: 10.1093/jn/130.2.396S.
- Sabree, Z. L., Rondon, M. R., & J. Handelsman. (2009). *Metagenomics*. In: Schaecher M. (ed) *Encyclopedia of microbiology*. Amsterdam: Elsevier.
- Sambrook J, Fritsch E. F., & Maniatis T. (1989). *Molecular Cloning A Laboratory Manual*. USA: Cold Spring Harbor Lab Press.

Leni Silfan8, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia

| repository.upi.edu

perpustakaan.upi.edu

- Sambrook, J. & Russel. (2001). *Molecular Cloning A Laboratory Manual*. New York: Cold Spring Harbor Laboratory Press.
- Saputra, A. (2016). *Kinerja Produksi Ikan Sidat *Anguilla bicolor bicolor* Berukuran Awal 3 Gram dengan Pemberian Kalsium Karbonat (CaCO_3) pada Salinitas Optimum dalam Sistem Resirkulasi*. (Skripsi). Institut Pertanian Bogor, Bogor.
- Sarwono, B. (2000). *Budidaya Belut dan Sidat*. Jakarta: PT. Penebar Swadaya.
- Saxelin, M. (1997). Lactobacillus GG- a Human Probiotic Strain with Through Clinical Documentation. *Food Review International*, 13(2), 293–313. Doi: 10.1080/87559129709541107.
- Se kwon, K. (2015). *Handbook of Marine Biotechnology*. London, New York: SpringerVerlag Berlin Heidelberg.
- Setianto, D. (2015). *Cara Mudah dan Cepat Budidaya Sidat : Budidaya Tradisional Harga Internasional*. Jakarta Barat: Pustaka Baru Press.
- Shelswell K. J. (2004). *Metagenomics: The Science Of Biological Diversity*. [Online]. Diakses dari: <http://www.scq.ubc.ca/metagenomics-the-science-of-biological-diversity/>.
- Silfvergrip. A. M.C. (2009). *CITES Identification Guide to The Freshwater Eels (Anguillidae). With Focus on the European Eel *Anguilla anguilla**. Stockholm, Swedia: Naturvårdsverket.
- Skea, G. L., Mountfort D. O., & Clements K. D. (2005). Gut Carbohydrases from New Zealand Marine Herbivorous Fishes *Kyphosus sydneyanus* (Kyphosidae), *Aplodactylus arctidens* (Aplodactylidae), *Odax pullus* (Labridae). *Comparative Biochemistry and Physiology, Part B*,

Leni Silfan⁸, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

Biochemistry and Molecular Biology, 140(2), 259–269.
Doi: 10.1016/j.cbpc.2004.10.008.

- Skea, G. L., Mountfort D. O., & Clements K. D. (2007). Contrasting Digestive Strategies in Four New Zealand Herbivorous Fishes are Reflected by Carbohydrate Activity Profiles. *Comp Biochem Physiol A Mol Integr Physiol*, 146(1), 63–70. Doi: 10.1016/j.cbpa.2006.09.006.
- Suharsono & Widyastuti U. (2006). *Pelatihan Singkat Teknik Dasar Pengklonan Gen*. Bogor: Pusat penelitian Sumberdaya Hayati dan Bioteknologi Lembaga Penelitian dan Pemberdayaan Masyarakat IPB dengan DIKTI DIKNAS.
- Sugeha, H.Y., Suharti S. R., Wouthuyzen S., & Sumadhiharga O. K. (2008). Biodiversity, Distribution, and Abundance of the Tropical Anguillid Eels in the Indonesian Waters. *Marine Research in Indonesia*, 33(2), 129–138. Doi: 10.5072/FK2/RJDNZE.
- Sugianti, Y. & Krismono. (2013). Karakteristik Perairan yang Dilalui Ikan Sidat (*Anguilla* sp.) Di Aliran Sungai Poso. *Limnotek*, 20(2), 141–150.
- Suitha, I. M., & Akhmad S., (2008). *Budidaya Sidat : Mengupas Kesuksesan Budidaya Sidat di Tambak Pandu Karawang, Karawang, Jawa Barat, yang Berhasil Melakukan Ekspor Perdana Sidat*. Jakarta: AgroMedia Pustaka.
- Stewart, E. J. (2012). Growing Uncultured Bacteria. *Journal of Bacteriology*, 194(16), 4151–4160. Doi: 10.1128/JB.00345-12.

Leni Silfan8, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla* sp.) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia

| repository.upi.edu

perpustakaan.upi.edu

- Tasma, M. I. (2015). Pemanfaatan Teknologi Sekuensing Genom Untuk Mempercepat Program Pemuliaan Tanaman. *J. Litbang Pret*, 34(4), 159–168. Doi: 10.21082/jp3.v34n4.2015.p159-168
- Tirabassi, R. S. (2014). *How to Identify Supercoils, Nicks and Circles in Plasmid Preps*. [Online]. Diakses dari: <https://bitesizebio.com/13524/how-to-identify-supercoils-nicks-and-circles-in-plasmid-preps/>.
- Topan, M., & Riawan N. (2015). *Budi Daya Belut & Sidat Gak Pake Masalah*. Jakarta Selatan: PT. AgroMedia Pustaka.
- Torsvik, V., & Ovreas L., (2002). Microbial Diversity and Function in Soil: from Genes to Ecosystems. *Current Opinion in Microbiology*, 5(3), 240–245. Doi: 10.1016/S1369-5274(02)00324-7.
- Tortoli, E. (2010). Standard Operating Procedure for Optimal Identification of Mycobacteria Using 16S rRNA Gene Sequences. *Stand Genomic Sci.*, 3(2), 145–152. Doi: 10.4056/sigs.932152.
- Trust, T. J., & Sparrow R. A. H. (1974). The Bacterial Flora in the Alimentary Tract of Freshwater Salmonid Fishes. *Canadian Journal of Microbiology*, 20(9), 1219–1228. Doi: 10.1139/m74-188.
- Ursell, L. K., Matcalf J. L., Parfey L. W., & Knight R. (2012). Defining the Human Microbiome. *Nutr Rev*, 70(1), 38–44. Doi: 10.1111/j.1753-4887.2012.00493.x.
- Undang-Undang RI No. 17 Tahun 1985 tentang Pengesahan United Nations Convention on The Law of The Sea.

Leni Silfan⁸, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Upton, N. (2016). European Eel (*Anguilla anguilla*) Elver, Part of A Shipment Prepared by UK Glass Eels for Transport to Wales for A Reintroduction Project. [Online]. Diakses dari: https://www.mindenpictures.com/search/preview/european-eel-anguilla-anguilla-elver-part-of-a-shipment-prepared-by-uk/0_90749691.html.
- Vadstein O., Bergh Ø, Gatesoupe F. J., Galindo V. J., Mulero V., Picchietti S., Scapigliati G., Makridis P., Olsen Y., Dierckens K., Defoirdt T., Boon N., De Schryver P., & Bossier P. (2013). Microbiology and Immunology of Fish Larvae. *Reviews in Aquaculture*, 5(1), 1–25. Doi: 10.1111/j.1753-5131.2012.01082.x.
- Venter, J. C., Levy S., Stockwell T., Remington K., & Halpern A. (2003). Massive Parallelism, Randomness and Genomic Advances. *Nature Genetics*, 33(1), 219–227. Doi: 10.1038/ng1114.
- Van D. P. Y., Chapelle S., & De W. R. (1996). A Quantitative Map of Nucleotide Substitution Rates in Bacterial rRNA. *Nucleic Acids Res.* Vol. 24(17): 3381–3391. Doi: 10.1093/nar/24.17.3381.
- Wardani A. K., Sudarma D. W., & EndrikaW. (2017). *Pengantar Bioteknologi*. Malang: UB Press.
- Widyasari, R. A. H. E., Clara M. K., Budywiryawan, Eko S. W., & Sugengherisuseno. (2014). Nutritive Value and Fatty Acid Profile of Fresh Indonesian Eel (*Anguilla bicolor*) and Kabayaki. *Jurnal Sains Kesehatan Malaysia*, 12(1), 41–46. Doi: 10.17576/jskm-1201-2014-06.
- Woese, C. R., & George E. Fox. (1977). Phylogenetic structure of the prokaryotic domain: The primary kingdoms. *Proc. Natl.*

Leni Silfan8, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia

| repository.upi.edu

perpustakaan.upi.edu

Acad. Sci. USA, 74(11), 5088–5090. Doi: 10.1073/pnas.74.11.5088.

- Woese C. R., Kandler O., & Wheelis M. L. (1990). Towards a Natural System of Organisms: Proposal for the Domains Archaea, Bacteria, and Eucarya. *Proceedings of the National Academy of Sciences of the United States of America*, 87(12), 4576–2579. Doi: 10.1073/pnas.87.12.4576.
- Wooley J. C, Godzik A, & Friedberg I . (2010). A Primer on Metagenomics. *PLoS Comput Biol*, 6(2), e1000667. doi:10.1371/journal.pcbi.1000667.
- Yanez, M. A., Catalan V., Apraiz D., Figueraz M. J., & Martinez M. (2003). Phylogenetic Analysis of Member of the Genus *Aeromonas* Based on *GyrB* Gene Sequence. *International journal of systematic and Evolutionary Microbiology*, 53(3), 875–883. Doi: 10.1099/ijs.0.02443-0.

Leni Silfan8, 2013

ANALISIS METAGENOMIK BAKTERI PADA USUS IKAN SIDAT (*Anguilla sp.*) FASE GLASS EEL DAN ELVER

Universitas Pendidikan Indonesia | repository.upi.edu |
perpustakaan.upi.edu