

DAFTAR PUSTAKA

- Almatsier, S. (2015). *Prinsip Dasar Ilmu Gizi*. Jakarta: PT Gramedia Pustaka Utama.
- Amanda, A., & Kurniaty, I. (2017). Antosianin Pewarna Alami Minuman Jelly dari Terong Ungu. In *Seminar Nasional Sains dan Teknologi 2017* (pp. 1–7).
- Andarwulan, N., & Faradilla, R. F. (2012). Merah-Ungu Antosianin. In *Pewarna Alami Untuk Pangan*. Bogor: South East Asian Food and Agricultural Science and Technology (SEAFAST) Center, Institut Pertanian Bogor.
- Aramwit, P., Bang, N., & Srichana, T. (2010). The Properties and Stability of Anthocyanins in Mulberry Fruits. *Food Research International*, 43(4), 1093–1097. <https://doi.org/10.1016/j.foodres.2010.01.022>
- Armanzah, R. S., & Hendrawati, T. Y. (2016). Pengaruh Waktu Maserasi Zat Antosianin Sebagai Pewarna Alami Dari Ubi Jalar Ungu (*Ipomoea batatas* L. Poir). In *Seminar Nasional Sains dan Teknologi* (pp. 1–10). Jakarta: Fakultas Teknik Universitas Muhammadiyah.
- Astuti, E. (2018). *Pengaruh Ion Logam Cu(II) dan Mg(II) Terhadap Aktivitas Antioksidan Antosianin Dari Ekstrak Etanol Kulit Buah Rambutan (*Nephelium lappaceum*)*. (Skripsi). Universitas Hasanuddin, Makassar.
- Azuma, K., Ohyama, A., Ippoushi, K., Ichiyanagi, T., Takeuchi, A., Saito, T., & Fukuoka, H. (2008). Structures and Antioxidant Activity of Anthocyanins in Many Accessions of Eggplant and Its Related Species. *Journal of Agricultural and Food Chemistry*, 56, 10154–10159.
- Bakowska-Barczak, A. (2005). Acylated Anthocyanins As Stable, Natural Food Colorants - a Review. *Polish Journal of Food And Nutrition Sciences*, 1455(2), 107–116.
- Boulton, R. (2001). The Copigmentation of Anthocyanins and Its Role in The Color of Red Wine: A Critical Review. *American Journal of Enology and Viticulture*,

Suci Adriani , 2013

PENGARUH KOPIGMENTASI MENGGUNAKAN CAMPURAN ION Fe(III) DAN ALGINAT TERHADAP KESTABILAN ANTOSIANIN PADA EKSTRAK KULIT TERUNG JEPANG (*Solanum melongena* L.)

Universitas Pendidikan Indonesia | repository.upi.edu |
perpustakaan.upi.edu

52(2), 67–87.

Braga, P. C., Scalzo, R. Lo, Sasso, M. D., Lattuada, N., Greco, V., & Fibiani, M. (2016). Characterization and Antioxidant Activity of Semi-Purified Extracts and

Suci Adriani , 2013

**PENGARUH KOPIGMENTASI MENGGUNAKAN CAMPURAN ION Fe(III) DAN ALGINAT
TERHADAP KESTABILAN ANTOSIANIN PADA EKSTRAK KULIT TERUNG JEPANG (*Solanum
melongena* L.)**

Universitas Pendidikan Indonesia | repository.upi.edu |
perpustakaan.upi.edu

- Pure Delphinidin-Glycosides From Eggplant Peel (*Solanum melongena* L.). *Journal of Functional Foods*, 20, 411–421. <https://doi.org/10.1016/j.jff.2015.10.032>
- Buchweitz, M., Brauch, J., Carle, R., & Kammerer, D. R. (2013). Colour and Stability Assessment of Blue Ferric Anthocyanin Chelates in Liquid Pectin-Stabilised Model Systems. *Food Chemistry*, 138(2–3), 2026–2035. <https://doi.org/10.1016/j.foodchem.2012.10.090>
- Buchweitz, M., Gudi, G., Carle, R., Kammerer, D. R., & Schulz, H. (2012). Systematic Investigations of Anthocyanin-Metal Interactions by Raman Spectroscopy. *Journal of Raman Spectroscopy*, (April). <https://doi.org/10.1002/jrs.4123>
- Carocho, M., Barreiro, M. F., Morales, P., & Ferreira, I. C. F. R. (2014). Adding Molecules to Food, Pros and Cons: A Review on Synthetic and Natural Food Additives. *Comprehensive Reviews in Food Science and Food Safety*, 13(4), 377–399. <https://doi.org/10.1111/1541-4337.12065>
- Castañeda-Ovando, A., Galán-Vidal, C. A., Contreras-López, E., & Páez-Hernández, M. E. (2014). Purification of Anthocyanins with o-Dihydroxy Arrangement by Sorption in Cationic Resins Charged with Fe(III). *Journal of Chemistry*. <https://doi.org/10.1155/2014/367236>
- Castañeda-Ovando, A., Pacheco-Hernández, M. D. L., Páez-Hernández, M. E., Rodríguez, J. A., & Galán-Vidal, C. A. (2009). Chemical Studies of Anthocyanins: A Review. *Food Chemistry*, 113(4), 859–871. <https://doi.org/10.1016/j.foodchem.2008.09.001>
- Cavalcanti, R. N., Santos, D. T., & Meireles, M. A. A. (2011). Non-Thermal Stabilization Mechanisms of Anthocyanins in Model and Food Systems - An Overview. *Food Research International*, 44(2), 499–509. <https://doi.org/10.1016/j.foodres.2010.12.007>
- Cortez, R., Luna-Vital, D. A., Margulis, D., & Mei, E. G. de M. (2017). Natural Pigments: Stabilization Methods of Anthocyanins for Food Applications. *Comprehensive Reviews in Food Science and Food Safety*, 16, 180–198.

- <https://doi.org/10.1111/1541-4337.12244>
- Dangles, O., & Fenger, J.-A. (2018). The Chemical Reactivity of Anthocyanins and Its Consequences in Food Science and Nutrition. *Molecules*, *23*, 1–23. <https://doi.org/10.3390/molecules23081970>
- Diniyah, N., Susanto, T., & Nisa, F. C. (2010). Kajian Ekstraksi Antosianin Kulit Terung Jepang (*Solanum melongena* L.). *Jurnal Teknotan*, *4*(2), 320–324.
- Estévez, L., Otero, N., & Mosquera, R. A. (2011). Molecular Structure of Cyanidin Metal Complexes: Al(III) Versus Mg(II). *Theoretical Chemistry Accounts*, *128*(4), 485–495. <https://doi.org/10.1007/s00214-010-0829-0>
- Fehragucci, H. (2012). *Pengaruh Penambahan Plasticizer dan Kitosan Terhadap Karakter Edible Film Ca-Alginat*. (Skripsi). Universitas Sebelas Maret, Surakarta.
- Fink, A., Nether, K., & Wegmann, K. (1966). Complex Formation and Flower Colors, *I*(9).
- Gallo, M., Naviglio, D., & Ferrara, L. (2014). Nasunin, an Antioxidant Anthocyanin From Eggplant Peels, as Natural Dye to Avoid Food Allergies and Intolerances. *European Scientific Journal*, *10*(9), 1–11.
- Garcia, E. J., Oldoni, T. L. C., de Alencar, S. M., Reis, A., Loguercio, A. D., & Grande, R. H. M. (2012). Antioxidant Activity by DPPH Assay of Potential Solutions to be Applied on Bleached Teeth. *Brazilian Dental Journal*, *23*(1), 22–27. <https://doi.org/10.1590/S0103-64402012000100004>
- Gurav, S. S., Deshkar, N., Gulkari, V., Duragkar, N., & Patil, A. (2007). Free Radical Scavenging Activity of Polygala chinensis Linn. *Pharmacologyonline*, *2*, 245–253.
- Hartini, Y. S., & Wulandari, E. T. (2016). *Buku Panduan Praktikum Farmakognosi Fitokimia*. Yogyakarta: Fakultas Farmasi Universitas Sanata Dharma.
- Hernandez-Herrero, J. A., & Frutos, M. J. (2011). Degradation Kinetics of Pigment, Colour and Stability of the Antioxidant Capacity in Juice Model Systems From Six Anthocyanin Sources. *International Journal of Food Science & Technology*, *46*, 2550–2557. <https://doi.org/10.1111/j.1365-2621.2011.02780.x>

- Hosseini, S., Gharachorloo, M., Ghiassi-tarzi, B., & Ghavami, M. (2016). Evaluation of the Organic Acids Ability for Extraction of Anthocyanins and Phenolic Compounds from Different Sources and Their Degradation Kinetics During Cold Storage. *Polish Journal of Food and Nutrition Sciences*, 66(4), 261–269. <https://doi.org/10.1515/pjfn-2015-0057>
- Iritani, G. (2012). *Vegetable Gardening: Panduan Praktis Menanam Sayur di Rumah*. Yogyakarta: Indonesia Tera.
- Jung, E.-J., Bae, M.-S., Jo, E.-K., Jo, Y.-H., & Lee, S.-C. (2011). Antioxidant Activity of Different Parts of Eggplant. *Journal of Medicinal Plants Research*, 5(18), 4610–4615.
- Jung, J., Cavender, G., Simonsen, J., & Zhao, Y. (2015). Investigation of the Mechanisms of Using Metal Complexation and Cellulose Nanofiber/Sodium Alginate Layer-by-Layer Coating for Retaining Anthocyanin Pigments in Thermally Processed Blueberries in Aqueous Media. *Journal of Agricultural and Food Chemistry*, 63, 3031–3038. <https://doi.org/10.1021/acs.jafc.5b00616>
- Kallio, H., Pallasaho, S., Karppa, J., & Linko, R. R. (1986). Comparison of the Half-Lives Juice of Crowberry, of the Anthocyanins in the *Empefrum nigrum*. *Journal of Food Science*, 51(2), 408–410.
- Kartika, A. E. (2017). *Analisis Pengaruh Ion Logam Co(II) dan Mg(II) Terhadap Aktivitas Antioksidan Antosianin Dari Ekstrak Etanol Kulit Jantung Pisang Ambon (Musa paradisiaca L var. sapientum)*. (Skripsi). Universitas Hasanuddin, Makassar.
- Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M. (2017). Anthocyanidins and Anthocyanins: Colored Pigments as Food, Pharmaceutical Ingredients, and the Potential Health Benefits. *Food & Nutrition Research*, 61(1). <https://doi.org/10.1080/16546628.2017.1361779>
- Khoridah, I. A. (2015). *Uji Stabilitas Kopigmentasi Antosianin Tiga Hayati Lokal Dengan Kayu Secang (Caesalpania sappan L.) dan Aplikasi Pada Permen Jelly Sirsak*. (Skripsi). Universitas Muhammadiyah Malang, Malang.
- Lee, K. Y., & Mooney, D. J. (2012). Alginate: Properties and Biomedical

- Applications. *Progress in Polymer Science*, 37(1), 106–126.
<https://doi.org/10.1016/j.progpolymsci.2011.06.003>
- Li, G., Zhang, G., Sun, R., & Wong, C. (2017). Mechanical Strengthened Alginate/Polyacrylamide Hydrogel Crosslinked by Barium and Ferric Dual Ions. *Journal of Materials Science*. <https://doi.org/10.1007/s10853-017-1066-x>
- Li, X.-D., Li, J., Wang, M., & Jiang, H. (2016). Copigmentation Effects and Thermal Degradation Kinetics of Purple Sweet Potato Anthocyanins With Metal Ions and Sugar. *Applied Biological Chemistry*. <https://doi.org/10.1007/s13765-015-0140-9>
- Liu, Y., Tikunov, Y., Schouten, R. E., Marcelis, L. F. M., Visser, R. G. F., & Arnaud Bovy. (2018). Anthocyanin Biosynthesis and Degradation Mechanisms in Solanaceous Vegetables: A Review. *Frontiers in Chemistry*, 6(52), 1–17.
<https://doi.org/10.3389/fchem.2018.00052>
- Luna-Vital, D., Cortez, R., Ongkowijoyo, P., & Meija, E. G. de. (2017). Protection of Color and Chemical Degradation of Anthocyanin From Purple Corn (*Zea mays* L.) By Zinc Ions and Alginate Through Chemical Interaction In a Beverage Model. *Food Research International*.
<https://doi.org/10.1016/j.foodres.2017.11.009>
- Lung, J. K. S., & Destiani, D. P. (2017). Uji Aktivitas Antioksidan Vitamin A, C, E dengan Metode DPPH. *Farmaka*, 15(1), 53–62.
- Mastuti, E., Fristianingrum, G., & Andika, Y. (2013). Ekstraksi dan Uji Kestabilan Warna Pigmen Antosianin Dari Bunga Telang (*Clitoria ternatea* L.) Sebagai Bahan Pewarna Makanan. In *Simposium Nasional RAPI XII-2013 FT UMS* (pp. 44–51). Surakarta: Universitas Sebelas Maret.
- Mazza, G., & Brouillard, R. (1990). The Mechanism of Co-pigmentation of Anthocyanins Aqueous Solutions. *Phytochemistry*, 29(4), 1097–1102.
- Molyneux, P. (2004). The Use of The Stable Free Radical Dyhenylpicrylhydrazil (DPPH) For Estimating Antioxidant Activity. *J. Sci. Technol.*, 26(2), 212–219.
- Nikkhah, E., Khayamy, M., Heidari, R., & Jamee, R. (2007). Effect of Sugar Treatment on Stability of Anthocyanin Pigments in Berries. *Journal of*

- Biological Sciences*, 7(8), 1412–1417.
<https://doi.org/10.3923/jbs.2007.1412.1417>
- Ningsih, W. P. (2017). *Karakteristik Permen Jelly dengan Penambahan Pewarna Alami dari berbagai Sumber Tanaman yang Mengandung Antosianin*. (Skripsi). Universitas Andalas, Padang.
- Niño-Medina, G., Urías-Orona, V., Muy-Rangel, M. D., & Heredia, J. B. (2017). Structure and Content of Phenolics in Eggplant (*Solanum melongena*) - A Review. *South African Journal of Botany*, 111, 161–169.
<https://doi.org/10.1016/j.sajb.2017.03.016>
- Oluwaniyi, O. O., Dosumu, O. O., Awolola, G. V., & Abdulraheem, A. F. (2009). Nutritional Analysis and Stability Studies of Some Natural and Synthetic Food Colourants. *American Journal of Food Technology*, 4(5), 218–225.
- Osawa, Y. (1982). Copigmentation of Anthocyanins. In *Anthocyanins as Food Colours* (pp. 41–68). ACADEMIC PRESS, INC. <https://doi.org/10.1016/B978-0-12-472550-8.50006-8>
- Paul, U. C., Manian, A. P., Siroka, B., Duelli, H., & Bechtold, T. (2013). Sorption of iron (III) - Alginate Complexes on Cellulose Fibres. *Cellulose*, (August).
<https://doi.org/10.1007/s10570-013-0013-5>
- Phaechamud, T., Yodkhum, K., Limmatvapirat, C., & Wetwitayaklung, P. (2012). Morphology, Thermal and Antioxidative Properties of Water Extracts from *Sonneratia caseolaris* (L.) Engl. Prepared with Freeze Drying and Spray Drying. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 3(1), 725–739.
- Rein, M. J. (2005). *Copigmentation reactions and color stability of berry anthocyanins*. *Dissertation Uni Helsinki*. (Dissertation). University of Helsinki, Finland. <https://doi.org/10.1021/jf071205v>
- Rice-Evans, C. A., Miller, N. J., & Paganga, G. (1997). Antioxidant Properties of Phenolic Compounds. *Trends in Plant Science*, 2(4).
- Rukmana, R. (1994). *Bertanam Terung*. Yogyakarta: Kanisius.
- Sadilova, E., Stintzing, F. C., & Carle, R. (2006). Anthocyanins, Colour and

Antioxidant Properties of Eggplant (*Solanum melongena* L.) and Violet Pepper (*Capsicum annuum* L.).

- Sakamura, S., & Obata, Y. (1961). Anthocyanase and Anthocyanins Occurring in Eggplant, *Solanum melongena* L. (I). *Agricultural and Biological Chemistry*, 25(10), 750–756. <https://doi.org/10.1080/00021369.1961.10857875>
- Samber, L. N., Semangun, H., & Prasetyo, B. (2013). Karakteristik Antosianin Sebagai Pewarna Alami. In *Seminar Nasional X Pendidikan Biologi FKIP UNS* (pp. 1–4). Surakarta: Universitas Sebelas Maret.
- Sigurdson, G. T., & Giusti, M. M. (2015). Bathochromic and Hyperchromic Effects of Aluminum Salt Complexation by Anthocyanins from Edible Sources for Blue Color Development. *Journal of Agricultural and Food Chemistry*.
- Silva, M. M., Santos, M. R., Caroco, G., Rocha, R., Justino, G., & Mira, L. (2002). Structure-Antioxidant Activity Relationships of Flavonoids: A Re-examination. *Free Radical Research*, 36(11), 1219–1227. <https://doi.org/10.1080/1071576021000016472>
- Siregar, K. (2004). *Kajian Pengeringan Beku dengan Pembekuan Vakum dan Pemanasan Terbalik Untuk Daging Buah Durian*. (Tesis). Institut Pertanian Bogor, Bogor.
- Sotto, A. Di, Giacomo, S. Di, Amatore, D., Locatelli, M., Vitalone, A., Toniolo, C., ... Nencioni, L. (2018). A Polyphenol Rich Extract from *Solanum melongena* L. DR2 Peel Exhibits Antioxidant Properties and Anti-Herpes Simplex Virus Type 1 Activity In Vitro. *Molecules*, 23(2066), 1–25. <https://doi.org/10.3390/molecules23082066>
- Sun, J., Cao, X., Bai, W., Liao, X., & Hu, X. (2010). Comparative Analyses of Copigmentation of Cyanidin 3-glucoside and Cyanidin 3-sophoroside from Red Raspberry Fruits. *Food Chemistry*, 120(4), 1131–1137. <https://doi.org/10.1016/j.foodchem.2009.11.031>
- Tachibana, N., Kimura, Y., & Ohno, T. (2014). Examination of Molecular Mechanism for The Enhanced Thermal Stability of Anthocyanins by Metal Cations and Polysaccharides. *Food Chemistry*, 143, 452–458.

<https://doi.org/10.1016/j.foodchem.2013.08.017>

- Trouillas, P., Sancho-García, J. C., De Freitas, V., Gierschner, J., Otyepka, M., & Dangles, O. (2016). Stabilizing and Modulating Color by Copigmentation: Insights from Theory and Experiment. *Chemical Reviews*, *116*(9), 4937–4982. <https://doi.org/10.1021/acs.chemrev.5b00507>
- Wawer, A. A., Harvey, L. J., Dainty, J. R., Perez-Moral, N., Sharp, P., & Fairweather-Tait, S. J. (2014). Alginate Inhibits Iron Absorption from Ferrous Gluconate in a Randomized Controlled Trial and Reduces Iron Uptake into Caco-2 Cells. *Plos One*, *9*(11), 1–8. <https://doi.org/10.1371/journal.pone.0112144>
- Winarsi, H. (2007). *Antioksidan Alami & Radikal Bebas: Potensi dan Aplikasinya dalam Kesehatan*. Yogyakarta: Kanisius.
- Wolfe, K. L., & Liu, R. H. (2008). Structure-Activity Relationships of Flavonoids in the Cellular Antioxidant Activity Assay. *Journal of Agricultural and Food Chemistry*, *56*, 8404–8411.
- Wrolstad, R. E. (1993). *Color and Pigment Analyses in Fruit Products*.
- Wrolstad, R. E., & Erlandson, J. A. (1973). Effect of Metal Ions On The Color of Strawberry Puree. *Journal of Food Sciene*, *38*, 460–463.