

## DAFTAR PUSTAKA

- Ai, Y., Medic, J., Jiang, H., Wang, D., & Jane, J. L. (2011). Starch Characterization and Ethanol Production of Sorghum. *Journal of agricultural and food chemistry*, 59(13), 7385–7392. <http://dx.doi.org/10.1021/jf2007584>
- Aji, B. K. dan Kurniawan, F. (2012). Pemanfaatan Serbuk Biji Salak (*Salacca Zalacca*) sebagai Adsorben Cr(VI) dengan Metode Batch dan Kolom. *Jurnal Sains Pomits*, 1 (1), 1-6.
- Araújo, M. A., Cunha, A. M., & Mota, M. (2004). Enzymatic Degradation of Starch-Based Thermoplastic Compounds Used in Prostheses: Identification of The Degradation Products in Solution. *Biomaterials*, 25(13), 2687-2693. <http://dx.doi.org/10.1016/j.biomaterials.2003.09.093>
- Bello- Pe’rez, L. A., García- Suárez, F. J., Méndez- Montealvo, G., Oliveira do Nascimento, J. R., Lajolo, F. M., & Cordenunsi, B. R. (2006). Isolation and Characterization of Starch from Seeds of Araucaria Brasiliensis: A Novel Starch for Application in Food Industry. *Starch- Stärke*, 58(6), 283-291. <https://doi.org/10.1002/star.200500455>
- BeMiller, J. N., & Whistler, R. L. (Eds.). (2009). *Starch: Chemistry and Technology*. USA: Academic Press.
- Bertoft, E. (2017). Understanding Starch Structure: Recent Progress. *Agronomy*, 7(3), 56. <http://doi.org/10.3390/agronomy7030056>
- Capron, I., Robert, P., Colonna, P., Brogny, M., & Planchot, V. (2007). Starch in Rubbery and Glassy States by FTIR Spectroscopy. *Carbohydrate polymers*, 68(2), 249-259. <https://doi.org/10.1016/j.carbpol.2006.12.015>
- dos Santos, T. P. R., Leonel, M., Garcia, É. L., do Carmo, E. L., & Franco, C. M. L. (2016). Crystallinity, Thermal and Pasting Properties of Starches from Different Potato Cultivars Grown in Brazil. *International journal of biological macromolecules*, 82, 144-149. <https://doi.org/10.1016/j.ijbiomac.2015.10.091>
- Dufresne, A., & Castaño, J. (2017). Polysaccharide Nanomaterial Reinforced Starch Nanocomposites: A Review. *Starch- Stärke*, 69(1-2), 1500307. <https://doi.org/10.1002/star.201500307>
- Evers, A. D. (1971). Scanning Electron Microscopy of Wheat Starch III. Granule Development in The Endosperm. *Starch-Stärke*, 23(5), 157-162. <https://doi.org/10.1002/star.19710230502>
- Fathoni, F. (2014). *Studi Potensi Biji Salak (Salacca Edulis Reinw) Sebagai Sumber Alternatif Monosakarida Dengan Cara Hidrolisis Menggunakan Asam Klorida*. (Skripsi). Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Gonçalves, P. M., Noreña, C. P. Z., da Silveira, N. P., & Brandelli, A. (2014). Characterization of starch nanoparticles obtained from Araucaria angustifolia seeds by acid hydrolysis and ultrasound. *LWT-Food Science*

**Eva Nurjanah,2018**

**KARAKTERISASI PATI DARI BIJI SALAK PONDOH (*Salacca zalacca*)**

**Universitas Pendidikan Indonesia | repository.upi.edu |**

**perpusataan.upi.edu**

- and Technology*, 58(1), 21-27.  
<http://dx.doi.org/10.1016/j.lwt.2014.03.015>
- González-Soto, R. A., Mora-Escobedo R., Hernández-Sánchez H., Sánchez-Rivera M., and Bello-Pérez, L. A. (2007). Extrusion of Banana Starch: Characterization of The Extrudates. *Journal of the Science of Food and Agriculture*, 87(2), 348-356. <https://doi.org/10.1002/jsfa.2738>
- Guo, Z., Jia, X., Zhao, B., Zeng, S., Xiao, J., & Zheng, B. (2017). C- Type Starches and Their Derivatives: Structure and Function. *Annals of the New York Academy of Sciences*, 1398(1), 47-61. <https://doi.org/10.1111/nyas.13351>
- Hapsari, W. A., & Anggrahini, I. S. (2015). *Pengaruh Lama Penyangraian dan Penambahan Gula Kelapa pada Pembuatan Bubuk Biji Salak dengan Derajat Penyangraian Ringan terhadap Karakteristik dan Aktivitas Antioksidan*. (Skripsi). Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Hizukuri, S. (1985). Relationship Between The Distribution of The Chain Length of Amylopectin and The Crystalline Structure of Starch Granules. *Carbohydrate research*, 141(2), 295-306. [https://doi.org/10.1016/S0008-6215\(00\)90461-0](https://doi.org/10.1016/S0008-6215(00)90461-0)
- Iizuka, K., & Aishima, T. (1999). Starch Gelation Process Observed By FT-IR/ATR Spectrometry with Multivariate Data Analysis. *Journal of food science*, 64(4), 653-658. <https://doi.org/10.1111/j.1365-2621.1999.tb15104.x>
- Indriati, M. R. (2015). *Pengaruh Lama Penyangraian dan Penambahan Gula Kelapa pada Pembuatan Bubuk Biji Salak dengan Derajat Penyangraian Berat terhadap Karakteristik dan Aktivitas Antioksidan*. (Skripsi). Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Jane, J. L. (2006). Current Understanding on Starch Granule Structures. *Journal of Applied Glycoscience*, 53(3), 205-213. <https://doi.org/10.5458/jag.53.205>
- Jane, J. L., Kasemsuwan, T., Leas, S., Zobel, H., & Robyt, J. F. (1994). Anthology of Starch Granule Morphology by Scanning Electron Microscopy. *Starch- Stärke*, 46(4), 121-129. <https://doi.org/10.1002/star.19940460402>
- Kementerian Pertanian Republik Indonesia. (2017). *Statistik Pertanian 2017 (Agricultural Statistics)*. Jakarta: Pusat Data dan Sistem Informasi Pertanian.
- Kizil, R., Irudayaraj, J., & Seetharaman, K. (2002). Characterization of Irradiated Starches by Using FT-Raman and FTIR Spectroscopy. *Journal of agricultural and food chemistry*, 50(14), 3912-3918. <http://dx.doi.org/10.1021/jf011652p>
- Le Corre, D., & Angellier-Coussy, H. (2014). Preparation and Application of Starch Nanoparticles for Nanocomposites: A Review. *Reactive and Functional Polymers*, 85, 97-120. <http://dx.doi.org/10.1016/j.reactfunctpolym.2014.09.020>

Eva Nurjanah,2018

KARAKTERISASI PATI DARI BIJI SALAK PONDOH (*Salacca zalacca*)

Universitas Pendidikan Indonesia | [repository.upi.edu](http://repository.upi.edu) |

[perpustakaan.upi.edu](http://perpustakaan.upi.edu)

- Lemos, P. V. F., Barbosa, L. S., Ramos, I. G., Coelho, R. E., & Druzian, J. I. (2018). The Important Role of Crystallinity and Amylose Ratio in Thermal Stability of Starches. *Journal of Thermal Analysis and Calorimetry*, 131(3), 2555-2567. <https://doi.org/10.1007/s10973-017-6834-y>
- Leng, Yang. (2008). *Materials Characterization Introduction to Microscopic and Spectroscopic Methods*. Singapura: John Wiley & Sons.
- Liu, X., Wang, Y., Yu, L., Tong, Z., Chen, L., Liu, H., & Li, X. (2013). Thermal Degradation and Stability of Starch Under Different Processing Conditions. *Starch- Stärke*, 65 (1- 2), 48-60. <https://doi.org/10.1002/star.201200198>
- Lopez- Rubio, A., Flanagan, B. M., Gilbert, E. P., & Gidley, M. J. (2008). A novel approach for calculating starch crystallinity and its correlation with double helix content: A combined XRD and NMR study. *Biopolymers: Original Research on Biomolecules*, 89(9), 761-768. <https://doi.org/10.1002/bip.21005>
- Lu, D. R., Xiao, C. M., & Xu, S. J. (2009). Starch-Based Completely Biodegradable Polymer Materials. *Express polymer letters*, 3(6), 366-375. <https://doi.org/10.3144/expresspolymlett.2009.46>
- Mandal, Arup dan Debabrata Chakrabarty. (2011). Isolation of nanocellulose from Waste Sugarcane Bagasse (SCB) and its Characterization. *Carbohydrate Polymers*, 86 (3), 1291– 1299. <http://doi.org/10.1016/j.carbpol.2011.06.030>
- Manek, R. V., Builders, P. F., Kolling, W. M., Emeje, M., & Kunle, O. O. (2012). Physicochemical and Binder Properties of Starch Obtained from Cyperus Esculentus. *Aaps Pharmscitech*, 13(2), 379-388. <http://dx.doi.org/10.1208/s12249-012-9761-z>
- Müller, C. M., Laurindo, J. B., & Yamashita, F. (2009). Effect of Cellulose Fibers on The Crystallinity and Mechanical Properties of Starch-Based Films at Different Relative Humidity Values. *Carbohydrate Polymers*, 77(2), 293-299. <https://doi.org/10.1016/j.carbpol.2008.12.030>
- Musa, A. S. N., Umar, I. M., and Ismail, M. (2011). Physicochemical properties of germinated brown rice (*Oryza sativa* L.) starch. *African Journal of Biotechnology*. 10 (33), 6281-6291. <http://doi.org/10.5897/AJB10.2639>
- Peng, M., Gao, M., Abdel- Aal, E. S., Hucl, P., & Chibbar, R. N. (1999). Separation and characterization of A- and B- type starch granules in wheat endosperm. *Cereal chemistry*, 76(3), 375-379.
- Pérez, S., & Bertoft, E. (2010). The Molecular Structures of Starch Components and Their Contribution to The Architecture of Starch Granules: A Comprehensive Review. *Starch- Stärke*, 62(8), 389-420. <https://doi.org/10.1002/star.201000013>
- Purwanto, Naton. (2015). *Uji Sitotoksik Ekstrak Biji Salak (Salacca zalacca (Gaert.) Voss) dengan Menggunakan Metode Brine Shrimp Lethality Test (BSLT)*. (Skripsi). Bandung: Prodi Farmasi, Fakultas MIPA, Unisba.

Eva Nurjanah,2018

KARAKTERISASI PATI DARI BIJI SALAK PONDOH (*Salacca zalacca*)

Universitas Pendidikan Indonesia | [repository.upi.edu](http://repository.upi.edu) |

[perpustakaan.upi.edu](http://perpustakaan.upi.edu)

- Putri, R. E., & Husni, P. (2017). Potensi Pati Asal Tanaman Waluh (*Sechium Edule*) sebagai Alternatif Eksipien Farmasi. *Farmaka*, 15(2), 42-52. <https://doi.org/10.24198/jf.v15i2.12922.g5944>
- Ratnayake, W. S., Hoover, R., & Warkentin, T. (2002). Pea Starch: Composition, Structure and Properties—A Review. *Starch- Stärke*, 54(6), 217-234. [https://doi.org/10.1002/1521-379X\(200206\)54:6<217::AID-STAR217>3.0.CO;2-R](https://doi.org/10.1002/1521-379X(200206)54:6<217::AID-STAR217>3.0.CO;2-R)
- Rubens, P., Snauwaert, J., Heremans, K., & Stute, R. (1999). In Situ Observation of Pressure-Induced Gelation of Starches Studied with FTIR in The Diamond Anvil Cell. *Carbohydrate Polymers*, 39(3), 231-235. [https://doi.org/10.1016/S0144-8617\(99\)00005-3](https://doi.org/10.1016/S0144-8617(99)00005-3)
- Rudnik, E., Matuschek, G., Milanov, N., & Kettrup, A. (2005). Thermal Properties of Starch Succinates. *Thermochimica Acta*, 427(1-2), 163-166. <http://doi.org/10.1016/j.tca.2004.09.006>
- Rudnik, E., Matuschek, G., Milanov, N., & Kettrup, A. (2006). Thermal Stability and Degradation of Starch Derivatives. *Journal of thermal analysis and calorimetry*, 85(2), 267-270. <https://doi.org/10.1007/s10973-005-7274-7>
- Rukmana, Rahmat. (1999). *SALAK, Prospek Agribisnis dan Teknik Usaha Tani*. Yogyakarta: Kanisius.
- Sahputra, F. M. (2008). *Potensi Ekstrak Kulit dan Daging Buah Salak sebagai Antidiabetes*. (Skripsi). Fakultas Matematika dan Ilmu Pengetahuan Alam, Institut Pertanian Bogor, Bogor.
- Santha, N., Sudha, K. G., Vijayakumari, K. P., Nayar, V. U., & Moorthy, S. N. (1990). Raman and Infrared Spectra of Starch Samples of Sweet Potato and Cassava. *Journal of Chemical Sciences*, 102(5), 705-712. <https://doi.org/10.1007/BF03040801>
- Sari, F. K., Nurhayati, dan Djumarti. (2013). Ekstraksi Pati Resisten dari Tiga Varietas Kentang Lokal yang Berpotensi sebagai Kandidat Prebiotik. *Berkala Ilmiah Pertanian I* (2): 38-42.
- Sekkal, M., Dincq, V., Legrand, P., & Huvenne, J. P. (1995). Investigation of The Glycosidic Linkages in Several Oligosaccharides Using FT-IR and FT Raman Spectroscopies. *Journal of Molecular Structure*, 349, 349-352. [https://doi.org/10.1016/0022-2860\(95\)08781-P](https://doi.org/10.1016/0022-2860(95)08781-P)
- Setiabudi, A., Hardian, R., & Mudzakir, A. (2012). *Karakterisasi Material: Prinsip dan Aplikasinya dalam Penelitian Kimia*. Bandung: UPI Press.
- Soliman, A. A., El-Shinnawy, N. A., & Mobarak, F. (1997). Thermal Behaviour of Starch and Oxidized Starch. *Thermochimica Acta*, 296(1-2), 149-153. [https://doi.org/10.1016/S0040-6031\(97\)00040-3](https://doi.org/10.1016/S0040-6031(97)00040-3)
- Srichuwong, S., Isono, N., Mishima, T., & Hisamatsu, M. (2005). Structure of Lintnerized Starch is Related to X-Ray Diffraction Pattern and Susceptibility to Acid and Enzyme Hydrolysis of Starch Granules. *International Journal of Biological Macromolecules*, 37, 115–121. <http://dx.doi.org/10.1016/j.ijbiomac.2005.09.006>

Eva Nurjanah,2018

KARAKTERISASI PATI DARI BIJI SALAK PONDOH (*Salacca zalacca*)

Universitas Pendidikan Indonesia | [repository.upi.edu](http://repository.upi.edu) |

[perpustakaan.upi.edu](http://perpustakaan.upi.edu)

- Stuart, Barbara. (2004). *Infrared Spectroscopy: Fundamentals and Applications*. United Kingdom: John Wiley & Sons, Ltd.
- Supriyadi, Suhardi, Suzuki, M., Yoshida, K., Muto, T., Fujita, A., & Watanabe, N. (2002). Changes in The Volatile Compounds and in The Chemical and Physical Properties of Snake Fruit (*Salacca Edulis Reinw*) Cv. Pondoh During Maturation. *Journal of agricultural and food chemistry*, 50(26), 7627-7633. <http://doi.org/10.1021/jf020620e>
- Suskendriyati, Herwin, Arta Wijayati, Nur Hidayah, dan Dewi Cahyuningdari. (2000). Studi Morfologi dan Hubungan Kekerabatan Varietas Salak Pondoh (*Salacca zalacca (Gaert.) Voss.*) di Dataran Tinggi Sleman. *Biodiversitas*, 1 (2), 59-64. <http://doi.org/10.13057/biodiv/d010204>
- Teramoto, N., Motoyama, T., Yosomiya, R., & Shibata, M. (2003). Synthesis, Thermal Properties, and Biodegradability of Propyl-Etherified Starch. *European Polymer Journal*, 39(2), 255-261. [http://dx.doi.org/10.1016/S0014-3057\(02\)00199-4](http://dx.doi.org/10.1016/S0014-3057(02)00199-4)
- Tian, Y., Li, Y., Xu, X., & Jin, Z. (2011). Starch Retrogradation Studied by Thermogravimetric Analysis (TGA). *Carbohydrate Polymers*, 84 (3), 1165-1168. <https://doi.org/10.1016/j.carbpol.2011.01.006>
- Triwitono, P., Marsono, Y., Murdiati, A., & Marseno, D. W. (2017). Isolasi dan Karakterisasi Sifat Pati Kacang Hijau (*Vigna Radiata L.*) Beberapa Varietas Lokal Indonesia. *Agritech*, 37(2), 192-198. <http://doi.org/10.22146/agritech.10659>
- van Soest, J. J., Tournois, H., de Wit, D., & Vliegenthart, J. F. (1995). Short-Range Structure in (Partially) Crystalline Potato Starch Determined with Attenuated Total Reflectance Fourier-Transform IR Spectroscopy. *Carbohydrate Research*, 279, 201-214. [https://doi.org/10.1016/0008-6215\(95\)00270-7](https://doi.org/10.1016/0008-6215(95)00270-7)
- Vega, D., Villar, M. A., Failla, M. D., & Vallés, E. M. (1996). Thermogravimetric Analysis of Starch-Based Biodegradable Blends. *Polymer Bulletin*, 37 (2), 229-235. <https://doi.org/10.1007/BF00294126>
- Wang, S., Yu, J., Zhu, Q., Yu, J., & Jin, F. (2009). Granular Structure and Allomorph Position in C-type Chinese Yam Starch Granule Revealed by SEM, 13C CP/MAS NMR and XRD. *Food Hydrocolloids*, 23(2), 426-433. <https://doi.org/10.1016/j.foodhyd.2008.02.012>
- Wang, T. L., Bogacheva, T. Y., & Hedley, C. L. (1998). Starch: as Simple as A, B, C?. *Journal of Experimental Botany*, 49(320), 481-502. <https://doi.org/10.1093/jxb/49.320.481>
- Wijaya, C. H., Ulrich, D., Lestari, R., Schippel, K., & Ebert, G. (2005). Identification of Potent Odorants in Different Cultivars of Snake Fruit [*Salacca Zalacca (Gaert.) Voss*] Using Gas Chromatography-Olfactometry. *Journal of agricultural and food chemistry*, 53(5), 1637-1641. <http://doi.org/10.1021/jf048950h>

**Eva Nurjanah,2018**

**KARAKTERISASI PATI DARI BIJI SALAK PONDOH (*Salacca zalacca*)**

**Universitas Pendidikan Indonesia | repository.upi.edu |**

**perpustakaan.upi.edu**

- Xie, F., Pollet, E., Halley, P. J., & Avérous, L. (2014). Advanced Nano-Biocomposites Based on Starch. Springer International Publishing Switzerland. [http://dx.doi.org/10.1007/978-3-319-03751-6\\_50-1](http://dx.doi.org/10.1007/978-3-319-03751-6_50-1)
- Zakaria, N. H., Muhammad, N., & Abdullah, M. M. A. B. (2017). Potential of Starch Nanocomposites for Biomedical Applications. *IOP Conference Series: Materials Science and Engineering*, 209(1), 012087. <https://doi.org/10.1088/1757-899X/209/1/012087>
- Widmann, N., Goian, M., Ianculov, I., Dumbravă, D., & Moldovan, C. (2008). Method to starch content determination from plants by specific weight. *Scientific Papers Animal Science and Biotechnologies*, 41(1), 814-818.

Eva Nurjanah,2018

KARAKTERISASI PATI DARI BIJI SALAK PONDOH (*Salacca zalacca*)

Universitas Pendidikan Indonesia | [repository.upi.edu](http://repository.upi.edu) |

[perpustakaan.upi.edu](http://perpustakaan.upi.edu)