

DAFTAR PUSTAKA

- Arikunto, Aristya, G.R. Agriansyah, A. Daryono, B.S. (2013). *Deteksi dan Skrining Pewarisan Sifat Ketahanan Penyakit Powdery Mildew pada Generasi Backcross Tanaman Melon (Cucumis melo L.) Var Tacapa*. Fakultas Biologi. Universitas Gadjah Mada. Yogyakarta.
- Arnold A. E, Mayrand Z, and Gillbert, G.S. (2001). Fungal endophytes in dicotyledonous neotropical trees; patterns of abundance and diversity. *Mycol. Res.* 105: 1502-1507
- Astriani PL, Ratnayani K, Yowani SC. (2014). Optimasi Suhu Annealing dan Amplifikasi 0,3 Kb Gen RpoB di Hulu dari RRDR Pada Isolat P16 Mycobacterium Tuberculosis Multidrug Resistant di Bali Dengan Metode Polymerase Chain Reaction. *J. Cakra Kimia* 2:2.
- Brader, G. dkk.. (2014). Metabolic Potential of Endophytic Bacteria. *Current opinion in Biotechnology*, 27 (1), hlm. 30-37
- Brinkman, F. And D. Leipe. (2001). *Phylogenetic Analysis. In: Bioinformatics: A Practical Guide To The Analysis Of Gene And Protein*. Baxevanis, A.D. And B.F.F. Ouellette (Eds.). John Wiley & Sons. Pp. 323 – 358.
- Carroll, G. (1988). Fungal endophytes in stems and leaves: from latent pathogen to mutualistic symbiont. *J. Ecology*, 69: 2-9.
- Cavalli-Sforza, L.L. (1997). Genes, Peoples And Languages. *Proc. Natl. Acad. Sci. Usa.* 94(15): 7719 – 7724.
- Cenis, J. (1992). Rapid Extraction of Fungal DNA for PCR Amplification. *Nucleic Acid Research*; 20:9
- Chawla, H.S. (2000). *Plant Biotechnology : A Practical Approach*. Science publisher. Inc Plymouth
- CITES. (2005). *Convention on International Trade in Endangered Species of Wild Fauna and Flora: Thirteenth meeting of the Conference of the Parties*. [http:// www.cites.org. diakses 26 Februari 2018]
- Collado, J., Platas, G. and Paleaz, F. (2000). Host specificity in fungal endophytic populations of *Quercus ilex* and *Quercus faginea* from central Spain. *Nova Hedwigia*, 71: 421-430.
- Croizer J, Thomas SE, Aime ME, Evan HC, dan Holmes KA. (2006). Molecular characterization of fungal endophytic morphospecies isolated from stem and pods of *Theobroma cacao*. *Plant pathol.* 55:783-791
- Croteau R, Ketchum RE, Long RM, Kaspera R, Wildung MR. (2006). Taxol biosynthesis and molecular genetics. *Phytochem Rev*, 5:75–97.
- de Laubenfels. (1988). *Coniferales. In: David, J. (eds.) Flora Malesiana, Series I, Vol. 10*. Dordrecht: Kluwer Academic. p 337–453.

- Deckert RJ, Melville LH, Peterson RL. (2001). Structural features of a *Lophodermium* endophyte during the cryptic life-cycle phase in the foliage of *Pinus strobus*. *Mycol Res.* 105: 991–997.
- Dewick, P. M. (1999), *Medical Natural Product, A Biosynthetic Approach*, John Willey and Sons, UK.
- Dhama, K. S. Mani, S. Chakraborty, R. Tiwari, A. Kumar, P. Selvaraj and R.B. Rai. (2013). Herbal Remedies To Combat Cancers In Humans And Animals – A Review. *International Journal of Current Research*, 5: 1908–1919.
- Dharmayanti, LN, LP. (2011). *Filogenetika Molekuler: Metode Taksonomi Organisme Berdasarkan Sejarah Evolusi*. Balai Besar Penelitian Veteriner
- Difazio, S.P. N.C. Vance and M.V. Wilson. (1996). Variation in expression of *Taxus brevifolia* in western Oregon. *Canadian Journal of Botany*, 74: 1943–1946.
- Effendi, Muhammad. Novia, Dwi. Puspitasari. Lestriani, Yetti dan Tatang. (2017). Pendataan Jenis Tumbuhan Koleksi Kebun Raya Cibodas untuk Materi Pelayanan Pendidikan Lingkungan. *Journal of Biology*, 10(2), 124-132. Balai Konservasi Tumbuhan Kebun Raya Cibodas – Lembaga Ilmu Pengetahuan Indonesia
- Estabrook, G. (1984). *Phylogenetic Trees And Character-State Trees. In: Perspectives On The Reconstruction Evolutionary History Cladistics. Duncan, T. And T. Stuessy (Eds.)*. Columbia University Press. Pp. 135 –151.
- Facthiyah, dkk. (2011). *Biologi Molekuler Prinsip Dasar Analitis*. Jakarta: Penerbit Erlangga
- Fisher PJ and Petrini O. (1990). A comparative study of Fungal endophytes in xylem and bark of *Alnus* species in England and Switzerland. *Mycol. Res.* 94: 313-319
- Flores-Bustamante ZR, Rivera-Orduna FN, Martinez-Cardenas A, Flores-Cotera LB. (2010). Microbial paclitaxel: advances and perspectives. *J Antibiot* 2010, 63:460–467.
- Fredricks D.N, Smith C, and Meier A. (2005). Comparison of Six DNA Extraction Methods for Recovery of Fungal DNA as Assessed by Quantitative PCR. *Journal of Clinical Microbiology* p. 5122-5218
- Gamboa MA, Laureano S, Bayman P. (2002). Measuring diversity of endophytic fungi in leaf fragments: Does size matter? *Mycopathologia* 156: 41–45.
- Garyali, K. Kumar, K. Reddy, M.S. (2013). Taxol Production from an Endophytic Fungus, *Fusarium Redolens*, Isolated from Himalayan Yew. *J. Microbiol. Biotechnol.* 23(10): 1372-1380
- Gong LJ, Guo SX. (2009). Endophytic fungi from *Dracaena cambodiana* and *Aquilaria sinensis* and their antimicrobial activity. *Afr J Biotechnol.* 2009;8(5):731–736

- Gupta, V. K, Tuohy, M. G, and Gaur, R. (2013). *Laboratory Protocols in Fungal Biology: Current Methods in Fungal Biology*, Fungal Biology, Springer Sciene, LCC 2013.
- Hahn, M. and Mendgen, K. (2001). Signal and nutrient exchange at biotrophic plantfungus interfaces, *Curr. Opin. Plant Biol.* 2001; 4: 322-327
- Hanson, J.R. (2003). *Natural Product, The Secondary Metabolites*. The Royal Society of Chemistry, Cambridge-UK.
- Hao da, C. B. Huang, and L. Yang. (2008). Phylogenetic relationships of the genus *Taxus* inferred from chloroplast intergenic spacer and nuclear coding DNA. *Biol Pharm Bull* 31:260–265.
- Hedden P, Phillips AL, Rojas MC, Carrera E, Tudzynski B. (2001). Gibberellin Biosynthesis in Plants and Fungi: A Case of Convergent Evolution? *J Plant Growth Regul* 2001, 20:319–331.
- Heinig, U., Scholz, S., & Jennewein, S. (2013). Getting to the bottom of Taxol biosynthesis by fungi. *Fungal diversity*, 60(1), 161-170.
- Hendra, Suryaningtyas, Y. W. N., Riyanto, C., dan Heryanto, F. A. (2009). *Ekstraksi DNA Collacalia fuchiphaga dengan Metode Fenol Kloroform Extraction dari Berbagai Material Sumber Genetik*. Universitas Atmajaya Yogya
- Hidayat A, Rachmat HH, Subiakto A. (2014). *Taxus sumatrana*, mutiara terpendam dari zamrud Sumatera. Forda Press, Bogor.
- Hidayat, A. and S. Tachibana. (2013). Taxol and Its Related Compound from the Bark of *Taxus sumatrana*. Makalah, dipresentasikan pada *International Seminar of Forest and Medicinal Plants for Better Human Welfare*, Bogor, 10–12 September 2013.
- Hidayat, T. dan Pancoro, A. (2006). *Sistematika Filogenetika Molekuler*. SITH ITB
- Hortwitz SB. (1994). Taxol (Paclitaxel): Mecanism of Action. *Ann Oncol* 1994;5 *Suppl* 6:S3-6. Departement of Molecular Pharmacology, Alberth Einstein college of Medicine, New York
- Huang C-C. Chiang T-Y. and Hsu T-W. (2007). Isolation and characterization of microsatellite loci in *Taxus sumatrana* (Taxaceae) using PCR-based isolation of microsatellite arrays (PIMA). *Conserv. Genetic*. DOI 10.1007/s10592-007-9341-z.
- Hundley, N.J. (2005). *Structure Elucidation of Bioactive Compounds Isolated from Endophytes of Alstonia scholaris and Acmena graveolens*. Thesis. Department of Chemistry and Biochemistry Brigham Young University
- Iszkulo G, Kosinski P, Hajnos M. (2013). Sex influences the taxanes content in *Taxus baccata*. *Acta Physiol Plant* 35: 148-152.
- IUCN. 2014. The IUCN Red List of Threatened Species

- Jhala, M.K. dkk.. (2011). *Role of Bioinformatics in Biotechnology*. Information Technology Centre, GAU, Anand. Terdapat di [http://openmed.nic.in/1383/01/Role_of_Bioinformatics_in_Biotechnology .pdf](http://openmed.nic.in/1383/01/Role_of_Bioinformatics_in_Biotechnology.pdf) (25 Maret 2018).
- Kementrian Kesehatan RI. (2015) . *Stop Kanker: Situasi Penyakit Kanker*. Jakarta: Pusat Data dan Informasi Kemenkes RI.
- Khosvarina, H., Murthy, H. N., Prasad, D. T and Pirany, N. (2007). Optimizing Factors Influencing DNA extraction from fresh whole avian blood. *African Journal of Biotechnology*. 6 (4). 481-486
- Kitagawa, I. T. Mahmud, M. Kobayashi, Roemanto and H. Shibuya. (1995). Taxol and its related taxoid from the needles of *Taxus sumatrana*. *Chem. Pharm. Bull.* 43: 365–367.
- Kuncoro, Hadi dan Sugijanto, Noor Erma. (2011). Mini Review Jamur Endofit, Biodiversitas, Potensi Dan Prospek Penggunaannya Sebagai Sumber Bahan Obat Baru. *J. Trop. Pharm. Chem.* 2011. Vol 1. No. 3.247
- Li M, Ning W, Hongsheng W, Zaiyou J, and Guifang X. (2015). Isolation and Identification of an endophytic fungus producing paclitaxel from *Taxus wallichiana var mairei*. *Nutr Hosp*, 2015; 32(6): 2932-2937
- Li, S. D. Pearl And H. Doss. (1999). *Phylogenetic Tree Construction Using Markov Chain Monte Carlo*. Fred Hutchinson Cancer Research Center Washington. <Http://Www.Stat.Ohio-State.Edu/~Doss/Research/Mctrees.Pdf>. (20 Juli 2018)
- Lipscomb, D. (1998). *Basics Of Cladistic Analysis. Student Guide Paper*. George Washingtonuniversity. <Http://Www.Gwu.Edu/~Clade/Faculty/Lipscomb/Cladistics.Pdf> (19 Juli 2018).
- Liu K, Ding X, Deng B, Chen W. (2009). Isolation and characterization of endophytic Taxol producing fungi from *Taxus chinensis*. *J Ind Microbiol Biotechnol*, 36:1171–1177.
- Liu L, Lin J, Tang K. (2010). A review: recent advances and future prospects of Taxol-producing endophytic fungi. *Appl Microbiol Biotechnol* 2010, 86:1707–1717.
- Mastuti, R. (2016). *Metabolit Sekunder Dan Pertahanan Tumbuhan*. Jurusan Biologi, FMIPA Universitas Brawijaya. Malang
- Miller, edited by Brian Flannigan, Robert A. Samson, J. David (2011). *Microorganisms in home and indoor work environments : diversity, health impacts, investigation and control (2nd ed.)*. Boca Raton, FL: CRC Press. ISBN 9781420093346.
- Mount, D.W. 2001. *Phylogenetic Prediction*. In: *Bioinformatic, Sequence And Genome Analysis*. Cold Spring Harbor Laboratory. New York Press Pp. 237 – 280.
- Munir, R. (2008). *Diktat kuliah IF2091 Struktur Diskrit* Bandung: Program Studi teknik Informatika Sekolah teknik Elektro dan Informatika Institut Teknologi Bandung
- Nasir, Mohamad. (2003). *Metode Penelitian*. Jakarta: Penerbit Ghalia Indonesia

- Nicolaou KC, Yang Z, Liu JJ, Ueno H, Nantermet PG, Guy RK, Claiborne CF, Renaud J, Couladouros EA, Paulvannan K, Sorensen EJ. (1994). Total synthesis of taxol. *Nature* 1994, 367:630–634.
- Nilges, M. & Linge, J.P. (2011). *Bioinformatics: a definition*. Unité de Bio – Informatique Structurale, Institut Pasteur, 25 – 28 rue du Docteur Roux, F – 75015 Paris, France. Terdapat di http://www.pasteur.fr/recherche/unites/Binfs/definition/bioinformatics_definition.html (20 Juni 2018).
- Omacini M, Ghersa CM and Muller CB. (2001). Symbiotic fungal endophytes control insect host-parasite interaction webs, *Nature* 2001 ; 409: 78-81
- Ondari, M. & Walker, K. (2008). The Taxol Pathway 10-O-Acetyltransferase Shows Regioselective Promiscuity with the Oxetane Hydroxyl of 4-Deacetyltaxanes. *Journal of the American Chemical Society*, 17187-17194.
- Petrini O and Fisher P. J. (1992). Occurrence of fungal endopogytic in twigs of *Salix fragilis* and *Quercus robur*. *Mycol. Tes.* 94: 1077-1080.
- Prabowo, A.Y, T. Estiasih, I. Purwatinigrum. (2014). Umbi gembili (*Dioscorea esculenta L.*) sebagai bahan pangan mengandung senyawa bioaktif: kajian pustaka. *Jurnal Pangan dan Agroindustri* 2 (3):129-135.
- Proksch, P. R.A. Edrada, and R. Ebel. (2002). Drugs from the Seas – Current Status and Microbiological Implications. *Journal of Microbiology and Biotechnology* 59: 125–124.
- Rachmat H, H. (2008). *Variasi Genetik dan Teknik Perbanyakan Vegetatif Cemara Sumatra (Taxus sumatrana)*. [Thesis]. Institut Pertanian Bogor, Bogor.
- Rakotoniriana EF, Munaut F, Decock C, Randriamampionona D, Andriambololoniaina M, Rakotomalala T, Rakotonirina EJ, Rabemanantsoa C, Cheuk K, Ratsimamanga SU, Mahillon J, El-Jaziri M, Quetin-Leclercq J, Corbisier AM. (2008). Endophytic fungi from leaves of *Centella asiatica*: occurrence and potential interactions within leaves. *Antonie Van Leeuwenhoek* 2008, 93:27–36.
- Raper, Kenneth B.; Fennell, Dorothy L. (1965). *The Genus Aspergillus*. Williams & Wilkins. ISBN 0882751093.
- Rimbawan, Purwaningsih, S., dan Priosoeryanto, B. P. (2008). Ekstraksi Komponen Aktif Sebagai Antikanker Pada Sel Lestari Keong Matah Merah (*Cerithidea Obtusa*). *Journal Institut Pertanian Bogor*
- Roppa, G. et. al. (2015) Identification of Taxol-producing endophytic fungi isolated from *Salacia oblonga* through genomic mining approach. *Journal of Genetic Engineering and Biotechnology* 13: 119–127
- Rubini MR, Silva-Ribeiro RT, Pomella AW, Maki CS, Araujo WL, Dos Santos DR, Azevedo J. (2005). Diversity of endophytic fungal community of cacao (*Theobroma cacao L.*) and biological control of *Crinipellis pernicioso*, causal agent of Witches' Broom Disease. *Int J Biol Sci* 2005, 1:24–33.

- Sadjjan, M.Si. Prof. (2011). *Penggunaan Lintasa Euler dalam Penyederhanaan Sikuensing DNA*. Bandung: ITB.
- Saifudin, A. (2014). *Senyawa Alam Metabolit Sekunder: Teori, konsep, dan Teknik Pemurnian*. Deepublish, Sleman, Yogyakarta. 113p
- Saikkonen K, Ion D, Gyllenberg M. (2002). The persistence of vertically transmitted fungi in grass metapopulations, *Proceedings of the Royal Society B; Biological Sciences*, 2002; 269: 1397–1403
- Saitou, N. And T. Imanishi. (1989). Relative Efficiencies Of The Fitch-Margoliash, Maximum-Parsimony, Maximum- Likelihood, Minimum Evolution And Neighbor-Joining Methods Of Phylogenetic Tree Construction In Obtaining The Correct Tree. *Mol. Biol. Evol.* 6(5): 514– 525.
- Schmidt, H. (2003). *Phylogenetic Trees From Large Datasets*. Inaugural-Dissertation, Dusseldorf University. [Http://www.Bi.Uniduesseldorf.De/~Hschmidt/Publ/Schmidt2003.Phdthesis.Pdf](http://www.Bi.Uniduesseldorf.De/~Hschmidt/Publ/Schmidt2003.Phdthesis.Pdf). (20 Desember 2017)
- Schulz B, Boyle C. (2005). “The endophytic continuum: Review”, *Mycol Research*, 2005; 109(6): 661-698
- Seifi M, Nazeri S, Soltani J. (2013). Presence of the DBAT gene and in vitro production of Taxol in endophytic fungi isolated from Iranian yew (*Taxus baccata*). *Feyz*. 2013; 17 (3) :255-260
- Shen Y-C. Lin Y-S. Cheng Y-B. Cheng K-C. T.K. Khalil, Kuo Y-H. Chien C-T. and Lin Y-C. (2005). Novel Taxane diterpenes from *Taxus sumatrana* with the first C-21 Taxane ester. *Tetrahedron*, 61: 1345–1352.
- Solomon KV, Henske Jk, Theodorou MK, and O’ Malley MK. (2016). Robust and effective methodologies for cryopreservation and DNA extraction from anaerobic gut fungi. *J.anaerobe* 2015 244, 38:39-46
- Spjut, R.W. (2003). Nomenclatural and taxonomic review of three species and two varieties of *Taxus* (Taxaceae) in Asia. www.worldbotanical.com (accepted for *J. Bot Res. Inst. Texas* in 2006)
- Spjut, R.W. 2007. A phytogeographical analysis of *Taxus* (Taxaceae) based on leaf anatomical characters. *J. Bot. Res. Inst. Texas*, 1: 291–332.
- Sukiman, H. (2010). Endofit *Taxus sumatrana* (Miquel) de Laubenfels dan Potensinya dalam Memproduksi Senyawa Bioaktif sebagai Sumber Antioksidan. *Berita Biology* 10(3), Pusat Penelitian Bioteknologi LIPI
- Sun X and Guo L-D. (2012). Endophytic Fungal Diversity: Review of Traditional and Molecular techniques. *Mycology*, 3:1, 65-76 China
- Surzycki, S. (2000). *Basic techniques in molecular biology*. SpringerVerlay, Berlin Heidelberg. Germany. Pp. 4-13, 17-27
- Susilo A. (2015). *Taxus sumatrana*: Sebaran, potensi, dan strategi konservasi. *Prosiding Workshop Improving Appreciation and Awareness on Conservation of High Value Indigenous Wood Species of Sumatra*. Balai Penelitian Teknologi Serat Tanaman Hutan, Pekanbaru, 23 April 2015

- Tapia-Tussel, R., Lappe, P., Ulloa, M., Ramayo, A. Q., Farfan, M. C., Saavedra, A. L., and Brito, D. P. (2006). A Rapid and Simple Method for DNA Extraction From Yeasts and Fungi Isolated From *Agave fourcroydes*. *J. Molecular Biotechnology Vol. 33*: 67-70
- Thomas, P. and A. Farjon. 2011. *Taxus wallichiana*. *The IUCN Red List of Threatened Species* 2011: e.T46171879A9730085. <http://www.iucnredlist.org/details/46171879/0>, accessed 2018.02.13
- Tortora, G.J., B.R. Funke, and C.L. Case. (2007). *Microbiology an introduction, 9th ed.* Benjamin Cummings, USA
- Tudzynski B. (2005). Gibberellin biosynthesis in fungi: genes, enzymes, evolution, and impact on biotechnology. *Appl Microbiol Biotechnol* 66:597–611.
- Udin, Z. (2009). Aktivitas Anti Proliferasi Ekstak Fermentasi Bakteri Endofitik Tanaman *Taxus sumatrana* secara *In-Vitro*. *Prosiding Seminar Nasional Biologi XX dan Kongres Perhimpunan Biologi Indonesia XIV* hal. 481-487
- Walker, K. Fujisaki, S. Long, R. & Croteau, R. (2002). Molecular cloning and heterologous expression of the C-13 phenylpropanoid side chain-CoA acyltransferase that functions in Taxol biosynthesis. *Proceedings of the National Academy of Sciences*, 12715-12720.
- Wang Y and Guo L-D. (2007). A Comparative study of endophytic fungi in needles, bark and xylem of *Pinus tabulaeformis*. *Can. J. Bot. Vol 85*, 911-917
- Wani, M.C. H.L. Taylor, M.E. Wall, P. Coggon and A.T McPhail. (1971). Plant antitumor agents. VI. Isolation and structure of Taxol, a novel antileukemic and antitumor agent from *Taxus brevifolia*. *J. Am. Chem. Soc.* 93: 2325–2327.
- Widowati, T. (2013). *Identifikasi Senyawa Kimia Anti Fungal dari Bakteri Endofit Taxus sumatrana*. (Tesis). Institut Pertanian Bogor
- Xiong, Zhi- Qiang dkk.. (2013). Diversity of endophytic fungi and screening of fungal paclitaxel producer from Anglojap yew, *Taxus x media*. *BMC Microbiology Biomed Central/1471-2180/13/71*
- Zhang, P. Zhou, P. Chen, J. (2008). Scringing of Taxol Promaising Fungi Based on PCR Amplification from *Taxus*. *Biotechnol* 30:2119-2123
- Zhou X. Zhu H. Liu L. Lin J. and Tang K. (2010). A review: recent advances and future prospects of Taxol producing endophytic fungi. *Appl. Microbiol. Biotechnol.* 86: 1707–1717.
- Zinniel, D., P. Lambrecht, N. B. Harris, Z. Feng, D. Kuczmariski, P. Higley, C. A. Ishimaru, A. Arunakumari, R. G. Barletta, dan A.K. Vidaver. (2002). Isolation and characterization of endoptphytic colonizing bacteria from agronomic crops and Praire aplants. *App. Environ Mikrobiol. May*; 68(5): 2198-2208.