

DAFTAR PUSTAKA

- Aberoumand, A. dan Deokule, S.S. (2008). Comparison of phenolic compounds of some edible plants of Iran and India. *Pakistan Journal of Nutrition*, 7(4): 582-585.
- Adom, K. K., Liu, R. H. (2002). Antioxidant activity of grains. *J. Agric. Food Chem.* 2002, 50, 6182-6187.
- Ahuja, U., et al. (2007). Red rices – past, present and future. *Asian Agri History*, 11: 291–304.
- Aisyah, S., Gruppen, H., Madzora, B., & Vincken, J. (2013). Modulation of Isoflavonoid Composition of Rhizopus oryzae Elicited Soybean (Glycine max) Seedlings by Light and Wounding. *Journal of Agricultural and Food Chemistry*, 61, 8657–8667.
- Alothman, M., Bhat, R., Karim, A.A. (2009). UV radiation-induced changes of antioxidant capacity of fresh-cut tropical fruits. *J. Innov. Food Sci. Emerg. Technol*, 10 (4), 512–516.
- Aminah, S. (2010). Potensi Campuran Kecambah Beras Coklat dan Kecambah Kedelai Sebagai Minuman Fungsional Tinggi Serat dan Protein (Potential for Mixed Brown Rice Sprouts and Soybean Sprouts as Functional Beverage High Fiber and Protein). *Jurnal Pangan Dan Gizi*, 1(2), 27–32.
- Andoko. (2005) . *Budidaya Pada Secara Organik*. Jakarta : Penebar Swadaya.
- Ariny, et al. (2013). Pengaruh Kuantitas Cahaya terhadap Pertumbuhan dan Kadar Antosianin Daun Dewa (*Gynura pseudochina* (L.)) Secara in Vitro. *E-j. Agrotekbis*, 1 (5): 413-420
- Astawan, M, dan T. Wresdiyati. (2004). *Diet Sehat dengan Makanan Berserat*. Solo : Tiga Serangkai Pustaka Mandiri.
- Atkinson, F.S., K. Foster-Powell, and J.C. Brand Miller. (2008) . International tables of glycemic index and glycemic load values : 2008. *Diabetes Care*, 31 : 2281-2283.
- Badarinath A, et al (2010) . A Review on In-vitro Antioxidant Methods : Comparisons, Correlations, and Considerations. *International Journal of PharmTech Research*, : 1276-1285.
- Banchuen, J et al . (2009). Increasing The Bio-active Compounds Contents by Optimizing The Germination Conditions of

- Southern Thai Brown Rice. *Journal of Science and Technology*, 32(3), 219–230.
- Blois, M. S. (1958). Antioxidant Determinations by The Use of A Stable Free Radical. *Nature Publishing Group*, 181(4617), 1199–1200.
- Campbell, N.A. (2003). *Biologi*. Alih Bahasa : L. Rahayu, E.I.M Adil, N Anita, Andri, W.F Wibowo, W. Manalu. Penerbit Erlangga. Jakarta.
- Chakuton, K., Puangpropintag, D. dan Nakornriab, M. (2012). Phytochemical content and antioxidant activity of colored and non-colored Thai rice cultivars. *Journal Asian Journal of Plant Sciences*, 11: 285-293.
- Chang, T. T. & E. A. Bardenas. (1965). The morphology and varietal characteristics of the rice plant. *IRRI, Los Banos*. p.6.
- Deptan. (2014). *Buletin Harga Pangan Edisi Maret 2014*. Jakarta : Kementrian Pertanian.
- Diffey, B. L. (2002). *Sources and measurement of ultraviolet radiation*, 28, 4–13.
- Einhellig, F.A. (1996). Interactions involving allelopathy in cropping systems. *Agronomy*, 88: 886-893.
- Ekowati, N. Y. (2015). Analisis Kandungan Gamma Aminobutyric Acid (GABA), Fenol Total, dan Aktivitas Antioksidan Germinated Rice Tiga Kultivar Padi lokal (*Oryza sativa L.*) Yogyakarta, 99–100.
- Eli Sartika. (2018). 6 Manfaat Beras Coklat untuk Kesehatan Tubuh Manusia. [Online]. Tersedia : <https://manfaat.co.id/manfaat-beras-coklat>. [Diakses 19 Agustus 2018]
- Filipliak, M. (2001). Electrochemical analysis of polyphenolic compounds. *Analytical Sciences*, 17: i1667-i1670.
- Foster Powell. (2002). International table of glykemic index and glykemic load values. Tersedia : <http://www.ajcn.org/cgi/reprint/76/1/5.pdf> [Diakses 20 Februari 2018]
- Ghosh, D *et al.* (2009). Review: vascular action of polyphenols. *Molecular Nutrition and Food Research*, 53: 322-331.
- Goufo, P., & Trindade, H. (2014). Rice Antioxidants: Phenolic Acids, Flavonoids, Anthocyanins, Proanthocyanidins, Tocopherols, Tocotrienols, C-Oryzanol, And Phytic Acid. *Food Science & Nutrition*, 2(2000), 75–104.

Salma Ghoribatulloh, 2018

PENGARUH pH DAN ZAT ADITIF TERHADAP STABILITAS FIKOSIANIN *Spirulina sp.* DAN APLIKASINYA PADA MODEL MINUMAN

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Halim, F.Y. (2012). Identifikasi Potensi Antioksidan Minuman Coklat dari Kakao Lindak (*Theobroma cacao* L.) dengan Berbagai Cara Preparasi: Metode *Ferric Reducing Antioxidant Power* (FRAP), *Skripsi S-1*, Fakultas Teknologi Pangan Universitas Katolik Widya Mandala Surabaya, Surabaya.
- Han, et al. (2004). Antioxidant Activity of Crude Extract and Pure Compounds of Acer ginnala Max., Bull. Korean Chem.Soc., 25 (3), 389-391
- Hasnil. (2016). Beras Merah atau Beras Hitam. [Online]. Tersedia : <http://ekafarm.id/beras-hitam-atau-beras-merah/>. [Diakses 19 Agustus 2018]
- Horie, K., et al. (2015). Identification of UV-Induced Diterpenes Including a New Diterpene . *Journal of Agricultural and Food Chemistry*.
- Hu, C., et al. (2003). Black Rice (*Oryza sativa L. indica*) Pigmented Fraction Suppresses Both Reaction Oxygen Species and Nitric Oxide in Chemical and Biological Model Systems. *Journal of Agricultural and Food Chemistry*, 51: 5271–5277.
- Indrasari, S. D. (2006). Kandungan Mineral Padi Varietas Unggul dan Kaitannya dengan Kesehatan, (1), 88–99.
- Karyadi, E. (1997). Antioksidan: Resep Awet Mudat dan Umur Panjang From Uji Aktivitas Antiradikal Dengan Metode DPPH dan Penetapan Kadar Fenol Total Ekstrak Daun Keladi Tikus (*Thyponium divaricatum* (Linn) Decne), *Pharmacon*, Vol. 6, No. 2, 51-56.
- Khademi, O., et al. (2013). Effect of UV-Cradiation on postharvest physiology of persimmon fruit (*Diospyros kaki* Thunb.)cv. ‘Karaj’ during storage at cold temperature. *Int. Food Res. J.*, 20 (1), 247–253.
- Khelifi S., et al. (2005). In Vitro Antioxidant Effect Of *Globularia Alypum* L. Hydromethanolic Extract. *Indian J Pharmacol.* 37:227-231
- Kikuzaki, H., et al. (2002). Antioxidants Properties of Ferulic Acid and Its Related Compound, *J. Agric.Food Chem*, pp. 50:2161- 2168.
- Kodama, O., et al. (1992). Sakuranetin. A flavanone phytoalexin from ultraviolet-irradiated rice leaves. *Phytochemistry* 31, 3807–3809
- Koleva et al. (2002). Screening of Plant Extracts for Antioxidant Activity : A Comparative Study on Three Testing Methods, *Phytochemical Analysis*, 13, 8-17

Salma Ghoribatulloh, 2018

PENGARUH pH DAN ZAT ADITIF TERHADAP STABILITAS FIKOSIANIN Spirulina sp. DAN APLIKASINYA PADA MODEL MINUMAN

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Komatsuzaki, N., *et al.* (2007). Effect of Soaking and Gaseous Treatment on GABA Content in Germinated Brown Rice, 78, 556–560.
- Lee, S.-C., *et al.* (2003). Effect of Far-Infrared Radiation on the Antioxidant Activity of Rice Hulls. *Journal of Agricultural and Food Chemistry*, 51, 4400–4403.
- Lugasi, A., *et al.* (2003). The role of antioxidant phytonutrients in the prevention of diseases. *Acta Biologica Szegediensis* 47(1-4): 119-125.
- Maisont, S., & Narkrugsa, W. (2010). The effect of germination on GABA content, chemical composition, total phenolics and antioxidant capacity of Thai waxy paddy rice. *Kasetsart Journal-Natural Science*, 44 (5) 912-932
- Makarim, A. K., & Suhartatik, E. (2009). *Morfologi dan Fisiologi Tanaman Padi*. Balai Besar Penelitian Tanaman Padi.
- Mandal S, Yadav S, Nema R. (2009). Antioxidants: A Review. *Journal of Chemical and Pharmaceutical Research*: 102-104.
- Mason, T. J. (1990). Introduction, Chemistry with Ultrasound. London : Elsevier Applied Science.
- Mastuti, R. (2016). Metabolit Sekunder dan Pertahanan Tumbuhan. Universitas Brawijaya : Jurusan Biologi, FMIPA
- Mcgonigal, A., Jane, K. (2008). Low Glycemic Index Diets. *The Journal for Nurse Practitioners – JNP*. American College of Nurse Practitioners. 689-696
- McKeown, N. M., *et al.* (2002). Whole-grain intake is favorably associated with metabolic risk factors for type 2 diabetes and cardiovascular disease in the Framingham Offspring Study. *American Journal of Clinical Nutrition*, 76(2): 390 - 98.
- Moongngarm, A., & Saetung, N. (2010). Comparison of chemical compositions and bioactive compounds of germinated rough rice and brown rice. *Food Chemistry*, 122(3), 782–788.
- Murniasih, T. (2003). Metabolit Sekunder dari Spons sebagai Bahan Obat-Obatan, Oseana, 28, 3, 27-33
- Murtiningsih. (2000). Mengenal HPLC : Perannya Dalam Analisa dan Proses Isolasi Bahan Kimia Alam. Berita Bioologi Volume 5, Nomor 2. Puslitbang Biologi - LIPI, Bogor.
- Muslihatin, W. (2009). *Pertumbuhan dan Keragaan Planlet Sagu (Metroxylon sagu Rottb)*

- Ningrum, D.C. (2009). Pengkajian Proses Pembuatan Tepung GBR (Germinated Brown Rice) Kombinasi Antara Lama Perkecambahan Gabah Dan Sistem Pengeringan. Skripsi. Jurusan Teknik Pertanian Fakultas Teknologi Pertanian Universitas Brawijaya.
- Nofiani, R.(2008). Artikel ulas balik: Urgensi dan mekanisme biosintesis metabolit sekunder mikroba laut. *Jurnal Natur Indonesia*, 10(2):120-125.
- Nugrohotomo dan A. Syukur. (2009). Upaya peningkatan hasil benih padi (*Oryza sativa L.*) pada berbagai taraf genangan air dan takaran vermicompos di lahan sawah irgasir entisol. *Jurnal Ilmu-ilmu Pertanian* 5: 135-149.
- Nurnaistia, et al. (2017). Secondary metabolite profiles and antioxidant activities of germinated brown red rice. *Journal of Physics : Conf. Series* 1013
- Oba., et al. (2010). Dietary glycemic index, glycemic load, and intake of carbohydrate and rice in relation to risk of mortality from stroke and its subtypes in Japanese men and women. *Metabolism Clinical and Experimental* 59: 1574–1582
- Oki, T., et al. (2002). Polymeric procyanidins as radical-scavenging components in red-hulled rice. *Journal of Agricultural and Food Chemistry*, 50 (26), 7524-7529.
- Orthoefer, F. T. (2005). Rice Brain Oil. In Bailey's Industrial Oil and Fat Products, Sixth Edition. New York: John Wiley & Sons, Inc.
- Palmiano, E. P., & Juliano, B. O. (1972) . Biochemical Changes in the Rice Grain during Germination1. *Plant Physiology and Biochemistry*, 49, 751–756.
- Panlasigui, L., N., & Thompson, L. U. (2006). Blood glucose lowering effects of brown rice in normal and diabetics subjects. *International Journal of Food Sciences and Nutrition*, 57(3-4), 151-158.
- Papoutsis, K., et al. (2016). Enhancing the Total Phenolic Content and Antioxidants of Lemon Pomace Aqueous Extracts by Applying UV-C Irradiation to the Dried Powder. *Foods MDPI*, 5(55).
- Park, H. L.,et al. (2014). *Antimicrobial Activity of UV-Induced Phenylamides from Rice Leaves*, 18139–18151.

- Pataro, G. (2015). Post-harvest UV-C and PL irradiation of fruitsand vegetables. *Chem. Eng. Trans.* 44, 31–36, <http://dx.doi.org/10.3303/CET1544006>.
- Pateda *et al.*, (2009). Pengaruh Konsumsi Beras Indeks Glikemik Rendah Terhadap Pengendalian Metabolik Diabetes Melitus Tipe-1. *Sari Pediatri*, 10(5): Februari 2009 indeks.
- Pinto, E.P., *et al.* (2016). The effect of postharvest application of UV-C radiation on the phenolic compounds of conventional and organic grapes (*Vitis labrusca* cv. 'Concord'). *Postharvest Biol. Technol*, 120, 84–91.
- Prayoga G. (2013). Fraksinasi, Uji Aktivitas Antioksidan dengan Metode DPPH dan Identifikasi Golongan Senyawa Kimia dari Ekstrak Teraktif Daun Sambang Darah (*Excoecaria cochinchinensis* Lour). *Fakultas Farmasi Program Studi Sarjana Ekstensi Universitas Indonesia*.
- Qi Sun, *et al.* (2010). White Rice, Brown Rice, and Risk of Type 2 Diabetes in US Men and Women. *Arch Intern Med*, 170 (11):961-969.
- Rimbawan dan Siagian, A. (2004). Indeks Glikemik Pangan. Bogor : Penebar Swadaya.
- Sa'adah, I. R., Supriyanta, & Subejo. (2013). Keragaman Warna Gabah dan Warna Beras Varietas Lokal Padi Beras Hitam (*Oryza sativa* L.) yang Dibudidayakan oleh Petani Kabupaten Sleman, Bantul dan Magelang, 532 (3), 104-105.
- Sekhar dan Goyal Anju.(2014). Antioxidant Activity by DPPH Radical Scavenging Method of Ageratum conyzoides Linn. Leaves. *American Journal of Ethnomedicine*, 2014, Vol.1, No.4, 244-249.
- Sheng *et al.*, (2018). Comparison of Postharvest UV-B and UV-C Treatments on Table Grape: Changes in Phenolic Compounds and Their Trancription of Biosynthetic Genes During Storage. School of Food Science and Engineering.
- Sibuea. (2004). *Kuersetin Senjata Pemusnah Radikal Bebas*. [Online]. Tersedia : <http://www.kompas.com/kesehatan/news/senior/kiat/0307/04/kiat2.htm>. [19 Agustus 2018].

- Sinaga, E. dan Wirawanni, Y. (2012). Pengaruh pemberian susu kedelai terhadap kadar glukosa darah puasa pada wanita prediabetes. *J. Nutr. Coll.* 1(1): 563-579.
- Suardi, D. dan I. Ridwan. (2009). Beras hitam, pangan berkhasiat yang belum populer. *Warta Penelitian dan Pengembangan Pertanian* 31(2): 9-10.
- Suliartini, *et al.* (2011). Pengujian Kadar Antosianin Padi Gogo Beras Merah Hasil Koleksi Plasma Nutfah Sulawesi Tenggara. *Crop Agro Vol.* 4 (2): 43-48.
- Sutharut, J., & Sudarat, J. (2012). Total anthocyanin content and antioxidant activity of germinated colored rice. *International Food Research Journal*, 19(1), 215-221.
- Tapan, E. (2005). Penyakit Degeneratif. Jakarta: PT. Elex Media Komputindo.
- Ti, H, *et al.* (2014). Dynamic changes in the free and bound phenolic compounds and antioxidant activity of brown rice at different germination stages. *FOOD CHEMISTRY*, 161, 337–344.
- Tjitosoepomo, Gembong. (2004). *Taksonomi Tumbuhan (Spermatophyta)*. Yogyakarta : Gadjah Mada University Press.
- Triyem. (2010). *Aktivitas Antioksidan dari Kulit Batang Manggis Hutan (Garcinia cf. bancana Miq)*, *tesis*, (Jakarta: Universitas Indonesia).
- Urban, L., *et al.* (2016). Understanding the physiological effects of UV-C light and exploiting its agronomic potential before and after harvest. *Plant Physiol. Biochem.*
- USDA. (2009). *Coriander Seeds Nutrition Facts (USDA National Nutrient Data)*. www.nutrition-and-you.com. [21 januari 2018].
- VanEtten, H. D., *et al.* (1994). Two classes of plant antibiotics. Phytoalexins versus "Phytoanticipins." *Plant Cell* 6, 1191–1192
- WHO. (2009). Ultraviolet radiation. World Health Organization; <http://www.who.int/uv/en/>. [21 Januari 2018].
- Widyawati *et al.* (2014). Pengaruh Perbedaan Warna Pigmen Beras Organik terhadap Aktivitas Antioksidan. *Jurnal Agritech Fakultas Teknologi Pertanian*, Universitas Katolik Widya Mandala: Surabaya.
- Willard et al. (1988). Instrumental Methods of Analysis 7th Ed. *Wadsworth. Inc. Bellmont, California USA*, 580-613

- Winarsi. (2007). *Antioksidan Alami dan Radikal Bebas*. Yogyakarta: Kanisius. Hal. 189-90
- Wrzaczek, M.. (2011). Reactive oxygen in abiotic stress perception - From genes to proteins. In A. Shanker (Ed.). Abiotic stress response in plants – Physiological, biochemical and genetic perspectives. Xia, E.-Q., Deng.
- Young, H., et al. (2012). Chemical and Functional Components in Different Parts of Rough Rice (*Oryza sativa L.*) before and after germination. *Food Chemistry*, 134(1), 288–293.
- Zhang, et al.. (2010). Phenolic Profiles and Antioxidant Activity of Black Rice Bran of Different Commercially Available Varieties, *J.Agric.Food Chem.*, 58 (13):7580-7587