

## DAFTAR PUSTAKA

- Abd El-Baky, Hanaa H, FK El Baz, dan Gamal S El-Baroty. 2008. "Characterization of nutraceutical compounds in blue green alga *Spirulina maxima*." *Journal of Medicinal Plants Research* 20:292–300.
- Adir, Noam, Yelena Dobrovetsky, dan Natalia Lerner. 2001. "Structure of cphycocyanin from the thermophilic cyanobacterium *Synechococcus vulgaris* at 2.5 Å: structural implications for thermal stability in phycobilisome assembly1." *Journal of Molecular Biology* 313 (1):71–81. <https://doi.org/https://doi.org/10.1006/jmbi.2001.5030>
- Al-Remawi, M. M. A. (2012) 'Properties of chitosan nanoparticles formed using sulfate anions as crosslinking bridges', *American Journal of Applied Sciences*, 9(7), pp. 1091–1100. doi: 10.3844/ajassp.2012.1091.1100.
- Alauhdin, M. and Windiarti, N. (2014) 'SINTESIS DAN MODIFIKASI LAPIS TIPIS KITOSAN-TRIPOLIFOSFAT', *Jurnal MIPA*, 37(1), pp. 46–52.
- Antelo, Francine S, Jorge A V Costa, dan Susana J Kalil. 2008. "Thermal degradation kinetics of the phycocyanin from *Spirulina platensis*." *Biochemical Engineering Journal* 41 (1):43–47. <https://doi.org/https://doi.org/10.1016/j.bej.2008.03.012>.
- Azagheswari *et al.* (2015) 'A Review on Microcapsules', *Global Journal of Pharmacology*, 9(1), pp. 28–39. doi: 10.5829/idosi.gjp.2015.9.1.91110.
- Bennett, A. and Bogorad, L. (1973) 'COMPLEMENTARY CHROMATIC ADAPTATION IN A FILAMENTOUS BLUE-GREEN ALGA', *Cell Biology*, 58, pp. 419–435.
- Bermejo, R. *et al.* (1997) 'Chromatographic purification of biliproteins from *Spirulina platensis* High-performance liquid Siti Sarah Nurul Habibah, 2018
- PENGARUH SUHU DAN pH TERHADAP STABILITAS MIKROKAPSUL FIKOSIANIN Spirulina sp. YANG DIENKAPSULASI KOMPLEKS KITOSAN-NATRIUM TRIPOLIFOSFAT*

chromatographic separation of their alpha and beta subunits',  
*Journal of Chromatography A*, 778, pp. 441–450.

- Bhumkar, D. R. and Pokharkar, V. B. (2006) ‘Studies on Effect of pH on Cross-linking of Chitosan With Sodium Tripolyphosphate : A Technical Note’, *AAPS Pharmaceutical Science and Technology*, 7(2), pp. 2–7.
- Chaiklahan, R. et al. (2011) ‘Bioresource Technology Separation and purification of phycocyanin from Spirulina sp . using a membrane process’, *Bioresource Technology*. Elsevier Ltd, 102(14), pp. 7159–7164. doi: 10.1016/j.biortech.2011.04.067.
- Chaiklahan, R., Chirasawan, N. and Bunnag, B. (2012) ‘Stability of phycocyanin extracted from Spirulina sp .: Influence of temperature , pH and preservatives’, *Process Biochemistry*. Elsevier Ltd, 47(4), pp. 659–664. doi: 10.1016/j.procbio.2012.01.010.
- Chen, Tianfeng, Yum-Shing Wong, dan Wenjie Zheng. 2006. “Purification and characterization of selenium-containing phycocyanin from selenium-enriched Spirulina platensis.” *Phytochemistry* 67 (22):2424–30. <https://doi.org/https://doi.org/10.1016/j.phytochem.2006.08.04>.
- Curtis, RA, J Ulrich, A Montaser, JM Prausnitz, dan HW Blanch. 2002. “Protein–protein interactions in concentrated electrolyte solutions.” *Biotechnology and Bioengineering* 79 (4). Wiley Subscription Services, Inc., A Wiley Company:367–80. <https://doi.org/10.1002/bit.10342>.
- Diharmi, A. (2001) *Pengaruh Pencahayaan Terhadap Kandungan Pigmen Biaktif Mikroalga Spirulina platensis Strain Lokal (INK)*. Institut Pertanian Bogor.
- Drunzynska, M. G. and Czubenko, J. O. (2011) ‘INFLUENCE OF CROSSLINKING PROCESS CONDITIONS ON MOLECULAR AND SUPERMOLECULAR STRUCTURE OF CHITOSAN HYDROGEL MEMBRANE Magdalena Gierszevska-Drużyńska , Jadwiga Ostrowska-Czubenko’, *Progress on Chemistry and Application of Chitin and Its*

Siti Sarah Nurul Habibah, 2018

*PENGARUH SUHU DAN pH TERHADAP STABILITAS MIKROKAPSUL FIKOSIANIN Spirulina sp. YANG DIENKAPSULASI KOMPLEKS KITOSAN-NATRIUM TRIPOLIPOSFAT*

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Properties*, XVI, pp. 15–22.
- Edwards, Mercedes R, Charles Hauer, Robert F Stack, Leslie E Eisele, dan Robert MacColl. 1997. “Thermophilic C-phycocyanin: effect of temperature, monomer stability, and structure.” *Biochimica et Biophysica Acta (BBA) - Bioenergetics* 1321 (2):157–64. [https://doi.org/https://doi.org/10.1016/S0005-2728\(97\)00056-X](https://doi.org/https://doi.org/10.1016/S0005-2728(97)00056-X).
- Eriksen, N. T. (2008) ‘Production of phycocyanin - A pigment with applications in biology, biotechnology, foods and medicine’, *Applied Microbiology and Biotechnology*, 80(1), pp. 1–14. doi: 10.1007/s00253-008-1542-y.
- Fernández-Rojas, B., Hernández-Juárez, J. and Pedraza-Chaverri, J. (2014) ‘Nutraceutical properties of phycocyanin’, *Journal of Functional Foods*. Elsevier Ltd, 11(C), pp. 375–392. doi: 10.1016/j.jff.2014.10.011.
- Freitas, S., Merkle, H. P. and Gander, B. (2005) ‘Microencapsulation by solvent extraction / evaporation : reviewing the state of the art of microsphere preparation process technology’, *Journal of Controlled Release*, 102, pp. 313–332. doi: 10.1016/j.jconrel.2004.10.015.
- Fukui, K. *et al.* (2004) ‘Relationship between color development and protein conformation in the phycocyanin molecule’, *Dyes and Pigments*, 63, pp. 89–94. doi: 10.1016/j.dyepig.2003.12.016.
- Gantar, M. *et al.* (2012) ‘Isolation, characterization and antioxidative activity of C- phycocyanin from *Limnothrix* sp. strain 37-2-1’, *Journal of Biotechnology*, 159, pp. 21–26. doi: 10.1016/j.biote.2012.02.004.Isolation.
- Ghosh, T. *et al.* (2015) ‘Microalgal Rainbow Colours for Nutraceutical and Pharmaceutical Applications’, *Plant Biology and Biotechnology*, I, pp. 777–791. doi: 10.1007/978-81-322-2286-6.
- Gierszewska, M. and Ostrowska-czubenko, J. (2016) ‘Equilibrium Siti Sarah Nurul Habibah, 2018  
*PENGARUH SUHU DAN pH TERHADAP STABILITAS MIKROKAPSUL FIKOSIANIN Spirulina sp. YANG DIENKAPSULASI KOMPLEKS KITOSAN-NATRIUM TRIPOLIPOSFAT*

- swelling study of crosslinked chitosan membranes in water , buffer and salt solutions', *Progress on Chemistry and Application of Chitin and its Derivatives*, XXI(October), pp. 55–62. doi: 10.15259/PCACD.21.05.
- Glazer, AN, S Fang, dan DM Brown. 1973. "Spectroscopic Properties of CPhycocyanin and of Its Alpha and Beta Subunits." *The Journal of Biological Chemistry* 248 (16). United States:5679–85.
- Güroy, B. *et al.* (2017) 'Effects of different drying methods on C-phycocyanin content of Spirulina platensis powder', *Journal of Fisheries and Aquatic Sciences*, 34(2), pp. 129–132. doi: 10.12714/egejfas.2017.34.2.02.
- Hall, D. O. and Rao, K. K. (1999) *Photosynthesis*. Sixth Edit, Cambridge University Press. Sixth Edit. Cambridge, United Kingdom.
- Henrikson, R. (1997) *Earth food spirulina*, Laguna Beach, CA: Ronore Enterprises, Inc. Available at: [www.smartmicrofarms.com/PDF.cfm/EarthFoodSpirulina.pdf](http://www.smartmicrofarms.com/PDF.cfm/EarthFoodSpirulina.pdf).
- Kim, J. *et al.* (2006) 'Preparation and characterization of chitosan / gelatin microcapsules containing triclosan', *Colloids and Surfaces B: Biointerfaces*, 52, pp. 52–56. doi: 10.1016/j.colsurfb.2006.07.001.
- Ko, J. A. *et al.* (2003) 'Chitosan microparticle preparation for controlled drug release by response surface methodology', *Journal of microencapsulation*, 20(6), pp. 791–797. doi: 10.1080/02652040310001600514.
- Kramer, Ryan M, Varad R Shende, Nicole Motl, C Nick Pace, dan J Martin Scholtz. 2012. "Toward a Molecular Understanding of Protein Solubility: Increased Negative Surface Charge Correlates with Increased Solubility." *Biophysical Journal* 102 (8). The Biophysical Society:1907–15. <https://doi.org/10.1016/j.bpj.2012.01.060>.

Siti Sarah Nurul Habibah, 2018

*PENGARUH SUHU DAN pH TERHADAP STABILITAS MIKROKAPSUL FIKOSIANIN Spirulina sp. YANG DIENKAPSULASI KOMPLEKS KITOSAN-NATRIUM TRIPOLIPOSFAT*

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Kuhlmann, D. W. (2006) ‘Buffer solutions’, in *The Handbook of Experimental Immunology (WEIR)*.
- Kusumaningsih, T., Masykur, A. B. U. and Arief, U. (2004) ‘Pembuatan Kitosan dari Kitin Cangkang Bekicot ( *Achatina fulica* )’, *Biofarmasi*, 2(2), pp. 64–68.
- Lichtenthaler, Hartmut K. 1987. “[34] Chlorophylls and carotenoids: Pigments of photosynthetic biomembranes.” In *Plant Cell Membranes*, diedit oleh BT Methods in Enzymology, Volume 148:350–82. Academic Press. [https://doi.org/http://dx.doi.org/10.1016/0076-6879\(87\)48036-1](https://doi.org/http://dx.doi.org/10.1016/0076-6879(87)48036-1).
- MacColl, R. (1998) ‘Cyanobacterial Phycobilisomes’, *JOURNAL OF STRUCTURAL BIOLOGY*, 124, pp. 311–334.
- Minkova, K. M. et al. (2003) ‘Purification of C-phycocyanin from Spirulina (*Arthrospira*) fusiformis’, *Journal of Biotechnology* 102, 102, pp. 55–59. doi: 10.1016/S0168-1656(03)00004-X.
- Mulders, K. J. M. et al. (2014) ‘REVIEW PHOTOTROPHIC PIGMENT PRODUCTION WITH MICROALGAE: BIOLOGICAL CONSTRAINTS AND OPPORTUNITIES I’, *J. Phycol.* 242, pp. 229–242. doi: 10.1111/jpy.12173.
- Paños, I., Acosta, N. and Heras, A. (2008) ‘New Drug Delivery Systems Based on Chitosan’, *Current Drug Discovery Technologies*, 5, pp. 333–341.
- Qv, X., Zeng, Z. and Jiang, J. (2011) ‘Food Hydrocolloids Preparation of lutein microencapsulation by complex coacervation method and its physicochemical properties and stability’, *Food hydrocolloids*. Elsevier Ltd, 25(6), pp. 1596–1603. doi: 10.1016/j.foodhyd.2011.01.006.
- Rocha, A. G. et al. (2012) ‘Food and Bioproducts Processing Microencapsulation of lycopene by spray drying: Characterization, stability and application of microcapsules’, *Food and Bioproducts Processing*. Institution of Chemical Siti Sarah Nurul Habibah, 2018
- PENGARUH SUHU DAN pH TERHADAP STABILITAS MIKROKAPSUL FIKOSIANIN Spirulina sp. YANG DIENKAPSULASI KOMPLEKS KITOSAN-NATRIUM TRIPOLIPOSFAT*
- Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Engineers, 90(1), pp. 37–42. doi: 10.1016/j.fbp.2011.01.001.
- Romay, C. et al. (1998) ‘Antioxidant and anti-inflammatory properties of C-phycocyanin from blue-green algae’, *Inflammation Research*, 47(1), pp. 36–41. doi: 10.1007/s000110050256.
- Shu, X. Z. and Zhu, K. J. (2002) ‘Controlled drug release properties of ionically cross-linked chitosan beads : the influence of anion structure’, *International Journal of Pharmaceutics*, 233, pp. 217–225.
- Silva, C. M., Ribeiro, J. and Vit, I. (2006) ‘Alginate microspheres prepared by internal gelation : Development and effect on insulin stability’, *International Journal of Pharmaceutics*, 311, pp. 1–10. doi: 10.1016/j.ijpharm.2005.10.050.
- Singh, M. et al. (2016) ‘MICROENCAPSULATION AND ITS VARIOUS ASPECTS : A REVIEW’, *International Journal of Advanced Research*, 4(6), pp. 2094–2108. doi: 10.21474/IJAR01.
- Sun, L., Wang, S. and Qiao, Z. (2006) ‘Chemical stabilization of the phycocyanin from cyanobacterium *Spirulina platensis*’, *Journal of Biotechnology*, 121, pp. 563–569. doi: 10.1016/j.jbiotec.2005.08.017.
- Suzery, M. et al. (2016) ‘Improvement of Stability and Antioxidant Activities by Using Phycocyanin - Chitosan Encapsulation Technique’, *IOP Conf. Series: Earth and Environmental Science*, 55(1), pp. 3–10. doi: 10.1088/1755-1315/55/1/012052 Improvement.
- Thangam, R. et al. (2013) ‘C-Phycocyanin from *Oscillatoria tenuis* exhibited an antioxidant and in vitro antiproliferative activity through induction of apoptosis and G 0 / G 1 cell cycle arrest’, *Food Chemistry*. Elsevier Ltd, 140(1–2), pp. 262–272. doi: 10.1016/j.foodchem.2013.02.060.
- Tietze, H. W. (2004) *Spirulina*. Fourth Edition. Bundall Qld, Australia.

**Siti Sarah Nurul Habibah, 2018**

**PENGARUH SUHU DAN pH TERHADAP STABILITAS MIKROKAPSUL FIKOSIANIN *Spirulina* sp. YANG DIENKAPSULASI KOMPLEKS KITOSAN-NATRIUM TRIPOLIPOSFAT**

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Wibowo, K. D. R. (2017) *PADA STABILITAS TERMAL FIKOSIANIN DARI Spirulina fusiformis DARI Spirulina fusiformis.* Universitas Pendidikan Indonesia.
- Wu, Y. et al. (2005) ‘Chitosan nanoparticles as a novel delivery system for ammonium glycyrrhizinate’, *International Journal of Pharmaceutics*, 295, pp. 235–245. doi: 10.1016/j.ijpharm.2005.01.042.
- Yahia, Elhadi M, dan José de Jesús Ornelas-Paz. 2009. “Chemistry, Stability, and Biological Actions of Carotenoids.” In *Fruit and Vegetable Phytochemicals*, 177–222. Wiley-Blackwell. <http://dx.doi.org/10.1002/9780813809397.ch7>.
- Yan, M. et al. (2013) ‘Food and Bioproducts Processing Preparation of phycocyanin microcapsules and its properties’, *Food and Bioproducts Processing*. Institution of Chemical Engineers, 92(1), pp. 89–97.