

DAFTAR PUSTAKA

- Abdul, S., Bhattacharya, P., Basak, S., Gayen, S., Nandy, A., & Saha, A. (2017). Pharmacoinformatics study of Piperolactam A from Piper betle root as new lead for non steroidial anti fertility drug development. *Computational Biology and Chemistry*, 67, 213–224. <https://doi.org/10.1016/j.combiolchem.2017.01.004>
- Ahn, J. W., Ahn, M. H., Zee, O. P., Kim, E. J., Lee, S. G., Kim, H. J., & Kubo, I. (1992). Piperidine Alkaloids From Piper retrofractum Fruits. *Phytochemistry*, 31(10), 3609–3612.
- Apriliani, D. (2016). *Isolasi dan Karakterisasi Senyawa Piperin dari Buah Cabe Jawa (Piper retrofractum) Asal Jawa Barat.* (Skripsi). Bandung: Universitas Pendidikan Indonesia.
- Atun, S. (2014). Metode Isolasi dan Identifikasi Struktur Senyawa Organik Bahan Alam. *Jurnal Konservasi Cagar Budaya Borobudur*, 8(2), 53–61.
- Badheka, L., Prabhu, B., & Mulchandani, B. (1987). Lignans of piper cubeba. *Phytochemistry*, 26, 2033–2036.
- Barh, D., Barve, N., Gupta, K., Chandra, S., Jain, N., Tiwari, S., ... Azevedo, V. (2013). Exoproteome and Secretome Derived Broad Spectrum Novel Drug and Vaccine Candidates in Vibrio cholerae Targeted by Piper betel Derived Compounds. *PLOS ONE*, 8(1), 1–10. <https://doi.org/10.1371/journal.pone.0052773>
- Bhattacharya, S., Mula, S., Gamre, S., & Kamat, J. P. (2007). Inhibitory Property of Piper betel Extract Against Photosensitization-Induced Damages to Lipids and Proteins. *Food Chemistry*, 100, 1474–1480. <https://doi.org/10.1016/j.foodchem.2005.12.041>
- Blois, M. (1958). Antioxidant determinations by the use of a stable free radical. *Nature*, 181, 1199–1200. <https://doi.org/10.1038/1811199a0>
- Caceres, I., Khouri, R. El, Bailly, S., Oswald, I. P., & Puel, O. (2017). Piperine Inhibits A Flatoxin B1 Production In Aspergillus flavus by Modulating Fungal Oxidative Stress Response. *Fungal Genetics and Biology*, 107(July), 77–85. <https://doi.org/10.1016/j.fgb.2017.08.005>
- Carmo, D., Amaral, A. C. F., MacHado, G. M. C., Leon, L. L., & De Andrade Silva, J. R. (2012). Chemical and Biological Analyses of The Essential Oils and Main Constituents of Piper Species.

Ruth Natalia Pangaribuan, 2018

ISOLASI, KARAKTERISASI DAN UJI AKTIVITAS ANTIOKSIDAN SENYAWA PIPERIN DARI EKSTRAK METANOL BUAH CABE JAWA (*Piper retrofractum*) ASAL JAWA BARAT

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Molecules*, 17(2), 1819–1829.
<https://doi.org/10.3390/molecules17021819>
- Chansang, U., Zahiri, N. S., Bansiddhi, J., Boonruad, T., Thongsrirak, P., Mingmuang, J., ... Mulla, M. S. (2005). Mosquito larvicidal activity of aqueous extracts of long pepper (*Piper retrofractum Vahl*) from Thailand. *Journal of Vector Ecology*, 30(2), 195–200.
- Chaveerach, A., & Mokkamul, P. (2006). Ethnobotany of the genus *Piper* (*Piperaceae*) in Thailand. *Ethnobotany*, 231, 223–231.
- Chonpathompikunlert, P., Wattanathorn, J., & Muchimapura, S. (2010). Piperine ,The Main Alkaloid of Thai Black Pepper , Protects Against Neurodegeneration And Cognitive Impairment In Animal Model of Cognitive Deficit Like Condition of Alzheimer ' s Disease. *Food and Chemical Toxicology*, 48(3), 798–802. <https://doi.org/10.1016/j.fct.2009.12.009>
- Conde-hernández, L., Espinosa-victoria, J., & Guerrero-beltrán, J. (2017). Supercritical Extraction of Essential Oils of *Piper auritum* and *Porophyllum ruderale*. *The Journal of Supercritical Fluids*, 127(April), 97–102. <https://doi.org/10.1016/j.supflu.2017.03.026>
- Danelutte, A. P., Lago, J. H. G., Young, M. C. M., & Kato, M. J. (2003). Antifungal Flavanones and Prenylated Hydroquinones From *Piper crassinervium* Kunth. *Phytochemistry*, 64(2), 555–559. [https://doi.org/10.1016/S0031-9422\(03\)00299-1](https://doi.org/10.1016/S0031-9422(03)00299-1)
- Desai, S., Prabhu, B., & Mulchandani, N. (1988). Aristolactams and 4,5-Dioxoaporphines From *Piper Longum*. *Phytochemistry*, 27(5), 1511–1515.
- Dinanti, B. R. (2014). Long Pepper (*Piper retrofractum Vahl*) to Overcome Erectile Dysfunction, 3, 3–8.
- Dragull, K., Yoshida, W. Y., & Tang, C. S. (2003). Piperidine alkaloids from piper methysticum. *Phytochemistry*, 63(2), 193–198. [https://doi.org/10.1016/S0031-9422\(03\)00111-0](https://doi.org/10.1016/S0031-9422(03)00111-0)
- Durant-Archibold, A. A., Santana, A. I., & Gupta, M. P. (2018). Ethnomedical Uses and Pharmacological Activities of Most Prevalent Species of Genus *Piper* In Panama: A review. *Journal of Ethnopharmacology*, 217, 63–82. <https://doi.org/10.1016/j.jep.2018.02.008>
- Emrizal, Fernando, A., Yuliandari, R., Rullah, K., Indrayani, N. R., Susanty, A., ... Arbain, D. (2014). Cytotoxic Activities of Fractions and Two Isolated Compounds from Sirih Merah (Indonesian red Ruth Natalia Pangaribuan, 2018
- ISOLASI, KARAKTERISASI DAN UJI AKTIVITAS ANTIOKSIDAN SENYAWA PIPERIN DARI EKSTRAK METANOL BUAH CABE JAWA (*Piper retrofractum*) ASAL JAWA BARAT*

- betel), *Piper Crocatum Ruiz & Pav. Procedia Chemistry*, 13, 79–84.
<https://doi.org/10.1016/j.proche.2014.12.009>
- Facundo, V. A., Bálico, L. J., Lima, D. K. S., Santos, A. R. S., Morais, S. M., Valdo, G., ... Militão, J. S. L. T. (2012). Non-substituted B-Ring Flavonoids and An Indole AlkaloidFrom *Piper aleyreanum* (Piperaceae). *Biochemical Systematics and Ecology*, 45, 206–208.
<https://doi.org/10.1016/j.bse.2012.07.010>
- Fessenden, R., & Fessenden, J. (1986). *Kimia Organik* (3rd ed.). Jakarta: Erlangga.
- Freitas, G. C., Batista, J. M., Franchi, G. C., Nowill, A. E., Yamaguchi, L. F., Vilcachagua, J. D., ... Kato, M. J. (2014). Cytotoxic Non-Aromatic B-ring Flavanones From *Piper carniconnectivum* C. DC. *Phytochemistry*, 97, 81–87.
<https://doi.org/10.1016/j.phytochem.2013.10.012>
- Girola, N., Figueiredo, C. R., Farias, C. F., Azevedo, R. A., Ferreira, A. K., Teixeira, S. F., ... Lago, J. H. G. (2015). Camphene isolated from essential oil of *Piper cernuum* (Piperaceae) induces intrinsic apoptosis in melanoma cells and displays antitumor activity in vivo. *Biochemical and Biophysical Research Communications*, 467(4), 928–934. <https://doi.org/10.1016/j.bbrc.2015.10.041>
- Gupta, P., Balwani, S., Kumar, S., Aggarwal, N., Rossi, M., Paumier, S., ... Ghosh, B. (2010). β -sitosterol Among Other Secondary Metabolites of *Piper galeatum* Shows Inhibition of TNF α -Induced Cell Adhesion Molecule Expression on Human Endothelial Eells. *Biochimie*, 92(9), 1213–1221.
<https://doi.org/10.1016/j.biochi.2010.06.005>
- Gupta, S. K., Bansal, P., Bhardwaj, R. K., & Velpandian, T. (2000). Comparative Anti-Nociceptive, Anti-Inflammatory, and Toxicity Profile of Nimesulide VS Nimesulide and Piperine Combination. *Pharmacological Research*, 41(6), 0–5.
- Hematpoor, A., Paydar, M., Liew, S. Y., Sivasothy, Y., Mohebali, N., Looi, C. Y., ... Awang, K. (2018). Phenylpropanoids isolated From *Piper sarmentosum Roxb.* Induce Apoptosis in Breast Cancer Cells Through Reactive Oxygen Species and Nitochondrial-Dependent Pathways. *Chemico-Biological Interactions*, 279, 210–218.
<https://doi.org/10.1016/j.cbi.2017.11.014>
- Karak, S., Acharya, J., Begum, S., Mazumdar, I., Kundu, R., & De, B. (2018). Essential Oil of *Piper betle* L. Leaves: Chemical Ruth Natalia Pangaribuan, 2018
*ISOLASI, KARAKTERISASI DAN UJI AKTIVITAS ANTIOKSIDAN SENYAWA PIPERIN DARI EKSTRAK METANOL BUAH CABE JAWA (*Piper retrofractum*) ASAL JAWA BARAT*

- Composition, Anti-Acetylcholinesterase, Anti- β -Glucuronidase and Cytotoxic Properties. *Journal of Applied Research on Medicinal and Aromatic Plants*, (June), 0–1. <https://doi.org/10.1016/j.jarmap.2018.06.006>
- Karunakaran, C., Rajkumar, R., & Balamurugan, M. (2018). *Principles of Nuclear Magnetic Resonance and Pulsed Nuclear Magnetic Resonance. Spin Resonance Spectroscopy*. India: Elsevier Inc. <https://doi.org/10.1016/B978-0-12-813608-9.00001-0>
- Khopkar, S. . (1990). *Konsep Dasar Kimia Analitik*. Jakarta: UI-Press.
- Krishnaswamy, N. . (2003). *Chemistry of Natural Products : A Laboratory Handbook*. India: Universities Press.
- Lestari, S., & Midoen, Y. H. (2010). Uji Klinik Ekstrak Cabe Jawa (Piper Retrofractum Vahl) sebagai Fitofarmaka Androgenik pada Laki-laki Hipogonad, (June).
- Liu, T., Liang, Q., Zhang, X., Li, G., Xu, B., & Xu, W. (2017). Chemical Constituents From Piper Boehmeriifolium (Miq.) Wall. ex C. DC, 75, 27–30. <https://doi.org/10.1016/j.bse.2017.11.003>
- Luyen, B. T. T., Tai, B. H., Thao, N. P., Yang, S. Y., Cuong, N. M., Kwon, Y. I., ... Kim, Y. H. (2014). A new phenylpropanoid and An Alkylglycoside From Piper retrofractum Leaves With Their Antioxidant and α -Glucosidase Inhibitory Activity. *Bioorganic and Medicinal Chemistry Letters*, 24(17), 4120–4124. <https://doi.org/10.1016/j.bmcl.2014.07.057>
- Malhotra, S., Koul, S. K., Taneja, S. C., Pushpangadan, P., & Dhar, K. L. (1990). A Neolignan From Piper Sumatranum. *Phytochemistry*, 29(8), 2733–2734.
- Martín-Rodríguez, A. J., Ticona, J. C., Jiménez, I. A., Flores, N., Fernández, J. J., & Bazzocchi, I. L. (2015). Flavonoids From Piper delineatum Modulate Quorum-Sensing-Regulated Phenotypes in Vibrio Harveyi. *Phytochemistry*, 117, 98–106. <https://doi.org/10.1016/j.phytochem.2015.06.006>
- Martins, A., Salgueiro, L., Vila, R., Tomi, F., Canigueral, S., Casanova, J., ... Azdet, T. (1998). ESSENTIAL OILS FROM FOUR PIPER SPECIES. *Phytochemistry*, 49(7), 1–5.
- Melorose, J., Perroy, R., Careas, S., & L, O. (2005). *Edible Medicinal and Non-Medicinal Plants. Edible Medicinal And Non-Medicinal Plants: Volume 4, Fruits* (Vol. 6). https://doi.org/10.1007/978-94-007-4053-2_12
- Ruth Natalia Pangaribuan, 2018
ISOLASI, KARAKTERISASI DAN UJI AKTIVITAS ANTIOKSIDAN SENYAWA PIPERIN DARI EKSTRAK METANOL BUAH CABE JAWA (Piper retrofractum) ASAL JAWA BARAT

- Molyneux, P. (2004). The Use of the Stable Free Radical Diphenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity. *Songklanakarin Journal of Science and Technology*, 26(December 2003), 211–219. <https://doi.org/10.1287/isre.6.2.144>
- Moon, J., & Shibamoto, T. (2009). Antioxidant Assays for Plant and Food Components Antioxidant Assays for Plant and Food Components, 57(January), 1655–1666. <https://doi.org/10.1021/jf803537k>
- Muharini, R. (2016). *Bioactive Secondary Metabolites from Medicinal Plants*.
- Muharini, R., Liu, Z., Lin, W., & Proksch, P. (2015). New amides from the fruits of *Piper retrofractum*. *Tetrahedron Letters*, 56(19), 2521–2525. <https://doi.org/10.1016/j.tetlet.2015.03.116>
- Musthapa, I., & Gumilar, G. G. (2016). Isolation of Piperin From the Fruit of *Piper Retrofractum*. *Indonesian Journal of Fundamental and Applied Chemistry*, 6–9. <https://doi.org/10.24845/ijfac.v2.i1.06>
- Nair, M., Sommerville, J., & Burke, B. (1989). Phenyl Propenoids From Roots of *Piper Auritum*. *Phytochemistry*, 28(2), 2–3.
- Niwa, A. M., De Paula, N. A., Vesenick, D. C., Sartori, D., Maistro, E. L., Ribeiro, L. R., & Mantovani, M. S. (2016). Evaluation of Lignan (-)-Cubebin Extracted From *Piper cubeba* On Human Colon Adenocarcinoma Cells (HT29). *Journal of Toxicology and Environmental Health - Part A: Current Issues*, 79(2), 92–100. <https://doi.org/10.1080/15287394.2015.1110067>
- Okwute, S. K., & Egharevba, H. O. (2013). Piperine-Type Amides: Review of the Chemical and Biological Characteristics. *International Journal of Chemistry*, 5(3), 99–122. <https://doi.org/10.5539/ijc.v5n3p99>
- Oyemitan, I. A. (2017). African Medicinal Spices of Genus *Piper*. In *Medicinal Spices and Vegetables from Africa* (pp. 581–597). United Kingdom: Elsevier Inc. <https://doi.org/10.1016/B978-0-12-809286-6/00027-3>
- Paula, V. F. De, Barbosa, L. C. D. a, Demuner, A. J., Piló-Veloso, D., & Picanço, M. C. (2000). Synthesis and insecticidal activity of new amide derivatives of piperine. *Pest Management Science*, 56(March 1999), 168–174. [https://doi.org/10.1002/\(SICI\)1526-4998\(200002\)56:2<168::AID-PS110>3.0.CO;2-H](https://doi.org/10.1002/(SICI)1526-4998(200002)56:2<168::AID-PS110>3.0.CO;2-H)
- Pokorny, J., Yanishlieva, N., & Gordon, M. (2001). *Antioxidants in Food*. Washington DC: Woodhead Publishing Limited.

Ruth Natalia Pangaribuan, 2018

*ISOLASI, KARAKTERISASI DAN UJI AKTIVITAS ANTIOKSIDAN SENYAWA PIPERIN DARI EKSTRAK METANOL BUAH CABE JAWA (*Piper retrofractum*) ASAL JAWA BARAT*

Universitas Pendidikan Indonesia | repository.upi.edu | perpustakaan.upi.edu

- Radcliffe, D., Matsuura, T., Ismail, A., & Hilal, N. (2017). *Membrane Characterization*. Canada: Elsevier.
- Rajudin, E., Ahmad, F., Sirat, H. M., Arbain, D., & Aboul-Enein, H. Y. (2010). Chemical Constituents From Tiger's Betel, *Piper porphyrophyllum* N.E.Br. (Fam. Piperaceae). *Natural Product Research*, 24(4), 387–390. <https://doi.org/10.1080/14786410903421826>
- Ramirez, J., Cartuche, L., & Morocho, V. (2013). Antifungal Activity of Taw Extract and Flavanons Isolated From *Piper ecuadorensis* From Ecuador. *Revista Brasileira de Farmacognosia - Brazilian Journal of Pharmacognosy*, 23(2), 370–373. <https://doi.org/10.1590/S0102-695X2013005000012>
- Rubyanto, D. (2016). *Teknik Dasar Kromatografi*. Yogyakarta: Deepublish.
- Rubyanto, D. (2017). *Metode Kromatografi*. Yogyakarta: Deepublish.
- Rukachaisirikul, T., Siriwatthanakit, P., Sukcharoenphol, K., Wongvein, C., Ruttanaweang, P., Wongwattanavuch, P., & Suksamarn, A. (2004). Chemical Constituents and Bioactivity of *Piper Sarmentosum*. *Journal of Ethnopharmacology*, 93(2–3), 173–176. <https://doi.org/10.1016/j.jep.2004.01.022>
- Saifudin, A. (2014). *Senyawa Alam Metabolit Sekunder*. Yogyakarta: Deepublish.
- Shoji, N., Umeyama, A., Saito, N., Tsunematsu, T., Kajiwara, A., & Ohizumi, Y. (1986). Dehydropiperonaline , an Amide Possessing Coronary Vasodilating Activity , Isolated from *Piper longum* L ., 3–4.
- Simpson, J. H. (2017). *NMR Case Studies*. Netherlands: Elsevier. <https://doi.org/10.1016/B978-0-12-803342-5.00001-6>
- Tabopda, T. K., Ngoupayo, J., Liu, J., Mitaine-Offer, A. C., Tanoli, S. A. K., Khan, S. N., ... Luu, B. (2008). Bioactive Aristolactams From *Piper umbellatum*. *Phytochemistry*, 69(8), 1726–1731. <https://doi.org/10.1016/j.phytochem.2008.02.018>
- Ventorim, F., Paula, R. De, Caldeira, I., Alvarenga, A., Kelly, S., Bertolucci, V., ... Pereira, B. (2016). Essential Oil of Monkey-Pepper (*Piper aduncum* L .) Cultivated Under Different Light Environments. *Industrial Crops & Products*, 85, 251–257. <https://doi.org/10.1016/j.indcrop.2016.03.016>
- Winarsi, H. (2007). *Antioksidan Alami & Radikal Bebas*. Yogyakarta: Ruth Natalia Pangaribuan, 2018
- ISOLASI, KARAKTERISASI DAN UJI AKTIVITAS ANTIOKSIDAN SENYAWA PIPERIN DARI EKSTRAK METANOL BUAH CABE JAWA (*Piper retrofractum*) ASAL JAWA BARAT*

Kanisius.

- Zarai, Z., Boujelbene, E., Ben Salem, N., Gargouri, Y., & Sayari, A. (2013). Antioxidant and antimicrobial activities of various solvent extracts, piperine and piperic acid from *Piper nigrum*. *LWT - Food Science and Technology*, 50(2), 634–641. <https://doi.org/10.1016/j.lwt.2012.07.036>