

DAFTAR PUSTAKA

- Abraham, A., Soloman, P. A., & Rejini, V. O. (2016). Preparation of Chitosan-Polyvinyl Alcohol Blends and Studies on Thermal and Mechanical Properties. *Procedia Technology*, 24, 741–748. <https://doi.org/10.1016/j.protcy.2016.05.206>
- Ahmad, A. ., Abdulkarim, A. ., Ooi, B. ., & Ismail, S. (2013). Recent development in additives modifications of polyethersulfone membrane for flux enhancement. *Chemical Engineering Journal*, 223, 246–267. <https://doi.org/doi.org/10.1016/j.cej.2013.02.130>
- Antony, A., Low, J. ., Gray, S., Childress, A. ., Le-Clech, P., & Leslie, G. (2011). Scale formation and control in high pressure membrane water treatment systems: a review. *Journal of Membrane Science*, 383, 1–16. <https://doi.org/dx.doi.org/10.1016/j.memsci.2011.08.054>
- Apsari, H. (2010). *Preparasi dan Karakterisasi Membran Kitosan yang Di-crosslinking dengan Glutaraldehida Melalui Metode Presipitasi*. Universitas Pendidikan Indonesia.
- Arifin, N. M. (2012). *Modifikasi dan Karakterisasi Carbon Nanotube Terorientasi Tegak Melalui Metode Filtrasi Untuk Aplikasi Proton Exchange Membrane Fuel Cell (PEMFC)*. Universitas Indonesia. Retrieved from [http://lib.ui.ac.id/file?file=digital/20313553-S43714-Modifikasi dan.pdf](http://lib.ui.ac.id/file?file=digital/20313553-S43714-Modifikasi%20dan.pdf)
- Arimoto, H. (1964). α - γ Transition of nylon 6. *Journal of Polymer Science Part A*, 2, 2283–2295.
- Arkhangelsky, E., Duek, A., & Gitis, V. (2012). Maximal pore size in UF membranes. *Journal of Membrane Science*, 394, 89–97. <https://doi.org/doi.org/10.1016/j.memsci.2011.12.031>
- Aryal, S. (2015). Differences between Gram Positive and Gram Negative Bacteria. Retrieved December 16, 2018, from <https://microbiologyinfo.com/differences-between-gram-positive-and-gram-negative-bacteria/>
- Badan POM. (2013). Benzalkonium Klorida, (6), 1–10. Retrieved from [http://ik.pom.go.id/v2016/katalog/BENZALKONIUM KLORIDA.pdf](http://ik.pom.go.id/v2016/katalog/BENZALKONIUM%20KLORIDA.pdf)

- Baker, J. S., & Dudley, L. Y. (1998). Biofouling in membrane systems - A review, *118*.
- Balouri, M., Sadika, M., & Ibsouda, S. . (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*, *6*, 71–79. <https://doi.org/10.1016/j.jpha.2015.11.005>
- Banarjee, S., Hemraj-Benny, & Wong, S. . (2005). Covalent surface chemistry of single-walled carbon nanotubes. *Advances in Mater*, *17*(17), 0935-9648.
- Bhattacharai, N., Ramay, H. R., Gunn, J., Matsen, F. A., & Zhang, M. (2005). PEG-grafted Chitosan as an Injectable Thermosensitive Hydrogel for Sustained Protein Release. *Journal of Controlled Release*, 609–624.
- Bogler, A., Lin, S., & Bar-Zeev, E. (2017). Biofouling of membrane distillation, forward osmosis and pressure retarded osmosis: Principles, impacts and future directions. *Journal of Membrane Science*, *542*, 378–398. <https://doi.org/10.1016/j.memsci.2017.08.001>
- Brooks, G. F., Butel, J. S., & Morse, S. A. (2005). *Mikrobiologi Kedokteran* (Edisi Pert). Jakarta: Salemba Medika.
- Buffet-Bataillon, S., Tattevin, P., Bonnaure-Mallet, M., & Jolivet-Gougeon, A. (2012). Emergence of resistance to antibacterial agents: The role of quaternary ammonium compounds - A critical review. *International Journal of Antimicrobial Agents*, *39*(5), 381–389. <https://doi.org/10.1016/j.ijantimicag.2012.01.011>
- BureauOfWaterSupplyAndWastewater. (2012). Membrane Filtration. In *Drinking Water Operator Certification Training*. Pennsylvania: Gannett Fleming, Inc. Retrieved from <http://www.sswm.info/content/membrane-filtration>
- Cavaleri, S. ., Harbeck, R. ., McCarter, Y. ., Ortez, J. ., Rankin, I. ., Sautter, R. L., ... Spiegel, C. A. (2005). *Manual of Antimicrobial Susceptibility Testing*. (M. B. Coyle, Ed.), 感染症誌 (Vol. 91). American Society for Microbiology. Retrieved from [https://www.asm.org/ccLibraryFiles/FILENAME/000000002484/Manual of Antimicrobial Susceptibility Testing.pdf](https://www.asm.org/ccLibraryFiles/FILENAME/000000002484/Manual%20of%20Antimicrobial%20Susceptibility%20Testing.pdf)
- Chakrabarty, T., Kumar, M., & Shahi, V. K. (2010). Chitosan Based Membranes for Separation, Pervaporation and Fuel Cell Applications: Recent

- Developments Tina. *Biopolymers*, 202–226. <https://doi.org/10.5772/32009>
- Chen, M. (2016). *Thermal analysis. Materials Science and Engineering of Carbon*. Tianjin: Elsevier Inc. <https://doi.org/10.1016/B978-0-12-805256-3.00012-X>
- Choudhary, V., Singh, B. ., & Mathur, R. . (2013). Carbon Nanotubes and Their Composites. In *In Synthese and Applications of Carbon Nanotubes and Their Composites* (pp. 193–220). intechopen. <https://doi.org/dx.doi.org/10.5772/52897>
- Coates, J. (2000). Interpretation of Infrared Spectra, A Practical Approach. In *Encyclopedia of Analytical Chemistry* (pp. 10815–10837). Chichester: John Wiley & Sons, Inc.
- Cooper, A., Oldinski, R., Ma, H., Bryers, J. D., & Zhang, M. (2013). Chitosan-based nanofibrous membranes for antibacterial filter applications. *Carbohydrate Polymers*, 92(1), 254–259. <https://doi.org/10.1016/j.carbpol.2012.08.114>
- Coquelet, C., Lakhchaf, N., Pages, B., Persin, M., Rao, L. S., Sarrazin, J., & Tarrago, G. (1996). Association between benzalkonium chloride and a poly(acrylic acid) gel. Study by microfiltration and membrane dialysis. *Journal of Membrane Science*, 120(2), 287–293. [https://doi.org/10.1016/0376-7388\(96\)00154-8](https://doi.org/10.1016/0376-7388(96)00154-8)
- Davis, M. L. (2011). *Water and wastewater engineering: Design principles and practice. Water and wastewater engineering*. Retrieved from <http://bases.bireme.br/cgi-bin/wxislind.exe/iah/online/?IsisScript=iah/iah.xis&src=google&base=REPI DISCA&lang=p&nextAction=lnk&exprSearch=166852&indexSearch=ID%5Cnhttp://onlinelibrary.wiley.com/doi/10.1002/ep.10602/abstract>
- DeFriend, K. A., Wiesner, M. ., & Barron, A. R. (2003). Alumina and aluminate ultrafiltration membranes derived from alumina nanoparticles. *Journal of Membrane Science*, 224(1–2), 11–28. [https://doi.org/10.1016/S0376-7388\(03\)00344-2](https://doi.org/10.1016/S0376-7388(03)00344-2)
- Doshi, B., Sillanpää, M., & Kalliola, S. (2018). A review of Bio-based materials for oil spill treatment A review of bio-based materials for oil spill treatment. *Water*

- Research*, 135(May), 262–277. <https://doi.org/10.1016/j.watres.2018.02.034>
- Elizalde, C. N. B., Al-Gharabli, S., Kujawa, J., Mavukkandy, M., Hasan, S. W., & Arafat, H. A. (2018). Fabrication of blend polyvinylidene fluoride/chitosan membranes for enhanced flux and fouling resistance. *Separation and Purification Technology*, 190, 68–76. <https://doi.org/10.1016/j.seppur.2017.08.053>
- Endo, M., Strano, M., & Ajayan, P. . (2007). Potential Applications of Carbon Nanotubes. In *Carbon Nanotubes: Advanced Topics in the Synthesis, Structure, Properties and Applications* (pp. 13–61). Springer. https://doi.org/10.1007/978-3-540-72865-8_2
- Fane, a G., Tang, C. Y., & Wang, R. (2011). 4.11 - Membrane Technology for Water: Microfiltration, Ultrafiltration, Nanofiltration, and Reverse Osmosis. *Treatise on Water Science*, 301–335. <https://doi.org/http://dx.doi.org/10.1016/B978-0-444-53199-5.00091-9>
- Farouk, A., Moussa, S., Ulbricht, M., & Textor, T. (2012). ZnO Nanoparticles-Chitosan Composite as Antibacterial Finish for Textiles. *International Journal of Carbohydrate Chemistry*, 2012(Figure 1), 1–8. <https://doi.org/10.1155/2012/693629>
- Fazlara, A., & Ekhtelat, M. (2012). The disinfectant effects of benzalkonium chloride on some important foodborne pathogens. *American-Eurasian J. of Agric. & Environ. Sci.*, 12(1), 23–29.
- Fisher, J. (1993). CLEANING PROCEDURES IN THE FACTORY/Types of Disinfectant Types, 1382–1385.
- Garcia-ivars, J., Alcaina-miranda, M., & Iborra-clar, M. (2014). Enhancement in hydrophilicity of different polymer phase-inversion ultrafiltration membranes by introducing PEG / Al₂O₃ nanoparticles. *Separation and Purification Technology*, 128, 45–57. <https://doi.org/10.1016/j.seppur.2014.03.012>
- Gerba, C. P. (2015). Quaternary ammonium biocides: Efficacy in application. *Applied and Environmental Microbiology*, 81(2), 464–469. <https://doi.org/10.1128/AEM.02633-14>
- Ghaemi, N., Daraei, P., & Akhlaghi, F. S. (2018). Polyethersulfone nanofiltration membrane embedded by chitosan nanoparticles: Fabrication, characterization

- and performance in nitrate removal from water. *Carbohydrate Polymers*, *191*, 142–151. <https://doi.org/10.1016/j.carbpol.2018.03.024>
- Goh, P. S., Lau, W. J., Othman, M. H. D., & Ismail, A. F. (2018). Membrane fouling in desalination and its mitigation strategies. *Desalination*, *425*(October 2017), 130–155. <https://doi.org/10.1016/j.desal.2017.10.018>
- Groenewoud, W. M. (2001). CHAPTER 2 - THERMOGRAVIMETRY. In *Characterisation of Polymers by Thermal Analysis* (pp. 61–76). <https://doi.org/10.1016/B978-044450604-7/50003-0>
- Guillen, G. R., Pan, Y., Li, M., & Hoek, E. M. V. (2011a). 2011-Guillen-Review membrane formation.pdf. *Ind. Eng. Chem. Res.*, *50*, 3798–3817. <https://doi.org/10.1021/ie101928r>
- Guillen, G. R., Pan, Y., Li, M., & Hoek, E. M. V. (2011b). Preparation and characterization of membranes formed by nonsolvent induced phase separation: A review. *Industrial and Engineering Chemistry Research*, *50*(7), 3798–3817. <https://doi.org/10.1021/ie101928r>
- Harney, M. B., Pant, R. R., Fulmer, P. A., & Wynne, J. H. (2009). Surface self-concentrating amphiphilic quaternary ammonium biocides as coating additives. *ACS Applied Materials and Interfaces*, *1*(1), 39–41. <https://doi.org/10.1021/am800046r>
- Higgin, R., Howe, K. ., & Mayer, T. . (2010). Synergistic behavior between silica and alginate: Novel approach for removing silica scale from RO membranes. *Desalination*, *250*, 76–81. <https://doi.org/doi.org/10.1016/j.desal.2009.01.042>
- Information, G., & Studies, D. (2016). Benzalkonium chloride. *Meyler's Side Effects of Drugs*, 843–844. <https://doi.org/10.1016/B978-0-444-53717-1.00360-7>
- Jaramillo, D. E., Arriola, A., Safavi, K., & Chávez De Paz, L. E. (2012). Decreased bacterial adherence and biofilm growth on surfaces coated with a solution of benzalkonium chloride. *Journal of Endodontics*, *38*(6), 821–825. <https://doi.org/10.1016/j.joen.2012.03.012>
- Jiang, S., Li, Y., & Ladewig, B. . (2017). A review of reverse osmosis membrane fouling and control strategies. *Sci. Total Environ.*, *595*, 567–583. <https://doi.org/dx.doi.org/10.1016/j.scitotenv.2017.03.235>

- Jonsson, G. (1985). Molecular weight cut-off curves for ultrafiltration membranes of varying pore sizes. *Desalination*, 53(1–3), 3–10.
[https://doi.org/doi.org/10.1016/0011-9164\(85\)85048-7](https://doi.org/doi.org/10.1016/0011-9164(85)85048-7)
- Kampf, G. (2018). SC. *Journal of Hospital Infection*.
<https://doi.org/10.1016/j.jhin.2018.05.019>
- Karabelas, A. ., Karanasiou, A., & Sioutopoulos, D. . (2017). Experimental study on the effect of polysaccharides on incipient membrane scaling during desalination. *Desalination*, 416, 106–121.
<https://doi.org/doi.org/10.1016/j.desal.2017.04.009>
- Karkhanechi, H., Takagi, R., Ohmukai, Y., & Matsuyama, H. (2013). Enhancing the antibiofouling performance of RO membranes using Cu(OH)₂ as an antibacterial agent. *Desalination*, 325, 40–47.
<https://doi.org/10.1016/j.desal.2013.06.015>
- Kesting, R. E. (1990). The four tiers of structure in integrally skinned phase inversion membranes and their relevance to the various separation regimes. *Journal of Applied Polymer Science*, 41(11–12), 2739–2752.
<https://doi.org/10.1002/app.1990.070411120>
- Khoerunnisa, F., Hendrawan, Primastari, D. R., & Agiawati, R. (2018). Effect of MWCNT Filler on Properties and Flux of Chitosan/ PEG based Nanocomposites Membranes. *MATEC Web of Conferences*, 156, 1–6.
<https://doi.org/10.1051/mateconf/201815604001>
- Khoerunnisa, F., Hendrawan, Sonjaya, Y., & Putri, A. (2015). Synthesis and characterization of composites filtration membranes based on chitosan-poly(ethylene glycol). *AIP Conference Proceedings*, 1699.
<https://doi.org/10.1063/1.4938324>
- Kittur, F. ., Prashanth, K. V. ., Sankar, K. ., & Tharanathan, R. . (2002). Characterization of chitin, chitosan and their carboxymethyl derivatives by differential scanning calorimetry. *Carbohydrate Polymers*, 49, 185–193.
<https://doi.org/10.1098/rsta.2002.1042>
- Kochkodan, V., & Hilal, N. (2015). A comprehensive review on surface modified polymer membranes for biofouling mitigation. *Desalination*, 356, 187–207.
<https://doi.org/10.1016/j.desal.2014.09.015>

- Kochkodan, V., Johnson, D. J., & Hilal, N. (2014). Polymeric membranes: Surface modification for minimizing (bio)colloidal fouling. *Advances in Colloid and Interface Science*, 206, 116–140. <https://doi.org/10.1016/j.cis.2013.05.005>
- Kumar, D., & Sharma, R. C. (1998). Advances in conductive polymers. *European Polymer Journal*, 34(8), 1053–1060. [https://doi.org/10.1016/S0014-3057\(97\)00204-8](https://doi.org/10.1016/S0014-3057(97)00204-8)
- Kumar, S., Ahlawat, W., Bhanjana, G., Heydarifard, S., Nazhad, M., & Dilbaghi, N. (2014). Nanotechnology-based water treatment strategies. *Journal of Nanoscience and Nanotechnology*, 14(2), 1838–1858. <https://doi.org/doi.org/10.1166/jnn.2014.9050>
- Law, K. Y., & Zhao, H. (2015). *Surface wetting: Characterization, contact angle, and fundamentals*. *Surface Wetting: Characterization, Contact Angle, and Fundamentals*. <https://doi.org/10.1007/978-3-319-25214-8>
- LeChevallier, M. W., & Seidler, R. J. (1980). Staphylococcus aureus in rural drinking water. *Applied and Environmental Microbiology*, 39(4), 739–742.
- Lee, A., Elam, J. W., & Darling, S. B. (2016). Membrane materials for water purification: Design, development, and application. *Environmental Science: Water Research and Technology*, 2(1), 17–42. <https://doi.org/10.1039/c5ew00159e>
- Lim, S., & Hudson, S. M. (2004). Synthesis and antimicrobial activity of a water-soluble chitosan derivative with a fiber-reactive group, 339, 313–319. <https://doi.org/10.1016/j.carres.2003.10.024>
- Liu, K., Lin, X., Chen, L., Huang, L., Cao, S., & Wang, H. (2013). Preparation of Microfibrillated Cellulose/Chitosan–Benzalkonium Chloride Biocomposite for Enhancing Antibacterium and Strength of Sodium Alginate Films. *Journal of Agricultural and Food Chemistry*, 1–6. <https://doi.org/dx.doi.org/10.1021/jf4010065>
- Lyster, E., Kim, M., Au, J., & Cohen, Y. (2010). A method for evaluating antiscalant retardation of crystal nucleation and growth on RO membranes. *Journal of Membrane Science*, 364, 122–131. <https://doi.org/doi.org/10.1016/j.memsci.2010.08.020>
- Mallevalle, J., Odendaal, P. E., & Wiesner, M. R. (1996). *Water Treatment*

- Membrane Processes*. USA: McGraw-Hill. Retrieved from https://books.google.co.id/books?hl=en&lr=&id=vW8ZUzbTKg0C&oi=fnd&pg=PR11&dq=Mallevalle,+Jo+l.+1996.+Water+Treatment+Membrane+Processes,&ots=HekllsMriS&sig=Q8a-W5t_TaKTMC1NSmkEI34-RI&redir_esc=y#v=onepage&q=Mallevalle%2C Jo l. 1996. Water Treatment Mem
- Marple, B., Roland, P., & Benninger, M. (2004). Safety review of benzalkonium chloride used as a preservative in intranasal solutions: An overview of conflicting data and opinions. *Otolaryngology - Head and Neck Surgery*, *130*(1), 131–141. <https://doi.org/10.1016/j.otohns.2003.07.005>
- Meng, J., Zhang, X., Ni, L., Tang, Z., Zhang, Y., Zhang, Y., & Zhang, W. (2014). Antibacterial cellulose membrane via one-step covalent immobilization of ammonium/amine groups. *DES*, *359*(2015), 156–166. <https://doi.org/10.1016/j.desal.2014.12.032>
- Mihdhdhir, A. . (2009). Evaluation of Bateriological and Sanitary Quality of Drinking Water Stations and Water Tankers in Makkah Al-Mokarama. *Pakistan Journal of Biological Sciences*, *12*(4), 401–405. <https://doi.org/10.3923/pjbs.2009.401.405>
- Miller, D. ., Kasemset, S., Wang, L., Paul, D. ., & Freeman, B. . (2014). Constant flux crossflow filtration evaluation of surface-modified fouling-resistant membranes. *Journal of Membrane Science*, *452*, 171–183. <https://doi.org/doi.org/10.1016/j.memsci.2013.10.037>
- Mohmood, I., Lopes, C. B., Lopes, I., & Ahmad, I. (2013). Nanoscale materials and their use in water contaminants removal—A review. *Environmental Science and Pollution Research*, *20*(3), 1239–1260. <https://doi.org/10.1007/s11356-012-1415-x>
- Mohomed, K. (2018). Thermogravimetric Analysis Theory, Operation, Calibration, and Data Interpretation. Thermal Application Chemist. Retrieved from <https://www.researchgate.net/file.PostFileLoader.html?id=5876b5fbcdb5c2fe1c4be189&assetKey=AS%3A449492081221632%401484178671185>
- Mudzakir, A. (2008). *Penuntun Praktikum Kimia Anorganik (KI-425)*. Bandung: Departemen Pendidikan Kimia FPMIPA UPI.

- Mulder, M. (1996). *The Basic Principles of Membrane Technology* (2nd ed.). Netherlands: Kluwer Academic. <https://doi.org/10.1007/978-94-017-0835-7>
- Nguyen, T., Roddick, F. A., & Fan, L. (2012). Biofouling of water treatment membranes: A review of the underlying causes, monitoring techniques and control measures. *Membranes*, 2(4), 804–840. <https://doi.org/10.3390/membranes2040804>
- OakRidgeNationalLaboratory. (2018). Membranes. Retrieved November 26, 2018, from <https://www.ornl.gov/>
- Pellegrin, M.-L., Sadler, M. E., Greiner, A. D., Aguinaldo, J., Min, K., Zhang, K., ... Shoaf, R. (2015). *Membrane Processes. Water Environment Research* (Vol. 87). <https://doi.org/10.2175/106143015X14338845155345>
- Pendergast, M. M., & Hoek, E. M. V. (2011). *A review of water treatment membrane nanotechnologies. Energy and Environmental Science*. <https://doi.org/10.1039/c0ee00541j>
- PerkinElmer. (2010). Thermogravimetric Analysis (TGA). Retrieved from https://www.perkinelmer.com/lab-solutions/resources/docs/faq_beginners-guide-to-thermogravimetric-analysis_009380c_01.pdf
- Pighinelli, L., & Kucharska, M. (2013). Chitosan-hydroxyapatite composites. *Carbohydrate Polymers*, 93(1), 256–262. <https://doi.org/10.1016/j.carbpol.2012.06.004>
- Piyadisa, C., Ridgway, H. ., Yeager, T. ., Stewart, M. ., Pelakani, C., Gray, S. ., & Orbell, J. . (2017). The application of electromagnetic fields to the control of the scaling and biofouling of reverse osmosis membranes - A review. *Desalination*, 418, 19–34. <https://doi.org/doi.org/10.1016/j.desal.2017.05.017>
- Qin, J. J., Li, Y., Lee, L.-S., & Lee, H. (2003). Cellulose acetate hollow fiber ultrafiltration membranes made from CA/PVP 360 K/NMP/water. *Journal of Membrane Science*, 218(1–2), 173–183.
- Queiroz, M. F., Melo, K. R. T., Sabry, D. A., Sasaki, G. L., & Rocha, H. A. O. (2015). Does the use of chitosan contribute to oxalate kidney stone formation? *Marine Drugs*, 13(1), 141–158. <https://doi.org/10.3390/md13010141>
- Rahimi, Z., Zinatizadeh, A. A. L., & Zinadini, S. (2015). Preparation of high antibiofouling amino functionalized MWCNTs/PES nanocomposite

- ultrafiltration membrane for application in membrane bioreactor. *Journal of Industrial and Engineering Chemistry*, 29, 366–374.
<https://doi.org/10.1016/j.jiec.2015.04.017>
- Rahimi, Z., Zinatizadeh, A. A., & Zinadini, S. (2016). Milk processing wastewater treatment in a bioreactor followed by an antifouling O-carboxymethyl chitosan modified Fe₃O₄/PVDF ultrafiltration membrane. *Journal of Industrial and Engineering Chemistry*, 38, 103–112.
<https://doi.org/10.1016/j.jiec.2016.04.011>
- Rana, D., & Matsuura, T. (2010). Surface Modifications for Antifouling Membranes. *Chem. Rev*, 110(4), 2448–2471.
<https://doi.org/10.1021/cr800208y>
- Rastogi, R., Kaushal, R., Tripathi, S. ., Sharma, A. ., Kaur, I., & Bharadwaj, L. (2008). Comparative Study of Carbon Nanotube Dispersion Using SURfactant. *Journal of Colloid and Interface Science*, 328(2), 421–428.
<https://doi.org/doi.org/10.1016/j.jcis.2008.09.015>
- Ridgway, H. F., & Safarlk, J. (1990). BIOFOULING OF REVERSE OSMOSIS MEMBRANES. In F. H.C & G. . Geesey (Eds.), *Biofouling and Biocorrosion in Industrial Water Systems* (pp. 81–111). Berlin: Springer.
- Rinaudo, M. (2006). Chitin and chitosan: Properties and applications. *Progress in Polymer Science (Oxford)*, 31(7), 603–632.
<https://doi.org/10.1016/j.progpolymsci.2006.06.001>
- Romeo, T. (2006). When the party is over: A signal for dispersal of *Pseudomonas aeruginosa* biofilms. *Journal of Bacteriology*, 188(21), 7325–7327.
<https://doi.org/10.1128/JB.01317-06>
- Rowe, R. C., Sheskey, P. ., & Quinn, M. E. (2009). *Handbook of Pharmaceutical Excipients* (6th ed.). London: Pharmaceutical Press.
[https://doi.org/10.1016/S0168-3659\(01\)00243-7](https://doi.org/10.1016/S0168-3659(01)00243-7)
- Sahai, R. (2000). MEMBRANE SEPARATIONS | Filtration. In I. D. Wilson (Ed.), *Encyclopedia of Separation Science* (pp. 1717–1724). Morganville, NJ, USA: Academic Press. <https://doi.org/10.1016/B978-0-7020-2634-8.50021-6>
- Sahoo, N. G., Rana, S., Cho, J. W., Li, L., & Chan, S. . (2010). Polymer nanocomposites based on functionalized carbon nanotubes. *Progress in*

- Polymer Science*, 35, 837–867.
<https://doi.org/10.1016/j.progpolymsci.2010.03.002>
- Saljoughi, E., & Mousavi, S. . (2012). Preparation and characterization of novel polysulfone nanofiltration membranes for removal of cadmium from contaminated water. *Separation and Purification Technology*, 90, 22–30.
<https://doi.org/doi.org/10.1016/j.seppur.2012.02.008>
- Samuels, R. J., & Engineering, C. (1981). Solid state characterization of the structure of chitosan films. *Journal of Polymer Science. Part A-2, Polymer Physics*, 19(7), 1081–1105. <https://doi.org/10.1002/pol.1981.180190706>
- Sankar, N., & Joseph, S. (2017). *Membrane Filtration Techniques Through Polymer Nanocomposites. Transport Properties of Polymeric Membranes*. Elsevier. <https://doi.org/10.1016/B978-0-12-809884-4.00014-8>
- Sinha, M. ., & Purkait, M. . (2013). Increase in hydrophilicity of polysulfone membrane using polyethylene glycol methyl ether. *Journal of Membrane Science*, 437, 7–16. <https://doi.org/doi.org/10.1016/j.memsci.2013.03.003>
- Smart, S. ., Cassady, A. ., Lu, G. Q., & Martin, D. J. (2006). The Biocompatibility of Carbon Nanotubes. *Carbon*, 44, 1034–1047.
<https://doi.org/doi.org/10.1016/j.carbon.2005.10.011>
- Stalder, A. F., Kulik, G., Sage, D., Barbieri, L., & Hoffmann, P. (2006). A snake-based approach to accurate determination of both contact points and contact angles, 286, 92–103. <https://doi.org/10.1016/j.colsurfa.2006.03.008>
- Sun, S., An, Q., Li, X., Qian, L., He, B., & Xiao, H. (2010). Synergistic effects of chitosan-guanidine complexes on enhancing antimicrobial activity and wet-strength of paper. *Bioresource Technology*, 101(14), 5693–5700.
<https://doi.org/10.1016/j.biortech.2010.02.046>
- Swallowe, G. M. (1999). *Mechanical Properties and Testing of Polymers. Mechanical properties and testing of polymers: an A-Z reference* (Vol. 3). Springer Science+Business Media Dordrecht. <https://doi.org/10.1007/978-94-015-9231-4>
- Taylor, P., Baudrion, F., Périchaud, A., Vacelet, E., Chimie, L. De, Provence, U. De, & Victor, P. (n.d.). Biofouling : The Journal of Bioadhesion and Biofilm Influence of concentration and structure of quaternary ammonium salts on

- their antifouling efficiency tested against a community of marine bacteria
Influence of Concentration and Structure of Quaternary , (December 2014),
37–41. <https://doi.org/10.1080/08927010009378424>
- Tezel, U., & Pavlostathis, S. G. (2015). Quaternary ammonium disinfectants: Microbial adaptation, Degradation and ecology. *Current Opinion in Biotechnology*, 33(Mic), 296–304. <https://doi.org/10.1016/j.copbio.2015.03.018>
- Thakur, V. K., & Voicu, S. I. (2016). Recent advances in cellulose and chitosan based membranes for water purification: A concise review. *Carbohydrate Polymers*, 146, 148–165. <https://doi.org/10.1016/j.carbpol.2016.03.030>
- Tiller, J. C. (2010). Antimicrobial Surfaces. In *Advances in Polymer Science* (pp. 193–217). Springer. Retrieved from https://link.springer.com/chapter/10.1007%2F12_2010_101
- Tripathi, B. p, Dubey, N. ., & Stamm, M. (2014). Polyethylene glycol cross-linked sulfonated polyethersulfone based filtration membranes with improved antifouling tendency. *Journal of Membrane Science*, 453, 263–274.
- Twardowski, Z. . (2007). Treatment time and ultrafiltration rates are more important in dialysis prescription than small molecule clearance. *Blood Purification*, 25, 8–90.
- Ulbricht, M. (2006). Advanced functional polymer membranes. *Polymer*, 47(7), 2217–2262. <https://doi.org/10.1016/j.polymer.2006.01.084>
- Van Kralen, D. W. (1990). *Properties of Polymers* (3rd ed.). Amsterdam: Elsevier.
- Varin, K., & Cohen, Y. (2014). Wettability of terminally anchored polymer brush layers on a polyamide surface. *Journal of Colloid and Interface Science*, 436, 286–295. <https://doi.org/10.1016/j.jcis.2014.08.042>
- Vázquez, M. I., De Lara, R., Galán, P., & Benavente, J. (2005). Modification of cellulosic membranes by γ -radiation: Effect on electrochemical parameters and protein adsorption. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 270–271(1–3), 245–251. <https://doi.org/10.1016/j.colsurfa.2005.06.008>
- Venkatesan, J., Qian, Z. J., Ryu, B., Ashok Kumar, N., & Kim, S. K. (2011).

- Preparation and characterization of carbon nanotube-grafted-chitosan - Natural hydroxyapatite composite for bone tissue engineering. *Carbohydrate Polymers*, 83(2), 569–577. <https://doi.org/10.1016/j.carbpol.2010.08.019>
- Venkatesan, J., Ryu, B., Sudha, P. ., & Kim, S.-W. (2012). Preparation and characterization of chitosan–carbon nanotube scaffolds for bone tissue engineering. *International Journal of Biological Macromolecules*, 50, 393–402. <https://doi.org/doi.org/10.1016/j.ijbiomac.2011.12.032>
- Vrouwenvelder, J. S., Picioreanu, C., Kruithof, J. C., & van Loosdrecht, M. C. M. (2010). Biofouling in spiral wound membrane systems: Three-dimensional CFD model based evaluation of experimental data. *Journal of Membrane Science*, 346(1), 71–85. <https://doi.org/10.1016/j.memsci.2009.09.025>
- Wang, S., Liu, Y., Huang, S., Wu, H., Li, Y., Tian, Z., & Jiang, Z. (2014). Pebax–PEG–MWCNT hybrid membranes with enhanced CO₂ capture properties. *Journal of Membrane Science*, 460, 62–70. <https://doi.org/doi.org/10.1016/j.memsci.2014.02.036>
- Waseda, Y., Matsubara, E., & Shinoda, K. (2011). *X-Ray Diffraction Crystallography | Introduction, Examples and Solved Problems*. *Scientia Sinica: Physica, Mechanica et Astronomica* (Vol. 46). Sendai: Springer. <https://doi.org/10.1007/978-3-642-16635-8>
- Wei, B., Yang, G., & Hong, F. (2011). Preparation and evaluation of a kind of bacterial cellulose dry films with antibacterial properties. *Carbohydrate Polymers*, 84(1), 533–538. <https://doi.org/10.1016/j.carbpol.2010.12.017>
- Wenten, I. G. (2003). Recent development in membrane science and its industrial applications | Membrane Technology in Oil and Gas Industry. *Journal of Science and Technology*, 24(May), 1009–1024.
- WorldHealthOrganization. (2011). Guidelines for drinking-water quality: guideline values for chemicals from industrial sources and human dwellings that are of health significance in drinking water, 176–180. [https://doi.org/10.1016/S1462-0758\(00\)00006-6](https://doi.org/10.1016/S1462-0758(00)00006-6)
- WWAP (United Nations World Water Assessment Programme). (2017). *The United Nations World Water Development Report 2017. Wastewater: The Untapped Resource*. <https://doi.org/10.1017/CBO9781107415324.004>

- Wyart, Y., Georges, G., Deumié, C., Amra, C., & Moulin, P. (2008). Membrane characterization by microscopic methods: Multiscale structure. *Journal of Membrane Science*, 315(1–2), 82–92. <https://doi.org/10.1016/j.memsci.2008.02.010>
- Yadav, S. ., Mahapatra, S. ., Yadav, M. ., & Dutta, P. . (2013). Mechanically robust biocomposite films of chitosan grafted carbon nanotubes via [2+1] cycloaddition of nitrene. *RSC Advances*, 1–8. <https://doi.org/10.1039/C3RA41990H>.
- Yin, J., Kim, E.-S., Yang, J., & Deng, B. (2012). Fabrication of a novel thin-film nanocomposite (TFN) membrane containing MCM-41 silica nanoparticles (NPs) for water purification. *Journal of Membrane Science*, 423, 238–246. <https://doi.org/doi.org/10.1016/j.memsci.2012.08.020>
- Zeng, M., & Fang, Z. (2004). Preparation of sub-micrometer porous membrane from chitosan/polyethylene glycol semi-IPN. *Journal of Membrane Science*, 245(1–2), 95–102. <https://doi.org/10.1016/j.memsci.2004.08.004>
- Zhang, X., Ma, J., Tang, C. Y., Wang, Z., Ng, H. Y., & Wu, Z. (2016). Anti-biofouling Polyvinylidene Fluoride Membrane Modified by Quaternary Ammonium Compound: Direct Contact-killing versus Induced Indirect Contact-killing Anti-biofouling Polyvinylidene Fluoride Membrane Modified by Quaternary Ammonium Compound: Direct C. <https://doi.org/10.1021/acs.est.6b00902>
- Zhao, X., Zhang, R., Liu, Y., He, M., Su, Y., Gao, C., & Jiang, Z. (2018). Antifouling membrane surface construction: Chemistry plays a critical role. *Journal of Membrane Science*, 551(92), 145–171. <https://doi.org/10.1016/j.memsci.2018.01.039>
- Zhou, N., Meng, N., Ma, Y., Liao, X., Zhang, J., Li, L., & Shen, J. (2009). Evaluation of antithrombogenic and antibacterial activities of a graphite oxide/heparin-benzalkonium chloride composite. *Carbon*, 47(5), 1343–1350. <https://doi.org/10.1016/j.carbon.2009.01.025>