

## DAFTAR PUSTAKA

- Almas, W. N. (2017). *Pengaruh Penambahan Daging Buah Naga Merah (*Hylocereus polyrhizus*) Terhadap Aktivitas Antioksidan dan Sensori pada Bolu Kukus*. Universitas Pendidikan Indonesia.
- Almatsier, S. (2003). *Prinsip Dasar Ilmu Gizi*. Jakarta: PT. Gramedia Pustaka Utama.
- Aramwit, P., Bang, N., & Srichana, T. (2010). The properties and stability of anthocyanins in mulberry fruits. *Food Research International*, 43(4), 1093–1097. <https://doi.org/10.1016/j.foodres.2010.01.022>
- Bae, S., & Suh, H. (2007). Antioxidant activities of five different mulberry cultivars in Korea, 40, 955–962. <https://doi.org/10.1016/j.lwt.2006.06.007>
- Bang, I.-S., Yu, C.-Y., & Lim, J.-D. (2010). Effects of Temperature and UV Irradiation on Stability of Anthocyanin-Polyphenol Copigment Complex in Mulberry Fruits. *Korean J. Medicinal Crop Sci.*, 18(3). Diambil dari [https://www.researchgate.net/publication/264186343\\_Effects\\_of\\_Temperature\\_and\\_UV\\_Irradiation\\_on\\_Stability\\_of\\_Anthocyanin-Polyphenol\\_Copigment\\_Complex\\_in\\_Mulberry\\_Fruits](https://www.researchgate.net/publication/264186343_Effects_of_Temperature_and_UV_Irradiation_on_Stability_of_Anthocyanin-Polyphenol_Copigment_Complex_in_Mulberry_Fruits)
- Brouillard, R.; Mazza, G.; Saad, Z.; Albrecht-Gary, A.M.; Cheminat, A. (1989). The Copigmentation Reaction of Anthocyanins : A Microprobe, 111(J Am Chem Soc), 2604–2610.
- Buchweitz, M., Carle, R., & Kammerer, D. R. (2012). Bathochromic and stabilising effects of sugar beet pectin and an isolated pectic fraction on anthocyanins exhibiting pyrogallol and catechol moieties. *FOOD CHEMISTRY*, 135(4), 3010–3019. <https://doi.org/10.1016/j.foodchem.2012.06.101>
- Buchweitz, M., Gudi, G., & Carle, R. (2012). Systematic investigations of anthocyanin – metal interactions by Raman spectroscopy. *Raman Spectroscopy*, (April). <https://doi.org/10.1002/jrs.4123>
- Clark, J. (2003). An Introduction to Complex Metal Ions. Diambil 30

- November 2018, dari <https://www.chemguide.co.uk/inorganic/complexions/whatis.html>
- Dangles, O. (2018). The Chemical Reactivity of Anthocyanins and Its Consequences in Food Science and Nutrition. *Molecules*, 23. <https://doi.org/10.3390/molecules23081970>
- Dugo, P., Mondello, L., Errante, G., Zappia, G., Dugo, G., Sperone, S., & Farmaco-chimico, D. (2001). Identification of Anthocyanins in Berries by Narrow-Bore High-Performance Liquid Chromatography with Electrospray Ionization Detection. *J. Agric. Food Chem.* <https://doi.org/10.1021/jf001495e>
- Erlund, I; Kosonen, T; Alfthan, G; Maenpaa, J; Perttunen, K; Kenra ali, J; Parantainen, J; Aro, A. (2000). Pharmacokinetics of quercetin from quercetin aglycone and rutin in healthy volunteers. *Pharmacokinetics and Disposition*, 56, 545–546. <https://doi.org/10.1007/s002280000197>
- Fentona, R., Dotycz, K., & Chemizmu, A. C. E. (2009). Fenton Reaction - Controversy Concerning The Chemistry Fenton chemistry - the controversies. *Ecological Chemistry and Engineering*, 16(3).
- Garcia, E. J., Helena, R., & Grande, M. (2012). Antioxidant Activity by DPPH Assay of Potential Solutions to be Applied on Bleached Teeth, (June 2014). <https://doi.org/10.1590/S0103-64402012000100004>
- Guwahati, I. (2013). UV-Visible Absorption Spectroscopy. Diambil dari <https://nptel.ac.in/courses/102103044/>
- Jin, S. K., Ha, S. R., & Choi, J. S. (2015). Effect of Caesalpinia sappan L. extract on physico-chemical properties of emulsion-type pork sausage during cold storage. *Meat Science*, 110, 245–252. <https://doi.org/10.1016/j.meatsci.2015.08.003>
- Jung, J., Cavender, G., Simonsen, J., & Zhao, Y. (2015). Investigation of the Mechanisms of Using Metal Complexation and Cellulose Nano fiber/Sodium Alginate Layer-by-Layer Coating for Retaining Anthocyanin Pigments in Thermally Processed Blueberries in Aqueous Media. <https://doi.org/10.1021/acs.jafc.5b00616>

- Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M. (2017). Anthocyanidins and anthocyanins: colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *Food & Nutrition Research*, 61(1), 1361779. <https://doi.org/10.1080/16546628.2017.1361779>
- Li, X. D., Li, J., Wang, M., & Jiang, H. (2016). Copigmentation effects and thermal degradation kinetics of purple sweet potato anthocyanins with metal ions and sugars. *Applied Biological Chemistry*, 59(1), 15–24. <https://doi.org/10.1007/s13765-015-0140-9>
- Liu, X., Xiao, G., Chen, W., Xu, Y., & Wu, J. (2004). Quantification and purification of mulberry anthocyanins with macroporous resins. *Journal of Biomedicine and Biotechnology*, 2004(5), 326–331. <https://doi.org/10.1155/S1110724304403052>
- Markakis, P. (1974). Anthocyanins and their stability in foods. *C R C Critical Reviews in Food Technology*, 4(4), 437–456. <https://doi.org/10.1080/10408397409527165>
- Mazza, G., & Brouillard, R. (1990). The mechanism of co-pigmentation of anthocyanins in aqueous solutions. *Phytochemistry*, 29(4), 1097–1102. [https://doi.org/10.1016/0031-9422\(90\)85411-8](https://doi.org/10.1016/0031-9422(90)85411-8)
- Miessler, G. L., & Tarr, D. A. (2003). *Inorganic Chemistry* (Third Edit). New Jersey: Prentice Hall.
- Nic, M., Jirat, J., & Kosata, B. (2014). Compendium of Chemical Terminology. IUPAC, 1077, 2230. <https://doi.org/10.1351/goldbook.B00618>
- Oancea, S., Stoia, M., & Coman, D. (2012). Effects of extraction conditions on bioactive anthocyanin content of Vaccinium corymbosum in the perspective of food applications. *Procedia Engineering*, 42(Augustus), 489–495. <https://doi.org/10.1016/j.proeng.2012.07.440>
- Patras, A., Brunton, N. P., Donnell, C. O., & Tiwari, B. K. (2010). Effect of thermal processing on anthocyanin stability in foods; mechanisms and kinetics of degradation. *Trends in Food Science &*

- Technology*, 21(1), 3–11. <https://doi.org/10.1016/j.tifs.2009.07.004>
- Qin, C., Li, Y., Niu, W., Ding, Y., & Zhang, R. (2010). Analysis and Characterisation of Anthocyanins in Mulberry Fruit. *Czech J. Food Sci.*, 28(2), 117–126.
- Sadiq, M., Nazir, A., & Schroe, K. (2008). Morus alba L . nature ' s functional tonic. *Trends in Food Science & Technology*, 19, 505–512. <https://doi.org/10.1016/j.tifs.2008.06.002>
- Sun, J., Cao, X., Bai, weibin, Liao, X., & Hu, X. (2010). Comparative analyses of copigmentation of cyanidin 3-glucoside and cyanidin 3-sophoroside from red raspberry fruits. *Food Chemistry*, 120(4), 1131–1137. <https://doi.org/10.1016/j.foodchem.2009.11.031>
- Tachibana, N., Kimura, Y., & Ohno, T. (2014). Examination of molecular mechanism for the enhanced thermal stability of anthocyanins by metal cations and polysaccharides. *Food Chemistry*, 143, 452–458. <https://doi.org/10.1016/j.foodchem.2013.08.017>
- Tanchev, S; Ioncheva, N. (1976). Products of Thermal Degradation of the Anthocyanins Cyanidin-3-glukoside, Cyanidin-3-rutinoside, adn Cyanidin-3-sophoroside. *Higher Institute of Food Industry Plovdiv*, 10(I), 889–893.
- Trouillas, P., Sancho-García, J. C., De Freitas, V., Gierschner, J., Otyepka, M., & Dangles, O. (2016). Stabilizing and Modulating Color by Copigmentation: Insights from Theory and Experiment. *Chemical Reviews*, 116(9), 4937–4982. <https://doi.org/10.1021/acs.chemrev.5b00507>
- Winarno. (1992). *Kimia Pangan dan Gizi*. Jakarta: PT Gramedia Pustaka Utama.
- Winarsi, H. (2007). *Antioksidan Alami dan Radikal Bebas*. Yogyakarta: Penerbit Kanisius.
- Wrolstad, R. E. (1993). Color and Pigment Analyses in Fruit Products. *Color and Pigment Analyses in Fruit Products*, (May).
- Wungkana, I., Suryanto, E., & Momuat, L. (2013). Aktivitas Antioksidan Dan Tabir Surya Fraksi Fenolik. *Pharmacon: Jurnal Ilmiah*

*Farmasi-UNSRAT*, 2(04), 149–155.

- Yong, K., & Mooney, D. J. (2012). Progress in Polymer Science Alginat : Properties and biomedical applications. *Progress in Polymer Science*, 37(1), 106–126. <https://doi.org/10.1016/j.progpolymsci.2011.06.003>