

DAFTAR PUSTAKA

- Anindyawati, Trisanri . (2009). “Prospek Enzim dan Limbah Lignoselulosa untuk Produksi Bioetanol”. Pusat Penelitian Bioteknologi-LIPI, Cibinong 16911.
- Arianie, Wahyuningrum, Nurrachman, Z. (2012). “Pengaruh Metode Hidrolisis Lignoselulosa Tandan Kosong Kelapa Sawit Menggunakan Cairan Ionik dan Selulase untuk Menghasilkan Bioetanol”. Jurusan Kimia Fakultas MIPA Universitas Tanjungpura.
- Bajpai, D. dan Tyagi, V.K. (2008). “Microwave Synthesis of Cationic Fatty Imidazolines and their Characterization”. *AOCS*.
- Balat, M., Havva and Öz, Cahide. (2008). Progress in bioethanol processing. *Progress in Energy and Combustion Science*, October 2008, vol. 34, no. 5, p. 551-573.
- Blanch, H.W., Wilke, C.R. (1982). *Sugars and chemicals from cellulose*. Reviews in Chemical Engineering, 71–119.
- Brown, Robert C. (2003). *Biorenewable Resources*. Iowa State Press. Blackwell Publishing Corp.
- Cao, Y., Wub, J., Zhang, J., Li, H., Zhang, Y., He, J. (2009). “Room Temperature Ionic Liquids (RTILs): A New and Versatile Platform for Cellulose Processing and Derivatization”. *Chemical Engineering Journal*.
- Dadi, A.P., Schall, C.A., Varanasi, S., (2007). *Mitigation of cellulose recalcitrance to enzymatic hydrolysis by ionic liquid pretreatment*. *Applied Biochemistry and Biotechnology* 137, 407–421.
- Darnoko. (2001). ”Pemanfaatan pelepah kelapa sawit untuk pembuatan pulp dan kertas cetak”. Medan : Jurnal Penelitian Kelapa Sawit.
- Demirbas, A. “Biofuels securing the planet’s future energy needs,” *Energy Conversion and Management*, vol. 50, no. 9, pp. 2239–2249, 2009.
- Doherty, Thomas.V., Mora-Pale, M., Fole, S. E., Linhardt, R. J., Dordick J.S. (2010). “Ionic liquid solvent properties as predictors of lignocellulose pretreatment Efficacy”. *Journal of Green Chem.*, 2010, 12, 1967–1975.
- Earle M.J, Seddon K.R. (2000). Ionic liquids. Green solvents for the future. *Pure Appl Chem* 72:1391–1398

- Fahrurrozie, Sunarya, Y., dan Mudzakir, A. (2010). *Efisiensi Inhibisi Cairan Ionik Turunan Imidazolin sebagai Inhibitor Korosi Baja Karbon dalam Larutan Elektrolit Jenuh Karbon Dioksida*. Jurnal Sains dan Teknologi Kimia, 100-111.
- Fengel, D., Wegener, G., (1984). *Wood: Chemistry Ultrastructure, Reactions*. W. de Gruyter, Berlin, New York.
- Forsyth, A.S. dan MacFarlane, D.R., (2003)., “1-Alkyl-3-methylbenzotriazolium Salts: Ionic Solvents and Electrolytes”, *J. Mater. Chem.*, 13, 2451–2456.
- Foyle, T., Jennings, L., and Mulchany,P. (2007). “Compositional analysis of lignocellulosic materials : Evaluation of methods used for sugar analysis of waste paper and straw”. *Bioresource Technol.* 98, 3026-3036.
- Giancoli, D.C. (1998). *Physics: Principles with Applications*. (5 ed.). New Jersey: Prentice-Hall International.
- Gohel, V., Singh, A., Vimal,M., Ashwini, P., and Chhatpar H.S. 2005. “Bioprospecting and antifungal potential of chitinolytic microorganisms”. African Journal of Biotechnology Vol. 5 (2), pp. 54-72, 16 January 2006, ISSN 1684-5315 © 2006 Academic Journals.
- Gordon, C.M. (2003). “Synthesis and Purification of Ionic Liquid”, *Ionic Liquid in Synthesis*. P. Wesserscheid dan T. welton (Eds.), Wiley Verlag, Frankfurt.
- Hagerdal, H.B, Galbe, M., Gorwa-Grauslund M.F, Udell Zacchi G. (2006). Bio-ethanol the fuel of tomorrow from residues of today. *Trends Biotechnol* 24(12):549-556.
- Hagiwara, R. dan Ito,Y.(2000).“Room Temperature Ionic Liquids pf Alkylimidazolium Cations and Fluoroanions” *Journal of Fluorine Chemistry*.
- Hall, M., Bansal, P., Lee, J.H. et al. (2010) Cellulose crystallinity – a key predictor of the enzymatic hydrolysis rate. *FEBS Journal*, 277 (6), 1571–1582.
- Hambali, E., Mujdalipah, S., Tambunan, A.H., Pattiwiri, A.W., Hendroko, R. (2007). *Teknologi Bioenergi*. Agromedia Pustaka. Jakarta.
- Hamelinck , Geertje van Hooijdonk, André P.C. Faaij. (2005). *Future prospects for the production of ethanol from ligno-cellulosic biomass*. Biomass & Bioenergy, Vol. 28, Issue 4, Pages 384-410.

- Harimurti, N. (2010). Potensi limbah kulit buah kakao (*theobroma cacao* l.) Sebagai bahan baku bioetanol generasi ii . Balai besar litbang pascapanen pertanian .bogor.
- Hermanutz, F., Meister, F. dan Uerdingen, E. (2006). “A New Developments in the Manufacture of Cellulose fibers with ionic liquids”. *Chemical Fibers International*. 342-344.
- Hermiati, E., Mangunwidjaja D., Sunarti, Titi C., Suparno, O., Prasetya, B. (2010). “Pemanfaatan Biomassa Lignoselulosa Ampas Tebu untuk Produksi Bioetanol”. UPT BPP Biomaterial – LIPI, Jalan Raya Bogor km 46, Cibinong, Bogor 16911.
- Hu, Z., Y. Wang, and Z. Wen, “Alkali (NaOH) pretreatment of switchgrass by radio frequency-based dielectric heating,” *Applied Biochemistry and Biotechnology*, vol. 148, no. 1-3, pp. 71–81, 2008.
- Isroi. (2008). *Pengolahan TKKS (Tandan Kosong Kelapa Sawit)*. [Online]. Tersedia : <http://isroi.wordpress.com/2008/06/23/pengolahan-tkks-tandan-kosong-kelapa-sawit/> [20 April 2010].
- Khairani, Rini. (2007). *Tanaman Jagung Sebagai Bahan Bio-fuel*. [Online]. Tersedia: <http://www.macklintmip-unpad.net/Bio-fuel/Jagung/Pati.pdf>. [25 Maret 2009].
- Lee, S., Doherty, T., Linhardt, R., Dordick, J. (2008). Ionic Liquid-Mediated Selective Extraction of Lignin From Wood Leading to Enhanced Enzymatic Cellulose Hydrolysis. *Biotechnology and Bioengineering*, Vol. 102, No. 5.
- Li, C. (2010). “Comparison of dilute acid and ionic liquid pretreatment of switchgrass: Biomass recalcitrance, delignification and enzymatic saccharification”. *Journal Bioresource Technology*.
- Linda. (2007). *Kajian tentang aktivitas enzim selulase *Trichoderma viride* pada berbagai macam limbah selulosa*. Program Studi Biologi, Jurusan Pendidikan Biologi, FPMIPA UPI.
- Liu, L., Chen, H., (2006). “Enzymatic hydrolysis of cellulose materials treated with ionic liquid [BMIM] Cl”. *Chinese Science Bulletin* 51, 2432–2436.
- Man, Z., Muhammad, Nawshad., Sarwono, A., Bustam, M.A., Kumar, M.V., Rafiq, S. “Preparation of Cellulose Nanocrystals Using an Ionic Liquid”. (2011). Springer Science Business Media, *J Polym Environ* (2011) 19:726–731.

- Mancino, Anthony. (2006). "Making Ethanol from Cellulose". *Los Alamos Energy Security*. 2006, vol 2, no 2, 1.
- Mosier, N., Wyman, C., Dale, B., Elander, R., Lee, Y.Y., Holtzapple, M., Ladisch, M., (2005). "Features of promising technologies for pretreatment of lignocellulosic biomass". *Bioresource Technol.*, 96, 673-686.
- Mudzakir, A. (2006). "A New Class of Ionic Solvents, Electrolytes and Engineering Fluids Based on 1,3-Alkylmethyl-1,2,3-benzotriazolium Salts". Makalah. Disampaikan pada The 2006 Seminar on Analytical Chemistry, Yogjakarta.
- Mudzakir, A., (2004). "Zur Chemie des carbenanalogen 1,3-Dimethyl-1,2,3-benzotriazolium-iodid". Disertasi. Universitas Magdeburg.
- Mudzakir, A., Aisyah, S., Kadarohman, A., Anwar, B. dan Setiadi, Y. (2009). "Garam 1,3-Alkilmetil-1,2,3-benzotriazolium: Sistem Pelarut Ionik Baru pada Proses Pelarutan dan Rekonstitusi Selulosa". *Jurnal Chemica* Vol. 10 Nomor 2 Desember 2009, 1 – 13.
- Olivier H dan Magna L. (2002). "Ionic Liquids: Perspectives for Organic and Catalytic Reactions." *J. Mol. Cat. A*. 419, 182-183.
- O'Sullivan, A. (1997). Cellulose: the structure slowly unravels. *Cellulose*, 4 (3), 173–207.
- Park S., dan R.J. Kazlauskas. (2001). "Improved preparation and use of room temperature ionic liquids in lipase-catalyzed enantio and regioselective acylations". *J. Organic Chemistry*, 66, 8395.
- Perez, J., J.M. Dorado, T. Rubia, and J. Martinez. (2002). *Biodegradation and biological treatments of cellulose, hemicellulose and lignin : an overview*. Int. Microbiol 5: 53-63.
- Peters, J. (2004). *Strukturuntersuchungen an Cellulose und Cellulosederivaten aus ionischen Lösemitteln*. Disertasi pada Fakultät für Chemie und Physik Der Technischen Universität Bergakademie Freiberg Jerman.
- Purwanto, Agung. (2012). "Pembuatan Bioetanol dari Tepung Biji Nangka dengan Proses Sakarifikasi Fermentasi Fungi *Aspergillus Niger* Dilanjutkan dengan Fermentasi Yeast *Saccharomyces Cereviciae*". Program Studi Diploma Teknik Kimia, Universitas Diponegoro.Semarang.
- Sanchez, O.J and C.A. Cardona. 2008. "Trends in biotechnological production of fuel ethanol from different feedstocks," *Bioresource Technology*, vol. 99, no. 13, pp. 5270–5295.

- Sanusi, Ahmad. (2012). "Sintesis dan Karakterisasi Material Pelumas Media Magnetik Berbasis *Cis*- Oleil Imidazolinium Tetrakloroferrat(III)". Universitas Pendidikan Indonesia. Bndung.
- Sarath, G., Mitchell, R.B., Sattler, S.E., Funnell, D., Pedersen, J.F., Graybosch, R.A., Vogel, K.P. (2008). Opportunities and roadblocks in utilizing forages and small grains for liquid fuels. *Journal of Industrial Microbiology and Biotechnology* 35, 343–354.
- Setiadi, Yanuar. (2009). *Cairan Ionik berbasis kation Benzotriazolium sebagai Pelarut Ionik pada proses pelarutan dan rekonstitusi Selulosa*. Program Studi Kimia, Jurusan Pendidikan Kimia, FPMIPA UPI.
- Shaker, N.O., Badr, E.E., dan Kandeel, E. M. (2011). *Adsorption and Inhibitive Properties of Fatty Imidazoline Surfactants on Mild Steel*. *Der Chemica Sinica*, 26-35.
- Singh, S., Simmons, B.A., Vogel, K.P. (2009). "Visualization of biomass solubilization and cellulose regeneration during ionic liquid pretreatment of switchgrass". *Biotechnology and Bioengineering* 104, 68–75.
- Soccol CR, Vandenberghe LP, Medeiros AB, Karp SG, Buckeridge M, Ramos LP, Pitarelo AP, Ferreira-Leitão V, Gottschalk LM, Ferrara MA, da Silva Bon EP, de Moraes LM, Araújo Jde A, Torres FA. (2010). "Bioethanol from lignocelluloses: Status and perspectives in Brazil". *Bioprocess Engineering and Biotechnology Department, Federal University of Paraná, Curitiba, PR, Brazil*.
- Spiridon, J., Teaca, C., Bodirlau, R. (2010). "Structural Change Evidence by FTIR Spectroscopy in Cellulosic Materials After Pretreatment with Ionic Liquid and Enzymatic Hydrolysis". *Bioresources* 6(1). pp. 400-413.
- Sun, YE and J.Cheng, "Hydrolysis of lignocellulosic materials for ethanol production: a review," *Bioresource Technology*, vol. 83, no. 1, pp. 1–11, 2002.
- Swatloski, R.P. (2002). "Ionic Liquids as Green Solvent: Enabling New Material and Technologies". *Graduate Student Seminar Series*. Department of Chemistry and Center for Green Manufacturing, The University of Alabama.
- Swatloski, R.P., Holbrey, J.D., Spear, S.K., dan Rogers R.D. (2002). "Ionic Liquids for the Dissolution and the Regeneration of Cellulose". Department of Chemistry and Center for Green Manufacturing, The University of Alabama.

- Troitzsch, U., Christy, A.G. and Ellis, D.J. (2007). "Synthesis of zirconium titanate with M-fergusonite (beta) structure". *Journal of Solid State Chemistry*, 180, 2885-2895.
- Wahyuningrum, D., Achmad, S., Syah, Y.M., Buchari dan Ariwahjoedi, B. (2008). *The Synthesis of Imidazoline Derivative Compounds as Corrosion Inhibitor towards Carbon Steel in 1% NaCl Solution*. ITB J. Sci, 33-48.
- Walter, A., Cale, F.R., Bolzan, P.D., Piacente, E., Borgeds, K., Cunha. (2007). "Market Evaluation : Fuel Ethanol". *IEA Bioenergy*.
- Widyapratami, Hermawati. (2011). "Pemanfaatan Enzim Selulase dalam Dekomposisi Tandan Kosong Kelapa Sawit (TKKS)". Fakultas Teknik UI, Jakarta.
- Wyman CE. (2002). "Potential Synergies and Challenges in Refining Cellulosic Biomass to Fuels". *Biotechnol Progress*.
- Wyman,CE. (1999) "Biomass ethanol: technical progress, opportunities, and commercial challenges," *Annual Review of Energy and the Environment*, vol. 24, pp. 189–226, 1999.
- Wyman, Kumar, Rajeev and Charles E. (2013). "Physical and Chemical Features of Pretreated Biomass that Influence Macro-/Micro-accessibility and Biological Processing". JohnWiley & Sons, Ltd. Published 2013 by JohnWiley & Sons, Ltd.
- Yoshida, M., Liu, Y., Fukuda, K. (2008). "Effects of Cellulose Crystallinity, Hemicellulose, and Lignin on the Enzymatic Hydrolysis of Miscanthus sinensis to Monosaccharides". *Biosci. Biotechnol. Biochem.*, 72 (3), 805–810.
- Yue, Yiyi. (2011). "A Comparative Study of Cellulose I and II Fibers and Nanocrystals". A Thesis. B.S., Heilongjiang Institute of Science and Technology.
- Zhang, Y.H.P., Ding, S.Y., Mielenz, J.R., Cui, J.B., Elander, R.T., Laser, M., Himmel, M.E., McMillan, J.R., Lynd, L.R. (2007). "Fractionating recalcitrant lignocellulose at modest reaction conditions". *Biotechnology and Bioengineering* 97, 214–223.
- Zhao, H., Jones, C.I.L., Baker, G.A., Xia, S., Olubajo, O., Person, V.N., (2009). "Regenerating cellulose from ionic liquids for an accelerated enzymatic hydrolysis". *Journal of Biotechnology* 139, 47–54.

Zhu, Z., Sathitsuksanoh, N., Vinzant, T., Schell, D.J., McMillan, J.D., Zhang, Y.H.P., (2009). "Comparative study of corn stover pretreated by dilute acid and cellulose solvent-based lignocellulose fractionation: enzymatic hydrolysis, supramolecular structure, and substrate accessibility". *Biotechnology and Bioengineering* 103, 715–724.

