

**PENGARUH ICE MASSAGE DAN COLD WATER  
IMMERSION TERHADAP PERCEPATAN PEMULIHAN  
PADA KELELAHAN ATLET DAYUNG**

**TESIS**

Diajukan untuk Memenuhi Sebagian dari Syarat Memperoleh Gelar Magister  
Pendidikan Olahraga



**Oleh**

**Puji Astuti**

**1802692**

**PROGRAM STUDI PENDIDIKAN OLAHRAGA  
SEKOLAH PASCASARJANA**

**UNIVERSITAS PENDIDIKAN INDONESIA**

**2021**

**PENGARUH ICE MASSAGE DAN COLD WATER IMMERSION TERHADAP  
PERCEPATAN PEMULIHAN PADA KELELAHAN ATLET DAYUNG**

Oleh  
Puji Astuti  
S.Pd Universitas Pendidikan Indonesia, 2012

Sebuah Tesis yang diajukan untuk memenuhi salah satu syarat memperoleh gelar  
Magister Pendidikan (M.Pd) pada Program Studi Pendidikan Olahraga

©Puji Astuti 2021  
Universitas Pendidikan Indonesia  
Januari 2021

Hak cipta dilindungi undang-undang.  
Tesis ini tidak boleh diperbanyak seluruhnya atau sebagian,  
Dengan dicetak ulang, difoto kopi, atau cara lainnya tanpa ijin dari penulis

## LEMBAR PENGESAHAN TESIS

PUJI ASTUTI  
NIM 1802692

### PENGARUH ICE MASSAGE DAN COLD WATER IMMERSION TERHADAP PERCEPATAN PEMULIHAN PADA KELELAHAN ATLET DAYUNG

Disetujui dan disahkan oleh pembimbing:  
Pembimbing I,



dr. Hamidie Ronald D R, M.Pd., AIFO, Ph.D.  
NIP. 197011022000121001

Pembimbing II,



dr. Pipit Pitriani, M.Kes., Ph.D.  
NIP.197908262010122003

Mengetahui:  
Ketua Program Studi Pendidikan Olahraga  
Sekolah Pascasarjana Universitas Pendidikan Indonesia



Prof. Dr. Amung Ma'mun, M.Pd  
NIP. 196001191986031002

# **Pengaruh *Ice Massage* dan *Cold Water Immersion* Terhadap Percepatan Pemulihan Pada Kelelahan Atlet Dayung**

Oleh:

Puji Astuti

Prodi Pendidikan Olahraga

## **Abstrak**

Latihan intensitas tinggi menyebabkan terjadinya kelelahan yang ditandai dengan mengingkatnya kadar laktat darah dan persepsi nyeri. Tujuan pada penelitian ini yaitu untuk mengetahui besarnya pengaruh metode *ice massage* dan *cold water immersion* terhadap percepatan pemulihan pada kelelahan atlet dayung. Metode penelitian yang digunakan yaitu *True Experiment* dengan desain penelitian *The Randomized Pretest-Posttest Control Group Design*. Populasi dalam penelitian ini merupakan atlet pelatda dayung Jawa Barat nomor *rowing*, yang berjumlah 31 atlet. Melalui pendekatan *purposive sampling* dengan beberapa kriteria yang dibutuhkan, didapatkan sampel berjumlah 24 atlet. Dari total 24 sampel secara acak dibagi menjadi tiga kelompok, yaitu kelompok *ice massage*, kelompok *cold water immersion* dan kelompok kontrol dengan jumlah sampel tiap kelompok 8 orang. Hasil dari penelitian ini menunjukkan metode *ice massage* dan *cold water immersion* memberikan pengaruh yang signifikan terhadap percepatan pemulihan pada kelelahan atlet dayung ditinjau dari kadar laktat darah dan tes *Visual Analaoog Scale* (VAS). Untuk hasil penelitian perbedaan pengaruh antara kelompok eksperimen (*ice massage* dan *cold water immersion*) dan kelompok kontrol menyatakan bahwa keduanya memberikan efek yang sama terhadap percepatan pemulihan pada kelelahan atlet dayung ditinjau dari tingkat kadar laktat dan tes VAS. Untuk penelitian selanjutnya disarankan untuk dapat menambah aspek lain yang perlu diukur sebagai indikasi kelelahan dalam percepatan pemulihan seperti status hidrasi, denyut nadi, kapasitas aerobik, dan *wellness questionare*.

Kata kunci : Latihan intensitas tinggi, kelelahan, *ice massage*, *cold water immersion*, pemulihan, laktat, *Visual Analog Scale* (VAS).

# **Effect of Ice Massage and Cold Water Immersion on Acceleration of Recovery in Rowing Athletes Fatigue**

By:

Puji Astuti

Program Study Sports Education

## **Abstract**

High intensity exercise causes fatigue which is characterized by increased blood lactate levels and pain perception. The purpose of this study was to determine the magnitude of the effect of the ice massage and cold water immersion methods on the acceleration of recovery in the fatigue of rowing athletes. The research method used is the True Experiment with the research design of The Randomized Pretest-Posttest Control Group Design. The population in this study were rowing number rowing athletes from West Java, which amounted to 31 athletes. Through a purposive sampling approach with some of the required criteria, a sample of 24 athletes was obtained. From a total of 24 samples randomly divided into three groups, namely the ice massage group , the cold water immersion group and the control group with 8 people as samples. The results of this study indicate methods of ice massage and cold water immersion provides significantly the impact to the acceleration of the recovery in rowing athlete fatigue in terms of lactate in the blood and test Visual Analog Scale (VAS). To research the difference effect between experimental groups (ice massage and cold water immersion) and the control group stated that both provide the same effect on acceleration recovery in rowing athlete fatigue in terms of the level of lactate levels and test the VAS. For further research, it is suggested to add other aspects that need to be measured as an indication of fatigue in accelerating recovery such as hydration status, heart rate, aerobic capacity, and wellness questions.

Keywords : High intensity exercise, fatigue, ice massage , cold water immersion , recovery, lactate, Visual Analog Scale (VAS) .

## DAFTAR ISI

LEMBAR HAK CIPTA .....	i
LEMBAR PENGESAHAN .....	ii
PERNYATAAN .....	iii
KATA PENGANTAR .....	iv
UCAPAN TERIMA KASIH .....	v
ABSTRAK .....	vii
DAFTAR ISI .....	ix
DAFTARA TABEL .....	xii
DAFTAR GAMBAR .....	xiii
DAFTAR LAMPIRAN .....	xiv
BAB I PENDAHULUAN	
1.1 Latar Belakang Penelitian .....	1
1.2 Rumusan Masalah Penelitian .....	5
1.3 Batasan Masalah Penelitian .....	5
1.4 Tujuan Penelitian .....	6
1.5 Kontribusi Penelitian .....	6
1.5.1 Kontribusi teoritis .....	7
1.5.2 Kontribusi Praktis .....	8
1.6 Struktur Organisasi Tesis .....	8
BAB II KAJIAN PUSTAKA	
2.1 Kelelahan .....	11
2.2 Metode Pemulihan .....	13
2.2.1 <i>Ice Massage</i> .....	15
2.2.2 <i>Cold Water Immersion</i> .....	16
2.3 <i>Rowing</i> .....	18
2.4 Penelitian Relevan .....	23
2.5 Kerangka Pikir .....	25

2.6 Hipotesis Penelitian .....	27
--------------------------------	----

### BAB III METODE PENELITIAN

3.1 Metode Penelitian .....	30
3.2 Desain Penelitian .....	30
3.3 Populasi Penelitian .....	31
3.4 Sampling dan Sampel Penelitian .....	32
3.5 Instrumen Penelitian .....	32
3.5.1 <i>Blood Sampling</i> .....	32
3.5.2 <i>Visual Analog Scale (VAS)</i> .....	33
3.6 Prosedur Penelitian .....	34
3.6.1 Pengisian angket dan <i>informed consent</i> .....	35
3.6.2 <i>Preliminary</i> .....	36
3.6.3 <i>Pretest</i> .....	36
3.6.4 <i>Treatment</i> .....	36
3.6.5 <i>Posttest</i> .....	37
3.7 Teknik Analisis Data .....	37
3.7.1 Uji Normalitas .....	37
3.7.2 Uji Homogenitas .....	38
3.7.3 Uji Hipotesis .....	38

### BAB IV TEMUAN DAN PEMBAHASAN

4.1 Temuan .....	39
4.1.1 Deskripsi Data .....	39
4.1.2 Pengujian Prasyarat Analisis .....	41
4.1.2.1 Uji Normalitas .....	42
4.1.2.2 Uji Homogenitas .....	45
4.1.2.3 Uji Hipotesis .....	47
4.2 Pembahasan .....	56
4.2.1 Pengaruh <i>Ice Massage</i> Terhadap Percepatan Pemulihan Pada Kelelahan Otot .....	57

4.2.2 Pengaruh <i>Cold Water Immersion</i> Terhadap Percepatan Pemulihan Pada Kelelahan Otot .....	58
4.2.3 Perbedaan Pengaruh Antara Kelompok Eksperimen ( <i>Ice Massage</i> dan <i>Cold Water Immersion</i> ) Dengan Kelompok Kontrol Terhadap Percepatan Pemulihan Pada Kelelahan Otot .....	59
4.2.4 Keterbatasan Penelitian .....	60
<b>BAB V KESIMPULAN DAN SARAN</b>	
5.1 Kesimpulan .....	62
5.2 Saran .....	62
DAFTAR PUSTAKA .....	64
LAMPIRAN .....	71



## DAFTAR PUSTAKA

- Abaïdia, A., Lamblin, J., Delecroix, B., Leduc, C., Mccall, A., Nédélec, M., ... Dupont, G. (2017). Recovery From Exercise-Induced Muscle Damage : Cold-Water Immersion Versus Whole-Body Cryotherapy, 402–409.
- Adamczyk, J. G., Krasowska, I., Boguszewski, D., & Reaburn, P. (2016). The use of thermal imaging to assess the effectiveness of ice massage and cold-water immersion as methods for supporting post-exercise recovery. *Journal of Thermal Biology*, 60, 20–25. <https://doi.org/10.1016/j.jtherbio.2016.05.006>
- Akca, F., & Aras, D. (2015). Comparison of rowing performance improvements following various hifh-intensity interval trainings. *Journal OfStrength and Conditioning Research*, 29(8), 2249–2254.
- Alfiando, M. (2014). Dampak Metode Latihan Sistem Single Pyramid Dengandouble Pyramid Terhadap Peningkatan Kekuatan Maksimal, 1–9.
- Ali Rasooli, S., Koushkie Jahromi, M., Asadmanesh, A., & Salesi, M. (2012). Influence of massage, active and passive recovery on swimming performance and blood lactate., 147(2), 135–140. <https://doi.org/10.13140/RG.2.1.5129.4169>
- Ament, W., & Verkerke, G. (2009). Exercise and fatigue. *Sports Medicine*. <https://doi.org/10.2165/00007256-200939050-00005>
- Anaya-Terroba, L., Arroyo-Morales, M., Fernández-de-las-Peñas, C., Díaz-Rodríguez, L., & Cleland, J. A. (2010). Effects of Ice Massage on Pressure Pain Thresholds and Electromyography Activity Postexercise: A Randomized Controlled Crossover Study. *Journal of Manipulative and Physiological Therapeutics*, 33(3), 212–219. <https://doi.org/10.1016/j.jmpt.2010.01.015>
- Arovah, N. I. (2010). *Dasar-dasar Fisioterapi pada Cedera Olahraga*. Yogyakarta: UNY
- Barnett, A. (2006). Using Recovery Modalities between Training Sessions in Elite Athletes Does it Help ?, 36(9), 781–796.
- Bleakley, C., McDonough, S., Gardner, E., Baxter, D. G., Hopkins, T. J., & Davison, G. W. (2012). Cold-water immersion (cryotherapy) for preventing and treating muscle soreness after exercise. *Sao Paulo Medical Journal*, 130(5), 348. <https://doi.org/10.1590/S1516-31802012000500015>
- Bompa, T. (2012). Annual Planning , Periodisation and Its Variations. *FISA Coaching Development Programme*. Retrieved from <http://www.worldrowing.com/uploads/files/3Chapter6.pdf>
- Bompa, T. O., & Haff, G. G. (2009). *Periodization: Theory and Methodology of Training*. Champaign, Ill. : Human Kinetics;

- Brooks, G. A. (2007). Lactate: Link between glycolytic and oxidative metabolism. *Sports Medicine*, 37(4–5), 341–343. <https://doi.org/10.2165/00007256-200737040-00017>
- Brooks, G. A. (2018). The Science and Translation of Lactate Shuttle Theory. *Cell Metabolism*, 27(4), 757–785. <https://doi.org/10.1016/j.cmet.2018.03.008>
- Connett R, Sahlin K (2011) Control of glycolysis and glycogen metabolism. In: Handbook of Physiology, Section 12, Exercise: Regulation and Integration of Multiple Systems (Rowell L, Shepherd J, eds), pp 870-911. New York, NY: Oxford University Press.
- Cosgrove, M. J., Wilson, J., Watt, D., & Grant, S. F. (2010). The relationship between selected physiological variables of rowers and rowing performance as determined by a 2000 m ergometer test The relationship between selected physiological variables of rowers and rowing performance as de, (October 2014), 37–41. <https://doi.org/10.1080/026404199365407>
- Demirhan, B., Yaman, M., Cengiz, A., Saritas, N., & Günay, M. (2015). Comparison of ice massage versus cold-water immersion on muscle damage and DOMS levels of elite wrestlers. *Anthropologist*, 19(1), 123–129. <https://doi.org/10.1080/09720073.2015.11891646>
- Elliott, B., Lyttle, A., & Birkett, O. (2007). Rowing The RowPerfect Ergometer : A Training Aid for On-Water Single Scull Rowing, (November 2014), 37–41. <https://doi.org/10.1080/14763140208522791>
- Garland, S. W., & Atkinson, G. (2008). Effect of Blood Lactate Sample Site and Test Protocol on Training Zone Prescription in Rowing, 347–358.
- Greenwood, J. D., Moses, G. E., Bernardino, F. M., Gaesser, G. A., & Weltman, A. (2008). Intensity of exercise recovery, blood lactate disappearance, and subsequent swimming performance. *Journal of Sports Sciences*, 26(1), 29–34. <https://doi.org/10.1080/02640410701287263>
- Gregson, W., Black, M. A., Jones, H., Milson, J., Morton, J., Dawson, B., ... Green, D. J. (2011). Influence of cold water immersion on limb and cutaneous blood flow at rest. *American Journal of Sports Medicine*, 39(6), 1316–1323. <https://doi.org/10.1177/0363546510395497>
- Giriwijoyo, S. (2006). *Ilmu Faal Olahraga (FUNGSI TUBUH MANUSIA PADA OLAHARGA)*. Bandung : Rosdakarya.
- Giriwijoyo, S. (2017). *Ilmu Faal Olahraga (FUNGSI TUBUH MANUSIA PADA OLAHARGA)*. Bandung: Remaja Rosdakarya .
- Halson, S., Burke, L. M., Balagué, G., & Farrow, D. (2018). An Integrated , Multifactorial Approach to Periodization for Optimal Performance in Individual and Team Sports, 538–561.

- Halson, S. L., & Jeukendrup, A. E. (2004). Does overtraining exist? An analysis of overreaching and overtraining research. *Sports Medicine*, 34(14), 967–981. <https://doi.org/10.2165/00007256-200434140-00003>
- Hausswirth, C., & Mujika, I. (2013). *Recovery For Perfomance In Sport. Human Kinetics*. <https://doi.org/10.1017/CBO9781107415324.004>
- Hawker, G. A., Mian, S., Kendzerska, T., & French, M. (2011). Measures of Adult Pain, 63(November), 240–252. <https://doi.org/10.1002/acr.20543>
- Hayter, K. J., Doma, K., Schumann, M., & Deakin, G. B. (2016). The comparison of cold-water immersion and cold air therapy on maximal cycling performance and recovery markers following strength exercises. *PeerJ*, 2016(3), 1–17. <https://doi.org/10.7717/peerj.1841>
- Hidayah, I. (2018). the Increased of Lactic Acid Concentration in the Blood After Work. *The Indonesian Journal of Occupational Safety and Health*, 7(2), 131–141.
- Howatson, G., Gaze, D., & Van Someren, K. A. (2005). The efficacy of ice massage in the treatment of exercise-induced muscle damage. *Scandinavian Journal of Medicine and Science in Sports*. <https://doi.org/10.1111/j.1600-0838.2005.00437.x>
- Hull, K., & Marx, P. (2016). Lactate: Toxic Villain or Metabolic Superhero? *HAPS Educator*. <https://doi.org/10.21692/haps.2016.030>
- Ingham, S. A., Carter, H., Whyte, G. P., & Doust, J. H. (2008). Physiological and Performance Effects of Low- versus Mixed-Intensity Rowing Training, 579–584. <https://doi.org/10.1249/MSS.0b013e31815ecc6a>
- Isabell, W. K., Durrant, E., Myrer, W., & Anderson, S. (1992). The effects of ice massage, ice massage with exercise, and exercise on the prevention and treatment of delayed onset muscle soreness. *Journal of Athletic Training*, 27(3), 208–217. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/16558163%0Ahttp://www.ncbi.nlm.nih.gov/articlerender.fcgi?artid=PMC1317248>
- Jack R.Fraenkel, N. E. W. (2012). *How to Design and Evaluate Research in Education*. (Michael Ryan, Ed.), McGraw-Hill (7th ed., Vol. 91). A venue of the America, New York: Beth Mejia.
- Josef Finsterer. (2012). Biomarkers of peripheral muscle fatigue during exercise. *BMC Musculoskeletal Disorders*, 13(218), 1–13.
- Kane, R. L., Bershadsky, B., Rockwood, T., Saleh, K., & Islam, N. C. (2005). Visual Analog Scale pain reporting was standardized, 58, 618–623. <https://doi.org/10.1016/j.jclinepi.2004.11.017>
- Lambert, B. S., Boutris, N., Mcculloch, P. C., Robbins, A. B., Moreno, M. R., & Harris, J. D. (2018). Validation of Digital Visual Analog Scale Pain Scoring

- With a Traditional. *Journal of the American Academy of Orthopaedic Surgeons*. <https://doi.org/10.5435/JAAOSGlobal-D-17-00088>
- Leeder, J., Gissane, C., Someren, K. Van, Gregson, W., & Howatson, G. (2012). Cold water immersion and recovery from strenuous exercise : a meta-analysis, (1), 233–240. <https://doi.org/10.1136/bjsports-2011-090061>
- Maestu, J., Jurimae, J. and, & Jurimae, T. (2005). Monitoring of Performance and Training in Rowing, 35(7), 597–617.
- Nolte, V. (2011). *Rowing Faster*. Human Kinetics, Inc.
- Parwata, I. M. Y. (2015). KELELAHAN DAN RECOVERY DALAM OLAHRAGA. In *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis* (Vol. 16, pp. 39–55). <https://doi.org/10.1377/hlthaff.2013.0625>
- Rifan, M. (2016). EFEK CRYOTHERAPY (WATER IMMERSION) TERHADAP PEMULIHAN KELELAHAN ATLET SEPAKBOLA, 001, 1–10.
- Sanchez Ureña, B., Barrantes Brais, K., Ureña Bonilla, P., Calleja González, J., & Ostoic, S. (2015). Effect of water immersion on recovery from fatigue: a meta-analysis. *European Journal of Human Movement*, (34), 1–14.
- Sellwood, K. L., Brukner, P., Williams, D., Nicol, A., & Hinman, R. (2007). Ice-water immersion and delayed-onset muscle soreness: A randomised controlled trial. *British Journal of Sports Medicine*, 41(6), 392–397. <https://doi.org/10.1136/bjsm.2006.033985>
- Sendowski, I., Sarourey, G., Besnard, Y., & Bittel, J. (1997). Cold induced vasodilatation and cardiovascular responses in humans during cold water immersion of various upper limb areas. *European Journal of Applied Physiology and Occupational Physiology*, 75(6), 471–477. <https://doi.org/10.1007/s004210050191>
- Simmons, G. H., Wong, B. J., Holowatz, L. A., & Kenney, W. L. (2011). Changes in the control of skin blood flow with exercise training: Where do cutaneous vascular adaptations fit in? *Experimental Physiology*, 96(9), 822–828. <https://doi.org/10.1113/expphysiol.2010.056176>
- Soper, C., & Hume, P. A. (2004). Towards an Ideal Rowing Technique for Performance The Contributions from Biomechanics, 34(12), 825–848.
- Stamford, B. (1996). Giving injuries the cold treatment. *Physician and Sportsmedicine*, 24(3), 99–100. <https://doi.org/10.3810/psm.1996.03.1300>
- Stephens, J. M., Halson, S., Miller, J., Slater, G. J., & Askew, C. D. (2016). Cold Water Immersion for Athletic Recovery. *International Journal of Sports Physiology and Performance*.

- Taylor, P., Jakeman, J. R., Macrae, R., & Eston, R. (2009). A single 10-min bout of cold-water immersion therapy after strenuous plyometric exercise has no beneficial effect on recovery from the symptoms of exercise- induced muscle damage, (August 2013), 37–41. <https://doi.org/10.1080/00140130802707733>
- Vaile, J., Halson, S., Gill, N., & Dawson, B. (2008). Effect of hydrotherapy on recovery from fatigue. *International Journal of Sports Medicine*, 29(7), 539–544. <https://doi.org/10.1055/s-2007-989267>
- Versey, N. G., Halson, S. L., & Dawson, B. T. (2013). Water immersion recovery for athletes: Effect on exercise performance and practical recommendations. *Sports Medicine*, 43(11), 1101–1130. <https://doi.org/10.1007/s40279-013-0063-8>
- White, G. E., Rhind, S. G., & Wells, G. D. (2014). The effect of various cold - water immersion protocols on exercise - induced inflammatory response and functional recovery from high - intensity sprint exercise. <https://doi.org/10.1007/s00421-014-2954-2>
- White, G. E., & Wells, G. D. (2013). Cold-water immersion and other forms of cryotherapy: Physiological changes potentially affecting recovery from high-intensity exercise. *Extreme Physiology and Medicine*, 2(1). <https://doi.org/10.1186/2046-7648-2-26>
- Whyte, S. A. I. Æ. G. P., & Nevill, Æ. K. J. Æ. A. M. (2002). Determinants of 2,000 m rowing ergometer performance in elite rowers, 243–246. <https://doi.org/10.1007/s00421-002-0699-9>
- Wilson, L. J., Cockburn, E., Paice, K., Sinclair, S., Faki, T., Hills, F. A., ... Wood, A. (2017). Recovery following a marathon : a comparison of cold water immersion , whole body cryotherapy and a placebo control. *European Journal of Applied Physiology*, 0(0), 0. <https://doi.org/10.1007/s00421-017-3757-z>