

DAFTAR PUSTAKA

- Ahmad, M. S., Pandey, A. K., Abd Rahim, N., & Tyagi, V. V. (2020). Pt-TCO free Sn-Cu ternary alloy as cost effective counter electrode layer for dye sensitized solar cell. *Optik*, 206, 164317. <https://doi.org/10.1016/j.ijleo.2020.164317>
- Aminullah, M. W., Haryadi, H., & Fitria, D. (2022). Perancangan Kompor Listrik Berbasis Panel Surya Terhadap Pengaruh Panjang Coil. *Jurnal Teknik Elektro Uniba (JTE UNIBA)*, 6(2), 200–205. <https://doi.org/10.36277/jteuniba.v6i2.108>
- Arshad, R., Tariq, S., Niaz, M. U., & Jamil, M. (2014). Improvement in solar panel efficiency using solar concentration by simple mirrors and by cooling. *2014 International Conference on Robotics and Emerging Allied Technologies in Engineering, iCREATE 2014 - Proceedings*, 292–295. <https://doi.org/10.1109/iCREATE.2014.6828382>
- Ashrafi, S. S., Hossain, M. K., Islam, M. M., Hossain, M. U., Fahad, S. M., Kamrujjaman, M., Masum, M. M. I., Ahmed, F., Hossain, M. A., & Rahman, M. O. (2020). Characterization and Fabrication of Pb-Based Perovskites Solar Cells under Atmospheric Condition and Stability Enhancement. *Advances in Materials Physics and Chemistry*, 10(11), 282–296. <https://doi.org/10.4236/ampc.2020.1011022>
- Bahtiar, A., Rahmanita, S., & Inayat, Y. D. (2017). Pin-Hole Free Perovskite Film for Solar Cells Application Prepared by Controlled Two-Step Spin-Coating Method. *IOP Conference Series: Materials Science and Engineering*, 196(1). <https://doi.org/10.1088/1757-899X/196/1/012037>
- Bai, Z., Yang, J., & Wang, D. (2011). Thin film CdTe solar cells with an absorber layer thickness in micro- and sub-micrometer scale. *Applied Physics Letters*, 99(14), 2011–2014. <https://doi.org/10.1063/1.3644160>
- Ball, J. M., Lee, M. M., Hey, A., & Snaith, H. J. (2013). Low-temperature processed meso-superstructured to thin-film perovskite solar cells. *Energy and Environmental Science*, 6(6), 1739–1743. <https://doi.org/10.1039/c3ee40810h>
- Bergmann, V. W., Weber, S. A. L., Javier Ramos, F., Nazeeruddin, M. K., Grätzel, M.,

- Li, D., Domanski, A. L., Lieberwirth, I., Ahmad, S., & Berger, R. (2014). Real-space observation of unbalanced charge distribution inside a perovskite-sensitized solar cell. *Nature Communications*, *5*. <https://doi.org/10.1038/ncomms6001>
- Birnie, D. P., Hau, S. K., Kamber, D. S., & Kaz, D. M. (2005). Effect of ramping-up rate on film thickness for spin-on processing. *Journal of Materials Science: Materials in Electronics*, *16*(11–12), 715–720. <https://doi.org/10.1007/s10854-005-4973-6>
- Burschka, J., Pellet, N., Moon, S. J., Humphry-Baker, R., Gao, P., Nazeeruddin, M. K., & Grätzel, M. (2013). Sequential deposition as a route to high-performance perovskite-sensitized solar cells. *Nature*, *499*(7458), 316–319. <https://doi.org/10.1038/nature12340>
- Campbell, B., & Manning, J. (2018). The rise of victimhood culture: Microaggressions, safe spaces, and the new culture wars. *The Rise of Victimhood Culture: Microaggressions, Safe Spaces, and the New Culture Wars*, 1–265. <https://doi.org/10.1007/978-3-319-70329-9>
- Cho, S.-H. (2009). Effects of Growth Temperature on the Properties of ZnO Thin Films Grown by Radio-frequency Magnetron Sputtering. *Transactions on Electrical and Electronic Materials*, *10*(6), 185–188. <https://doi.org/10.4313/teem.2009.10.6.185>
- Coroş, M., Pogăcean, F., Măgeruşan, L., Socaci, C., & Pruneanu, S. (2019). A brief overview on synthesis and applications of graphene and graphene-based nanomaterials. *Frontiers of Materials Science*, *13*(1), 23–32. <https://doi.org/10.1007/s11706-019-0452-5>
- Curtright, A. E., & Apt, J. (2008). The character of power output from utility-scale photovoltaic systems. *Progress in Photovoltaics: Research and Applications*, *16*(3), 241–247. <https://doi.org/10.1002/pip.786>
- D. kuang, J. brillet, P .chen, M. takata, S. uchida, H. Miura, K. sumioka, S.M Zakeeruddin, & M. Gratzel. (2008). Application of Highly Ordered TiO₂ Nanotube Arrays in Flexible Dye- Sensitized Solar Cells. *ACS Nano*, *2*(6), 1113–1116.

- Dai, X., Xu, K., & Wei, F. (2020). Recent progress in perovskite solar cells: the perovskite layer. *Beilstein Journal of Nanotechnology*, *11*, 51–60. <https://doi.org/10.3762/bjnano.11.5>
- De Wolf, S., Holovsky, J., Moon, S. J., Löper, P., Niesen, B., Ledinsky, M., Haug, F. J., Yum, J. H., & Ballif, C. (2014). Organometallic halide perovskites: Sharp optical absorption edge and its relation to photovoltaic performance. *Journal of Physical Chemistry Letters*, *5*(6), 1035–1039. <https://doi.org/10.1021/jz500279b>
- Debanath, M. K., & Karmakar, S. (2013). Study of blueshift of optical band gap in zinc oxide (ZnO) nanoparticles prepared by low-temperature wet chemical method. *Materials Letters*, *111*, 116–119. <https://doi.org/10.1016/j.matlet.2013.08.069>
- Dong, J., Zhao, Y., Shi, J., Wei, H., Xiao, J., Xu, X., Luo, J., Xu, J., Li, D., Luo, Y., & Meng, Q. (2014). Impressive enhancement in the cell performance of ZnO nanorod-based perovskite solar cells with Al-doped ZnO interfacial modification. *Chemical Communications*, *50*(87), 13381–13384. <https://doi.org/10.1039/c4cc04908j>
- Elsaeedy, H. I., Qasem, A., Yakout, H. A., & Mahmoud, M. (2021). The pivotal role of TiO₂ layer thickness in optimizing the performance of TiO₂/P-Si solar cell. *Journal of Alloys and Compounds*, *867*. <https://doi.org/10.1016/j.jallcom.2021.159150>
- Emery, K. a. (1986). Solar Simulators and I-V Measurement System for Large Area Solar CMethods. *Solar Cells*, *18*, 251–260.
- Erdiwansyah, E., Mahidin, M., Husin, H., Nasaruddin, N., Khairil, K., Zaki, M., & Jalaluddin, J. (2021). Investigation of availability, demand, targets, and development of renewable energy in 2017–2050: a case study in Indonesia. *International Journal of Coal Science and Technology*, *8*(4), 483–499. <https://doi.org/10.1007/s40789-020-00391-4>
- Gil-Escrig, L., Longo, G., Pertegás, A., Roldán-Carmona, C., Soriano, A., Sessolo, M., & Bolink, H. J. (2015). Efficient photovoltaic and electroluminescent perovskite devices. *Chemical Communications*, *51*(3), 569–571. <https://doi.org/10.1039/c4cc07518h>

- Gómez-Navarro, C., Meyer, J. C., Sundaram, R. S., Chivilin, A., Kurasch, S., Burghard, M., Kern, K., & Kaiser, U. (2010). Atomic structure of reduced graphene oxide. *Nano Letters*, *10*(4), 1144–1148. <https://doi.org/10.1021/nl9031617>
- Gong, J., Liang, J., & Sumathy, K. (2012). Review on dye-sensitized solar cells (DSSCs): Fundamental concepts and novel materials. *Renewable and Sustainable Energy Reviews*, *16*(8), 5848–5860. <https://doi.org/10.1016/j.rser.2012.04.044>
- Green, M. A. (2007). Thin-film solar cells: Review of materials, technologies and commercial status. *Journal of Materials Science: Materials in Electronics*, *18*(SUPPL. 1), 15–19. <https://doi.org/10.1007/s10854-007-9177-9>
- Green, M. A., Dunlop, E. D., Hohl-Ebinger, J., Yoshita, M., Kopidakis, N., & Hao, X. (2021). Solar cell efficiency tables (Version 58). *Progress in Photovoltaics: Research and Applications*, *29*(7), 657–667. <https://doi.org/10.1002/pip.3444>
- Green, M. A., Ho-Baillie, A., & Snaith, H. J. (2014). The emergence of perovskite solar cells. *Nature Photonics*, *8*(7), 506–514. <https://doi.org/10.1038/nphoton.2014.134>
- Gregg, B. A., & Hanna, M. C. (2003). Comparing organic to inorganic photovoltaic cells: Theory, experiment, and simulation. *Journal of Applied Physics*, *93*(6), 3605–3614. <https://doi.org/10.1063/1.1544413>
- Hodes, G. (2013). Perovskite-based solar cells. *Science*, *342*(6156), 317–318. <https://doi.org/10.1126/science.1245473>
- Hosseini, A., Içli, K., Özenbaş, M., & Erçelebi. (2014). Fabrication and characterization of spin-coated TiO₂ films. *Energy Procedia*, *60*(C), 191–198. <https://doi.org/10.1016/j.egypro.2014.12.332>
- Im, J. H., Lee, C. R., Lee, J. W., Park, S. W., & Park, N. G. (2011). 6.5% Efficient Perovskite Quantum-Dot-Sensitized Solar Cell. *Nanoscale*, *3*(10), 4088–4093. <https://doi.org/10.1039/c1nr10867k>
- Islam, M. T., Shahir, S. A., Uddin, T. M. I., & Saifullah, A. Z. A. (2014). Current energy scenario and future prospect of renewable energy in Bangladesh. *Renewable and Sustainable Energy Reviews*, *39*, 1074–1088. <https://doi.org/10.1016/j.rser.2014.07.149>

- Juarez-Perez, E. J., Wußler, M., Fabregat-Santiago, F., Lakus-Wollny, K., Mankel, E., Mayer, T., Jaegermann, W., & Mora-Sero, I. (2014). Role of the selective contacts in the performance of lead halide perovskite solar cells. *Journal of Physical Chemistry Letters*, *5*(4), 680–685. <https://doi.org/10.1021/jz500059v>
- Jung, H. S., Han, G. S., Park, N. G., & Ko, M. J. (2019). Flexible Perovskite Solar Cells. *Joule*, *3*(8), 1850–1880. <https://doi.org/10.1016/j.joule.2019.07.023>
- K Hossain, A., & Badr, O. (2007). Prospects of renewable energy utilisation for electricity generation in Bangladesh. *Renewable and Sustainable Energy Reviews*, *11*(8), 1617–1649. <https://doi.org/10.1016/j.rser.2005.12.010>
- Kementerian ESDM. (2020). Handbook of Energy & Economy Statistics of Indonesia 2020. *Book*, 1–111. <https://www.esdm.go.id/en/publication/handbook-of-energy-economic-statistics-of-indonesia-heesi>
- Kim, H. S., Lee, J. W., Yantara, N., Boix, P. P., Kulkarni, S. A., Mhaisalkar, S., Grätzel, M., & Park, N. G. (2013). High efficiency solid-state sensitized solar cell-based on submicrometer rutile TiO₂ nanorod and CH₃NH₃PbI₃ perovskite sensitizer. *Nano Letters*, *13*(6), 2412–2417. <https://doi.org/10.1021/nl400286w>
- Ku, Z., Rong, Y., Xu, M., Liu, T., & Han, H. (2013). Full printable processed mesoscopic CH₃ NH₃ PbI₃ /TiO₂ heterojunction solar cells with carbon counter electrode. *Scientific Reports*, *3*. <https://doi.org/10.1038/srep03132>
- L.C. Passos, M., & M.F.S. Saraiva, M. L. (2019). Detection in UV-visible spectrophotometry: Detectors, detection systems, and detection strategies. *Measurement: Journal of the International Measurement Confederation*, *135*, 896–904. <https://doi.org/10.1016/j.measurement.2018.12.045>
- Lai, L. W., & Lee, C. T. (2008). Investigation of optical and electrical properties of ZnO thin films. *Materials Chemistry and Physics*, *110*(2–3), 393–396. <https://doi.org/10.1016/j.matchemphys.2008.02.029>
- Lawrence, C. J. (1988). The mechanics of spin coating of polymer films. *Physics of Fluids*, *31*(10), 2786–2795. <https://doi.org/10.1063/1.866986>
- Le, P. (2018). *The Quest for Stability of Perovskite Solar Cells: Understanding Degradation, Improving Lifetimes and Towards Experimental Standards* THÈSE

- N O 8106 (2018) ÉCOLE POLYTECHNIQUE FÉDÉRALE DE LAUSANNE. 8106*, 218. https://infoscience.epfl.ch/record/252887/files/EPFL_TH8106.pdf
- Lee, M. M., Teuscher, J., Miyasaka, T., Murakami, T. N., & Snaith, H. J. (2012). Efficient hybrid solar cells based on meso-superstructured organometal halide perovskites. *Science*, 338(6107), 643–647. <https://doi.org/10.1126/science.1228604>
- Lee, W., Yeop, J., Heo, J., Yoon, Y. J., Park, S. Y., Jeong, J., Shin, Y. S., Kim, J. W., An, N. G., Kim, D. S., Park, J., & Kim, J. Y. (2020). High colloidal stability ZnO nanoparticles independent on solvent polarity and their application in polymer solar cells. *Scientific Reports*, 10(1), 1–10. <https://doi.org/10.1038/s41598-020-75070-0>
- Lewis, J. S., & Weaver, M. S. (2004). Thin-film permeation-barrier technology for flexible organic light-emitting devices. *IEEE Journal on Selected Topics in Quantum Electronics*, 10(1), 45–57. <https://doi.org/10.1109/JSTQE.2004.824072>
- Li, X., Ibrahim Dar, M., Yi, C., Luo, J., Tschumi, M., Zakeeruddin, S. M., Nazeeruddin, M. K., Han, H., & Grätzel, M. (2015). Improved performance and stability of perovskite solar cells by crystal crosslinking with alkylphosphonic acid ω - ammonium chlorides. In *Nature Chemistry* (Vol. 7, Nomor 9, hal. 703–711). <https://doi.org/10.1038/nchem.2324>
- Lin, Y. C., Wang, B. L., Yen, W. T., Ha, C. T., & Peng, C. (2010). Effect of process conditions on the optoelectronic characteristics of ZnO:Mo thin films prepared by pulsed direct current magnetron sputtering. *Thin Solid Films*, 518(17), 4928–4934. <https://doi.org/10.1016/j.tsf.2010.03.007>
- Lindblad, R., Bi, D., Park, B. W., Oscarsson, J., Gorgoi, M., Siegbahn, H., Odelius, M., Johansson, E. M. J., & Rensmo, H. (2014). Electronic structure of TiO₂/CH₃NH₃PbI₃ perovskite solar cell interfaces. *Journal of Physical Chemistry Letters*, 5(4), 648–653. <https://doi.org/10.1021/jz402749f>
- Luque, A., Sala, G., & Luque-Heredia, I. (2006). Photovoltaic concentration at the onset of its commercial deployment. *Progress in Photovoltaics: Research and Applications*, 14(5), 413–428. <https://doi.org/10.1002/pip.705>

- Mahmood, K., Swain, B. S., & Jung, H. S. (2014). Controlling the surface nanostructure of ZnO and Al-doped ZnO thin films using electrostatic spraying for their application in 12% efficient perovskite solar cells. *Nanoscale*, *6*(15), 9127–9138. <https://doi.org/10.1039/c4nr02065k>
- Makula, P., Pacia, M., & Macyk, W. (2018). How To Correctly Determine the Band Gap Energy of Modified Semiconductor Photocatalysts Based on UV-Vis Spectra. *Journal of Physical Chemistry Letters*, *9*(23), 6814–6817. <https://doi.org/10.1021/acs.jpcllett.8b02892>
- Mäntele, W., & Deniz, E. (2017). UV–VIS absorption spectroscopy: Lambert-Beer reloaded. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, *173*, 965–968. <https://doi.org/10.1016/j.saa.2016.09.037>
- Mitzi, D. B. (2007). Synthesis, structure, and properties of organic-inorganic perovskites and related materials. In *Progress in Inorganic Chemistry* (Vol. 48). <https://doi.org/10.1002/9780470166499.ch1>
- Miyasaka, T. (2018). Lead halide perovskites in thin film photovoltaics: Background and perspectives. *Bulletin of the Chemical Society of Japan*, *91*(7), 1058–1068. <https://doi.org/10.1246/bcsj.20180071>
- Møller, C. K. (1958). Crystal structure and photoconductivity of caesium plumbohalides. In *Nature* (Vol. 182, Nomor 4647, hal. 1436). <https://doi.org/10.1038/1821436a0>
- Nangoi, R., Paputungan, R., B.Ogie, T., Kawulusan, R. I., Mamarimbing, R., & Paat, F. J. (2022). *APPLICATION OF SOLAR PANELS AS A SOURCE OF ELECTRICITY FOR HYDROPONIC IRRIGATION SYSTEMS*. *3*(c), 422–428.
- Nasruddin, Budiyanto, M. A., & Nawara, R. (2018). Comparative study of the monthly global solar radiation estimation data in Jakarta. *IOP Conference Series: Earth and Environmental Science*, *105*(1). <https://doi.org/10.1088/1755-1315/105/1/012111>
- Nazeeruddin, M. K., Péchy, P., & Grätzel, M. (1997). Efficient panchromatic sensitization of nanocrystalline TiO₂ films by a black dye based on a trithiocyanato-ruthenium complex. *Chemical Communications*, *1*(18), 1705–

1706. <https://doi.org/10.1039/a703277c>
- Nhari, L. M., El-Shishtawy, R. M., & Asiri, A. M. (2021). Recent progress in organic hole transport materials for energy applications. *Dyes and Pigments*, *193*(March), 109465. <https://doi.org/10.1016/j.dyepig.2021.109465>
- Park, N. G. (2015). Perovskite solar cells: An emerging photovoltaic technology. *Materials Today*, *18*(2), 65–72. <https://doi.org/10.1016/j.mattod.2014.07.007>
- Pasquier, A. Du. (2007). An approach to laminated flexible Dye sensitized solar cells. *Electrochimica Acta*, *52*(26), 7469–7474. <https://doi.org/10.1016/j.electacta.2007.06.028>
- Prajapati, C. S., & Sahay, P. P. (2012). Effect of precursors on structure, optical and electrical properties of chemically deposited nanocrystalline ZnO thin films. *Applied Surface Science*, *258*(7), 2823–2828. <https://doi.org/10.1016/j.apsusc.2011.10.141>
- Pruna, R., Palacio, F., López, M., Pérez, J., Mir, M., Blázquez, O., Hernández, S., & Garrido, B. (2016). Electrochemical characterization of organosilane-functionalized nanostructured ITO surfaces. *Applied Physics Letters*, *109*(6). <https://doi.org/10.1063/1.4960734>
- Resosudarmo, B. P., Alisjahbana, A., & Nurdianto, D. A. (2012). Energy Security in Indonesia. *Energy Security in the Era of Climate Change*, 161–179. https://doi.org/10.1057/9780230355361_10
- Richard E. Smalley. (2005). Future Global Energy Prosperity: The Terawatt Challenge. *MRS Bulletin*, *30*, 412–417. www.mrs.org/publications/bulletin
- Samadi, M., Zirak, M., Naseri, A., Khorashadizade, E., & Moshfegh, A. Z. (2016). Recent progress on doped ZnO nanostructures for visible-light photocatalysis. *Thin Solid Films*, *605*(2016), 2–19. <https://doi.org/10.1016/j.tsf.2015.12.064>
- Sengupta, D., Das, P., Mondal, B., & Mukherjee, K. (2016). Effects of doping, morphology and film-thickness of photo-anode materials for dye sensitized solar cell application - A review. *Renewable and Sustainable Energy Reviews*, *60*, 356–376. <https://doi.org/10.1016/j.rser.2016.01.104>
- Shi, D., Adinolfi, V., Comin, R., Yuan, M., Alarousu, E., Buin, A., Chen, Y., Hoogland,

- S., Rothenberger, A., Katsiev, K., Losovyj, Y., Zhang, X., Dowben, P. A., Mohammed, O. F., Sargent, E. H., & Bakr, O. M. (2015). *Low trap-state density and long carrier diffusion in organolead trihalide perovskite single crystals*. *347(6221)*, 6221.
- Snaith, H. J. (2013). *2013_Physical Chemistry Letter_Perovskites The Emergence of a New Era for Low-Cost, HighEfficiency Solar Cells.pdf*.
- Suresh Kumar, N., & Chandra Babu Naidu, K. (2021). A review on perovskite solar cells (PSCs), materials and applications. *Journal of Materiomics*, *7(5)*, 940–956. <https://doi.org/10.1016/j.jmat.2021.04.002>
- Tan, W. K., Lockman, Z., Abdul Razak, K., Kawamura, G., Muto, H., & Matsuda, A. (2013). Enhanced dye-sensitized solar cells performance of ZnO nanorod arrays grown by low-temperature hydrothermal reaction. *International Journal of Energy Research*, *33(4)*, n/a-n/a. <https://doi.org/10.1002/er.3026>
- Tao, M. (2014). Physics of solar cells. In *SpringerBriefs in Applied Sciences and Technology* (Nomor 9781447156420). https://doi.org/10.1007/978-1-4471-5643-7_3
- Tirado, J. F., & Sumicol, S. A. S. (2020). *Development of new inorganic p-type materials for perovskite solar cells* *Development of new inorganic p-type materials for perovskite solar cells* Autor Juan Felipe Tirado Jaramillo Universidad de Antioquia Facultad de Ingeniería Medellín, Colombia. December 2019. <https://doi.org/10.13140/RG.2.2.29944.26884>
- Wang, M. D., Zhu, D. Y., Liu, Y., Zhang, L., Zheng, C. X., He, Z. H., Chen, D. H., & Wen, L. S. (2008). Determination of thickness and optical constants of ZnO thin films prepared by filtered cathode vacuum arc deposition. *Chinese Physics Letters*, *25(2)*, 743–746. <https://doi.org/10.1088/0256-307X/25/2/106>
- Washo, B. D. (1977). Rheology and Modeling of the Spin Coating Process. *IBM Journal of Research and Development*, *21(2)*, 190–198. <https://doi.org/10.1147/rd.212.0190>
- WEI, S. feng, JIANG, Q., & LIAN, J. she. (2008). Synthesis and characteristics of large-scale ZnO rods by wet chemical method. *Transactions of Nonferrous Metals*

- Society of China (English Edition)*, 18(5), 1089–1093.
[https://doi.org/10.1016/S1003-6326\(08\)60186-7](https://doi.org/10.1016/S1003-6326(08)60186-7)
- Wu, C. Y., Lee, Y. L., Lo, Y. S., Lin, C. J., & Wu, C. H. (2013). Thickness-dependent photocatalytic performance of nanocrystalline TiO₂ thin films prepared by sol-gel spin coating. *Applied Surface Science*, 280, 737–744.
<https://doi.org/10.1016/j.apsusc.2013.05.053>
- Xing, G., Mathews, N., Sun, S., Lim, S. S., Lam, Y. M., Graätzel, M., Mhaisalkar, S., & Sum, T. C. (2013). Long-range balanced electron-and hole-transport lengths in organic-inorganic CH₃NH₃PbI₃. *Science*, 342(6156), 344–347.
<https://doi.org/10.1126/science.1243167>
- Yang, J., Siempelkamp, B. D., Liu, D., & Kelly, T. L. (2015). Investigation of CH₃NH₃PbI₃ degradation rates and mechanisms in controlled humidity environments using in situ techniques. *ACS Nano*, 9(2), 1955–1963.
<https://doi.org/10.1021/nn506864k>
- Yao, H., Ye, L., Fan, B., Huo, L., & Hou, J. (2015). Influence of the alkyl substitution position on photovoltaic properties of 2D-BDT-based conjugated polymers. *Science China Materials*, 58(3), 213–222. <https://doi.org/10.1007/s40843-015-0036-3>
- Yuan, Y., Xiao, Z., Yang, B., & Huang, J. (2014). Arising applications of ferroelectric materials in photovoltaic devices. *Journal of Materials Chemistry A*, 2(17), 6027–6041. <https://doi.org/10.1039/c3ta14188h>
- Zafar, R., Mahmood, A., Razzaq, S., Ali, W., Naeem, U., & Shehzad, K. (2018). Prosumer based energy management and sharing in smart grid. *Renewable and Sustainable Energy Reviews*, 82(August 2016), 1675–1684.
<https://doi.org/10.1016/j.rser.2017.07.018>
- Zhai, T., Li, L., Ma, Y., Liao, M., Wang, X., Fang, X., Yao, J., Bando, Y., & Golberg, D. (2011). One-dimensional inorganic nanostructures: synthesis, field-emission and photodetection. *Chemical Society Reviews*, 40(5), 2986–3004.
<https://doi.org/10.1039/c0cs00126k>
- Zhang, X. H., Ye, J. J., Zhu, L. Z., Zheng, H. Y., Liu, X. P., Pan, X., & Dai, S. Y.

- (2016). High Consistency Perovskite Solar Cell with a Consecutive Compact and Mesoporous TiO₂ Film by One-Step Spin-Coating. *ACS Applied Materials and Interfaces*, 8(51), 35440–35446. <https://doi.org/10.1021/acsami.6b11860>
- Zhao, Y., Nardes, A. M., & Zhu, K. (2014). Solid-State Mesoporous Perovskite CH₃NH₃PbI₃ Solar Cells: Charge Transport, Recombination, and Diffusion Length. *The Journal of Physical Chemistry Letters*, 3–7.
- Zhao, Y., & Zhu, K. (2013). Charge transport and recombination in perovskite (CH₃NH₃)PbI₃ sensitized TiO₂ Solar Cells. *Journal of Physical Chemistry Letters*, 4(17), 2880–2884. <https://doi.org/10.1021/jz401527q>
- Zhou, D., Zhou, T., Tian, Y., Zhu, X., & Tu, Y. (2018). Perovskite-Based Solar Cells: Materials, Methods, and Future Perspectives. *Journal of Nanomaterials*, 2018. <https://doi.org/10.1155/2018/8148072>