

## DAFTAR PUSTAKA

- Ahmed, N. (2012). Isolation and identification of secondary metabolites producing organisms from marine sponge. *Discovery*, 1 (1), hlm. 14-17.
- Akinyemi, K. O., Olukayode O., Chidi E.O., Christopher C.I., and Kehinde A. F. (2005). Screening of Crude Extract of Six Medicinal Plants Used in South West Nigerian for Anti-methicilin Resistance *Staphylococcus aureus* Activity. *Departement of Microbiology. Nigeria*. 14p.
- Akranth Marella, Om Prakash Tanwar, Rikta Saha, Mohammad Rahmat Ali, Sandeep Srivastava, Mymoona Akhter, Mohammad Shaquiquzzaman, and Mohammad Mumtaz Alam. (2013). Quinoline: A versatile heterocyclic. *Saudi Pharm J*. 21(1): 1–12.
- Ambrose Christina, Varghese Christopher, and Subhash J. Bhore. (2013). Endophytic bacteria as a source of novel antibiotics: An overview. *Pharmacogn Rev.*; 7(13): 11–16.
- Andrews, J.M. (2006). Determination of Minimum Inhibitory Concentrations. *Journal of Antimicrobial Chemotherapy*, 48, hlm. 5-16.
- Ardiansyah. (2007). Antimikroba dari Tumbuhan. [online]. Tersedia : [http://www.beritaiptek.com/zberita-beritaiptek-2007-06-09-Antimikroba-dari-Tumbuhan-\(Bagiankedua\).shtml](http://www.beritaiptek.com/zberita-beritaiptek-2007-06-09-Antimikroba-dari-Tumbuhan-(Bagiankedua).shtml). [ 25 Juli 2017]
- Arunachalam C, Gayathri P. (2010). Studies on bioprospecting of endophytic bacteria from the medicinal plant of *Andrographis paniculata* for their antimicrobial activity and antibiotic susceptibility pattern. *Int. J. Curr. Pharm. Res.* 2(4):63-68 Bills GF (1995).
- Azwar, Azrul. (2002). Pengantar Epidemiologi. Penerbit Binapura Aksara. Edisi Revisi. Jakarta Barat.
- Benita Mercy Rajan, Krishnan Kannabiran. (2014). Extraction and Identification of Antibacterial Secondary Metabolites from Marine *Streptomyces* sp. VITBRK2. *Int J Mol Cell Med Summer* ; Vol 3 No 3 129-137
- Berdy, J. (2005). “Bioactive Microbial Metabolites”. *J. Antibiot.* 58, (!), 1-26.
- Bull, D.I., 2008. *Gas Chromatography-Mas Spectrometry* (GC-MS). [online]. Terdia : <http://www.bris.ac.uk/nerclsmsf/techniques/gcms.html> [8 Oktober 2017]
- Cappuccino JG, Sherman N (2002). *Microbiology. A laboratory manual*. 6 th edition. Pearson education inc. San Francisco, California.

**Thia Nur Annisa, 2017**

*POTENSI ANTIBAKTERI ISOLAT BAKTERI ENDOFIT AKAR TANAMAN OBAT TERHADAP BAKTERI Pseudomonas aeruginosa dan Streptococcus pneumonia*

- Cappuccino JG, Sherman N (2011). *Microbiology. A laboratory manual*. 10 th edition. Pearson education inc. San Francisco, California.
- CLSI, (2012). *Performance Standards for Antimicrobial Disk Susceptibility Tests, Approved Standard, 7th ed., CLSI document M02-A11. Clinical and Laboratory Standards Institute, 9.*
- D. Haas, G. Defago. (2005). Biological control of soil-borne pathogens by fluorescent *pseudomonads*. *Nat Rev Microbiol*, 3, pp. 307-319.
- Davis WW & Stout TR. (2009). Disc Plate Method of Microbiological Antibiotic Assay. *Applied and Environmental Microbiology*. vol. 22 (4): 666-670.
- Delaney SM, Mavrodi DV, Bonsall RF, Thomashow LS (2001) phzO, a gene for biosynthesis of 5002-hydroxylated phenazine compounds in *Pseudomonas aureofaciens* 30-84. *J Bacteriol* 5011 83:318–327
- Dmitri Mavrodi, Olga Mavrodi, James A. Parejko, Linda Thomashow. (2012). The Role of 2,4-Diacetylphloroglucinol- and Phenazine-1-Carboxylic Acid-Producing *Pseudomonas* spp. in Natural Protection of Wheat from Soilborne Pathogens. *Bacteria in Agrobiolgy: Plant Nutrient Management, Publisher: Springer, Editors: DK Maheshwari*, pp.267-283
- Dhanya N. Nair and S. Padmavathy. (2014). Impact of Endophytic Microorganisms on Plants, Environment and Humans. *The Scientific World Journal Volume* (2014), Article ID 250693, 11 pages
- Disha Menpara and Sumitra Chanda. (2013). Endophytic Bacteria- Unexplored Reservoir of Antimicrobials for Combating Microbial Pathogens. *Microbial pathogens and strategies for combating them: science, technology and education (A. Méndez-Vilas, Ed.)* pp 1095-1103
- Doughari, J. (2007). Antimicrobial activity of *Tamarindus indica* Linn. *Tropical Journal of Pharmaceutical Research*, 5(2), 597-603.
- Esper, R.H., Goncalvez, E., Felicio, R.C., Felicio, D.J. (2015). Fungicidal activity and constituents of *Ageratum conyzoides* L. essential oil from three regions in São Paulo state, Brazil. *Pharmacology / Scientific Communication*, 82, hlm. 1-4.
- Fardiaz, Srikandi. (1992). *Mikrobiologi Pangan I*. Jakarta: PT. Gramedia Pustaka Utama.
- Flora SJS, Shrivastava R, Mittal M (2013). Chemical and pharmacological properties of some natural and synthetic antioxidants for heavy metal toxicity. *Curr Med Chem* 20:4540-4574.

**Thia Nur Annisa, 2017**

*POTENSI ANTIBAKTERI ISOLAT BAKTERI ENDOFIT AKAR TANAMAN OBAT TERHADAP BAKTERI Pseudomonas aeruginosa dan Streptococcus pneumonia*

- Gouri Kumar Dash, P. Narasimha Murthy. (2011). Wound Healing Effects Of *Ageratum Conyzoides* Linn. *International Journal of Pharma and Bio Sciences*. 2(2).
- Guetsky, R., D. Shtienberg, Y. Elad, E. Fischer, and A. Dinoor. (2002). Improving biological control by combining biocontrol agents each with several mechanisms of disease suppression. *Phytopathology* 92: 976-985).
- Gunatilaka, A.A. L. (2006). Natural products from plant-associated microorganisms : distribution, structural diversity, bioactivity and implications of their occurrence. *Natural Product* 69 (3) : 509-526.
- Gunawan. I.W.A. 2009. Potensi Buah Pare ( *Momordica charantia* L) Sebagai Antibakteri *Salmonella typhimurium*. Universitas Mahasaraswati Denpasar. 1-13.
- Günter Brader, Stéphane Compant, Birgit Mitter, Friederike Trognitz, and Angela Sessitsch . (2014). Metabolic potential of endophytic bacteria. *Curr Opin Biotechnol* . (100): 30–37.
- Hamley, Ian W. *et al.* (2013). Self-assembly of three bacterially-derived bioactive lipopeptides. *The Royal Society of Chemistry* 9 : 9572-9578.
- Hans Zahner, Wenner Karl Maas. (1972). *Biology of antibiotics*. New York : Spinger.
- Hariana, A. (2008). *Tumbuhan Obat dan Khasiatnya*. Cetakan Kelima. Penebar Swadaya. Jakarta.
- Hidayat, S dan Team Flora. (2008). “*Khasiat Herbal*”. Gramedia : Jakarta.
- Hunter, P. (2009). Boron is The New Carbon in The Quest for Novel Drug Candidates. *European Molecular Biology Organization*. 10(2), 125-128.
- I Putu Sampurna dan Tjokorda Sari Nindhia. 2013. Rancangan Percobaan dengan SPSS. Bali: Universitas Udayana.
- Ihsan, F. (2013). *Identifikasi Metabolit Sekunder Potensial Anti Bakteri pada Bakteri Endorizosfer Ageratum conyzoides*. UPI : Bandung
- Irvin, R.T. (2008). *Pseudomonas : Model Organism, Pathogen, Cell Factory*. Germany: Wiley-VCH Verlag GmbH & Co. KgaA.
- J. Mariajancyrani, G. Chandramohan , Saravanan and A. Elayaraja. (2013). Isolation and antibacterial activity of terpenoid from *Bougainvillea glabra* choicy leaves. *Pelagia Research Library Asian Journal of Plant Science and Research*, 3(3):70-73.
- J.P. Morrissey, U.F. Walsh, A. O'Donnell, Y. Moenne-Loccoz, F. O'Gara. (2002). Exploitation of genetically modified inoculants for industrial ecology applications. *Anton Van Leeuw*, 81, pp. 599-606.

**Thia Nur Annisa, 2017**

**POTENSI ANTIBAKTERI ISOLAT BAKTERI ENDOFIT AKAR TANAMAN OBAT TERHADAP BAKTERI *Pseudomonas aeruginosa* dan *Streptococcus pneumonia***

- Jauhari, L.T. (2010). Seleksi dan Identifikasi Kapang Endofit Penghasil Antimikroba Penghambat Pertumbuhan Mikroba Patogen. *Skripsi*. UIN : Jakarta.
- Javed, S., Bashir, U. (2012). Antifungal Activity of Different Extracts of *Ageratum conyzoides* for The Management of *Fusarium solani*. *African Journal of Biotechnology* 11(49) : 1-14.
- Jawetz, Melnick, & Adelberg, (2013), *Medical Microbiology 26<sup>th</sup> edition*. The MacGraw-Hill Companies.
- Johnston-Monje D., Raizada M. N. (2011). Conservation and diversity of seed associated endophytes in across boundaries of evolution, ethnography and ecology. *PLoS ONE*6:e20396.
- Kadioglu, A., Welser JN, Paton JC, Anrew PW. (2008). The role of *Streptococcus pneumoniae* virulence factors in host respiratory colonization and disease. *Nat Rev Microbiol.*;6(4):288-301.
- Krishnaveni V (2016) Analysis of Chemical Components and Antimicrobial Activity on Vetiver Extract for Home Textile Applications. *J Textile Sci Eng* 6:259.
- Koberi, Martina *et al.* (2013). The microbiome of medicinal plants : diversity and importance for plant growth, quality and health. *Frontiers in Microbiology* 4 : 1-8.
- Kumala, S., Tambunan, R. M., & Mochtar, D. (2006). Uji aktivitas anti-bakteri ekstrak etil asetat kembang pukul empat (*mirabilis jalapa* l.) dengan metode bioautografi. *JFIOOnline/ Print*, 3(2), 97-102.
- Lorain V. (2005). *Antibiotic in Laboratory Medicine*. 5 th Edition. London: Williams and Wilkins Co. p 259.
- M. Rajkumar, W.H. Lee, K.J. Lee. (2005). Screening of bacterial antagonists for biological control of *Phytophthora* blight of pepper. *J Basic Microbiol*, 45, pp. 55-63
- Madigan, M. T, Martinko JM, Dunlap PV, Clark DP. (2006). *Brock Biology of Microorganism* 12<sup>th</sup> edition. San Francisco (US): Pearson Benjamin Cummings.
- Madigan, M.T., Martinko, J.M., Stahl, D.A. and Clark, D.P. (2010). *Brock Biology of Microorganisms*, 13th edition, Pearson Benjamin-Cummings, San Francisco.
- Mahidol, Chulabhorn *et al.* (2002). Investigation of some bioactive Thai medicinal plant. *Phytochemistry* 1 : 287-297.
- Maroof Ahmed, Muzaffer Hussain, Manoj K. Dhar and Sanjana Kaul. (2012). Isolation of microbial endophytes from some ethnomedicinal plants of Jammu and Kashmir. *J. Nat. Prod. Plant Resour.* 2 (2):215-220.

**Thia Nur Annisa, 2017**

*POTENSI ANTIBAKTERI ISOLAT BAKTERI ENDOFIT AKAR TANAMAN OBAT TERHADAP BAKTERI Pseudomonas aeruginosa dan Streptococcus pneumonia*

- Mayasari, E. (2006). *Pseudomonas aeruginosa : Karakteristik, Infeksi dan Penanganan*. [Online]. Tersedia: <http://library.usu.ac.id> [1 Oktober 2017]
- Ming, L. C. (1999). "Ageratum conyzoides : A Tropical Source of Medicinal and Agricultural Products". *ASHS Press*. 469-473.
- Murhadi. (2009). Senyawa dan Aktivitas Antimikroba Golongan Asam Lemak dan Esternya dari Tanaman. *Jurnal Teknologi Industri dan Hasil Pertanian Volume 14, No.1*. hlm.97-105.
- National Committee for Clinical Laboratory Standards. Performance standards for antimicrobial disk susceptibility tests. Approved standard. NCCLS document M2-A5. Wayne, Pa: National Committee for Clinical Laboratory Standards; 2003.
- Nimah, S., Ma'ruf, W. F., & Trianto, A. (2012). Uji bioaktivitas ekstrak teripang pasir (holothuria scabra) terhadap bakteri *Pseudomonas aeruginosa* dan *Bacillus cereus*. *Jurnal Pengolahan dan Bioteknologi*.
- Nugraha, A. S. dan Paul A. Keller. (2011). Revealing indigenous Indonesian traditional medicine : anti-infective agents. *Natural Product Communications 6(12)* : 1953 – 1966.
- Okunade, A.L. (2002). *Ageratum conyzoides* L. (Asteraceae). *Elsevier Fitoterapia 73*: 1-16.
- Oswari, E., 1995, Penyakit dan Penanggulangannya, 208, Gramedia, Jakarta.
- Pelczar, M.J. & S. Chan. (1998). Dasar-dasar Mikrobiologi 2. Jakarta : UI-Press.
- Pelczar, M.J; and E.C.S.Chan. 2005. Dasar-Dasar Mikrobiologi. Jilid 2. Jakarta: UI-press Rismunandar. 2001.
- Permatasari, Y. (2011). The Exploration of Ketosynthase Gene on Endophytic Bacterial Root of *Vetiveria zizanioides* L.. *International Journal of Basic & Applied Sciences IJBAS-IJENS 13(04)* : 112-119.
- Peter Boelen, Audrey van Mastrigt, Henk H. van de Bovenkamp, Hero J. Heeres, Anita G. J. Buma. (2016). Growth phase significantly decreases the DHA-to-EPA ratio in marine microalgae. *Aquaculture International*. Volume 25, Issue 2, pp 577–587.
- Petit, R. K.. (2011). "Small-molecules Elicitation of Microbial Secondary Metabolites". *Microbial Biotechnology*. 4, (4), 471-478.
- Petrovska, B.B.. (2012). Historical review of medicinal plants' usage. *Pharmacogn Rev.* 6(11): 1–5

**Thia Nur Annisa, 2017**

**POTENSI ANTIBAKTERI ISOLAT BAKTERI ENDOFIT AKAR TANAMAN OBAT TERHADAP BAKTERI *Pseudomonas aeruginosa* dan *Streptococcus pneumonia***

- Pinner R, Teutsch S, Simonsen L, Klug L, Graber J, Clarke M, Berkelman R (1996). Trends in infectious diseases mortality in the United States. *J. Am. Med. Assoc.* 275:189-193.
- Prihatiningtias, W. dan M.S.H. Wahyuningsih. 2006. *Prospek Mikroba Endofit Sebagai Sumber Senyawa Bioaktif*. Makalah. Universitas Gadjah Mada, Yogyakarta.
- Purity Kaaria, Vivienne Matiru and Mary Ndungu. (2012). Antimicrobial activities of secondary metabolites produced by endophytic bacteria from selected indigenous Kenyan plants. *African Journal of Microbiology Research* Vol. 6(45), pp. 7253-7258.
- Purwoko, T. (2007). *Fisiologi Mikroba*. Jakarta : Bumi Aksara Press.
- Randle, E. Ninis N, Inwald D.(2011). Invasive pneumococcal disease. *Arch Dis Child Educ Pract Ed.* ;96(5):183-90.
- Rizky, L.P. (2015). *Studi Efek Kominasi Meropenem, Gentamisin dan Levofloksasin terhadap Isolat Klinik Multidrug Resistant Pseudomonas aeruginosa (mdr-pa) dengan Metode E-test*. UGM : Yogyakarta
- Rizki Putri Andini Rahmah , Meiskha Bahar , Yanti Harjono. (2017). Uji Daya Hambat Filtrat Zat Metabolit Lactobacillus plantarum Terhadap Pertumbuhan Shigella dysenteriae Secara In Vitro. *Biogenesis Jurnal Ilmiah Biologi*. Vol 5, No. 1, 34-41.
- Robert L. Solso, M. Kimberly MacLin. (2002). *Experimental Psychology: A Case Approach*, 7th Edition. University of Northern Iowa New York : Pearson.
- Rosales AM, Thomashow L, Cook RJ and Mew TW. (1995). Isolation and identification of antifungal metabolites produced by rice associated antagonistic Pseudomonas spp. *Phytopathol* 85(9): 1029-1032.
- Saeide Saeidi, Kazem Hassanpour, Mehdi Ghamgosha, Mohammad Heiat, Ramezan Ali Taheri, Ali Mirhosseini, Gholamreza Farnoosh. (2014). Antibacterial activity of ethyl acetate and aqueous extracts of Mentha longifolia L. and hydroalcoholic extract of Zataria multiflora Boiss. *Plants against important human pathogens. Asian Pac J Trop Med* ; 7(Suppl 1): S186-S189.
- Saputro, A., (2015). Perbedaan Pola Kepekaan terhadap Antibiotik pada *Streptococcus pneumoniae* Yang Mengkolonisasi Nasofaring Balita. *Jurnal Kedokteran Dipenogoro*. Vol 2(1).
- Sekhon, B.S. (2013). Metalloid Compounds as Drugs. *Research in Pharmaceutical Sciences*. 8(3), 145-158.

**Thia Nur Annisa, 2017**

**POTENSI ANTIBAKTERI ISOLAT BAKTERI ENDOFIT AKAR TANAMAN OBAT TERHADAP BAKTERI *Pseudomonas aeruginosa* dan *Streptococcus pneumoniae***

- Shekhar, T.C & Anju, G. (2012). “ A Comprehensive Review on *Ageratum conyzoides* Linn. ( Goat weed )”. *International Journal of Pharmaceutical and Phytopharmalogical Research*. 1, (6), 391-395.
- Simanjuntak, M.R. (2008). Ekstrasi dan Fraksinasi Komponen Ekstrak Daun Tumbuhan Senduduk (*melastoma malabathricum* L) serta pengujian efek sediaan krim terhadap penyembuhan luka bakar. *Skripsi*. Falkutas Farmasi USU, Medan.
- Singh, I.P., S.B. Bharate. 2005. Anti-HIV Natural Products. *Journal Current Science* Vol. 89 (2005) No. 2, Hal. 269-290.
- Snigdha, M., Kumar, S.S., Sharmistha, M., Deepa, C. (2013). An overview on *Vetiveria zizanioides*. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 4(3), hlm. 777-783.
- Solso, R. L MacLin, M. K, O. H. (2005). *Cognitive Psychologi*. New York. Pearson.
- Stefanus., Purwijantiningsih, L.M. Ekawati., Pranata, F.Sinung. (2013). The Quality of Instant Mangosteen Fruit Pericarp (*Garcinia mangostana* Linn.) with Maltodextrin and Heating Temperature Variations. *Journal UAJY*. 1-15
- Sugiyono, Dr. (2010). *Metode penelitian Kuantitatif Kualitatif dan R&D*, Penerbit Alfabeta.
- Sukamto. (2007). Babadotan (*Ageratum conyzoides*) Tanaman Multi Fungsi. *Warta Puslitbangbun* 13(3).
- Susanti, A. 2008. Daya antibakteri ekstrak etanol daun beluntas (*Pluchea indica* less) terhadap *Escherichia coli* secara in vitro. *Jurnal universitas airlangga* Vol. 1 No. 1
- Taechowisan T, Lu C, Shen Y, Lumyong S. (2005). Secondary metabolites from endophytic *Streptomyces aureofaciens* CMUAc130 and their antifungal activity. *Microbiology*. 151:1691-1695.
- Tanaka, M., Sukiman, H., Takebayashi, M. (1999). Isolation, Screening and Phylogenetic Identification of Endophytes from Plants in Hokkaido Japan and Java Indonesia. *Microbes and Environments Japanese Society of Microbial Ecology*. 14(4), 237-241.
- Taura DW, Yusha’u M, Bello UA, Hassan A, Saidu J, Panda TW (2014). Antibacterial activity of *Psidium guajava* in clinical isolates. *Acad. J. Microbiol. Res*. 2(2):079-083.
- Todar, K. (2008). *Todar’s Online Textbook of Bacteriology*. [online]. Tersedia : <http://www.textbookofbacteriology.net/index.html> [1 Oktober 2017]

**Thia Nur Annisa, 2017**

*POTENSI ANTIBAKTERI ISOLAT BAKTERI ENDOFIT AKAR TANAMAN OBAT TERHADAP BAKTERI *Pseudomonas aeruginosa* dan *Streptococcus pneumonia**

- Truong, P. (2002). Vetiver Grass Technology. In: Vetiveria. The Genus Vetiveria, (Maffei, M., Ed.). *London and New York, Taylor and Francis Publishers*. pp. 114–132.
- Taslihan, A., S.M. Astuti, E.M. Nur dan Zari'ah. (2001). Petunjuk Umum Cara Isolasi Dan Identifikasi Bakteri Dari Air, Udang dan Ikan Di Air Payau. Balai Budidaya Air Payau Jepara. Jepara.
- Utami, Prapti. (2008). Tanaman Obat. Agromedia. Buku Pintar Tanaman Obat. *Agromedia Pustaka*. hlm 3-95.
- Vipra A, Sundarrajan S, Raqhupatil J, Narasimhaswamy N, Saravanan S, Appalah C, Poonacha N, Desai S, Nair S, Bhatt RN, Roy P, Chikkamadalalah R, Durqalah M, Sriram B, Padmanabhan S, Sharma U. (2014). Bacteriophage-derived CHAP domain protein, P128, kills Staphylococcus cells by cleaving interpeptide cross-bridge of peptidoglycan. *Microbiology Society*. 160(Pt 10):2157-69.
- Vladimir A. Zhukov, Oksana Y. Shtark, Alexey Y. Borisov and Igor A. Tikhonovich. (2013). Breeding to Improve Symbiotic Effectiveness of Legumes. *InTech* Chapter 7. hlm 167-207.
- Wang, L.L., B.K. Yang, K.L. Parkin, and E.A. Johnson. 1993. Inhibition of *Listeria monocytogenes* by monoacylglycerols synthesized from coconut oil and milk fat by lipasecatalyzed glycerolysis. *J. Agric. Food Chem.* 41: 1000-1005.
- Widowati, Tiwit. (2013). Identifikasi Senyawa Kimia Antifungal Dari Bakteri Endofit Asal *Taxus sumatrana*. Bogor: IPB.

**Thia Nur Annisa, 2017**

*POTENSI ANTIBAKTERI ISOLAT BAKTERI ENDOFIT AKAR TANAMAN OBAT TERHADAP BAKTERI Pseudomonas aeruginosa dan Streptococcus pneumonia*